



D

C

B

A




| REVISIONS |     |                           |           |     |      |
|-----------|-----|---------------------------|-----------|-----|------|
| P         | LTR | DESCRIPTION               | DATE      | DWN | APVD |
| E7        |     | REVISED PER ECO-16-007761 | 20MAY2016 | DLD | WEM  |
| E8        |     | REVISED PER ECO-17-006621 | 09MAY2017 | DLD | WEM  |

1. TE CONNECTIVITY (TE) PART NUMBER AND JULIAN DATE CODE MARKED ON THIS SIDE.
2. KEYING ARRANGEMENT TABLE FOR KEYWAY LOCATIONS, SEE SHEET 2.
3. KEYING ARRANGEMENT TABLE FOR KEY LOCATIONS, SEE SHEET 2.
4. SLIDE SHOWN IN UNLOCKED POSITION.
5. TPA SHOWN IN UNLOCKED POSITION.
6. MISCELLANEOUS COMPONENT ENGAGE/DISENGAGE FORCE, SAE/USCAR-2, SECTION 5.4.4.4. TPA (PRE-SET TO FULL) FORCES (15 TO 55 NEWTONS)
7. APPLICABLE TE GET FEMALE TERMINALS:  
FOR 0.22/0.35 WIRE SECTION,  
TERMINAL PART NUMBER 1393364-2 (GOLD)  
FOR 0.50/0.75 WIRE SECTION,  
TERMINAL PART NUMBER 1393365-2 (GOLD)  
FOR 0.22/0.35 WIRE SECTION,  
TERMINAL PART NUMBER 1393367-1 (TIN)  
FOR 0.50/0.75 WIRE SECTION,  
TERMINAL PART NUMBER 1393366-1 (TIN)
8. REFER TO POGO PIN FOR GET SOCKET TERMINAL ON TE DRAWING #114-18411 FOR CONTINUITY TESTING.
9. NOT FOR PRODUCTION USE.
10. CPA ASSEMBLED IN UNLOCKED POSITION.

|    |             |                                            |                                           |             |
|----|-------------|--------------------------------------------|-------------------------------------------|-------------|
| 9  | BLACK       | C3                                         | K99                                       | 9-1438521-8 |
|    |             |                                            |                                           |             |
|    | BLACK       | C143                                       | K1                                        | 2-1438521-8 |
|    | BLACK       | C142                                       | K1                                        | 2-1438521-7 |
|    | BLACK       | C141                                       | K1                                        | 2-1438521-6 |
|    | BLACK       | C140                                       | K1                                        | 2-1438521-5 |
|    | BLACK       | C139                                       | K1                                        | 2-1438521-4 |
|    |             |                                            |                                           |             |
|    | BLACK       | C138                                       | K1                                        | 2-1438521-2 |
| 10 | BLACK       | C137                                       | K1                                        | 2-1438521-1 |
|    | BLACK       | C136                                       | K1                                        | 2-1438521-0 |
|    |             |                                            |                                           |             |
|    | BLACK       | C132                                       | K1                                        | 1-1438521-7 |
|    | BLACK       | C131                                       | K1                                        | 1-1438521-6 |
|    | BLACK       | C129                                       | K1                                        | 1-1438521-5 |
|    | BLACK       | C128                                       | K1                                        | 1-1438521-4 |
|    | BLACK       | C127                                       | K1                                        | 1-1438521-3 |
|    | BLACK       | C122                                       | K1                                        | 1-1438521-2 |
|    | BLACK       | C115                                       | K1                                        | 1-1438521-1 |
|    | BLACK       | C109                                       | K1                                        | 1-1438521-0 |
|    | BLACK       | C108                                       | K1                                        | 1438521-9   |
|    | BLACK       | C107                                       | K1                                        | 1438521-8   |
|    | GRAY        | C75                                        | K1                                        | 1438521-7   |
|    | BLACK       | C74                                        | K1                                        | 1438521-6   |
|    | BLACK       | C73                                        | K1                                        | 1438521-5   |
|    | BLACK       | C62                                        | K1                                        | 1438521-4   |
|    | BLACK       | C61                                        | K1                                        | 1438521-3   |
|    | BLACK       | C49                                        | K1                                        | 1438521-2   |
|    | BLACK       | C3                                         | K1                                        | 1438521-1   |
|    | SLIDE COLOR | CIRCUIT ARRANGEMENT (SEE TABLE ON SHEET 2) | KEYING ARRANGEMENT (SEE TABLE ON SHEET 2) | PART NUMBER |

|                                        |  |                           |                                              |  |
|----------------------------------------|--|---------------------------|----------------------------------------------|--|
| THIS DRAWING IS A CONTROLLED DOCUMENT. |  | DWN DL DRUMMOND 11FEB2005 | TE Connectivity                              |  |
| DIMENSIONS:                            |  | CHK AJ VALASEK 11FEB2005  | NAME                                         |  |
| mm                                     |  | APVD AJ VALASEK 11FEB2005 | ASSEMBLY, FEMALE, 60 WAY GET, TCM, CONNECTOR |  |
| TOLERANCES UNLESS OTHERWISE SPECIFIED: |  | PRODUCT SPEC              | RESTRICTED TO                                |  |
| 0 PLC ±0.5                             |  | APPLICATION SPEC          | SIZE CAGE CODE DRAWING NO                    |  |
| 1 PLC ±0.20                            |  | 114-13060                 | A100779C=1438521                             |  |
| 2 PLC ±0.20                            |  | WEIGHT                    | SCALE 1:1                                    |  |
| 3 PLC ±0.20                            |  | CUSTOMER DRAWING          | SHEET 1 OF 3                                 |  |
| 4 PLC ±0.20                            |  |                           | REV E8                                       |  |
| ANGLES FINISH                          |  |                           |                                              |  |
| SEE CALLOUT                            |  |                           |                                              |  |

SEE SHEET 2 FOR HEADER INTERFACE SPECIFICATION  
AND SHEET 3 FOR KEYING AND CIRCUIT ARRANGEMENTS





# Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[1-1438521-0](#)