





REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
F1		REVISED PER ECO-18-001257	03JAN2018	R.L	H.L

Notes:

- 1 CUTOUT FEATURE AVAILABLE ONLY ON 5H ASSY P/N -1 (40P) AND -2 (60P).
- 6 0.00038 MIN GOLD PLATING (15u INCHES GOLD PLATING)
- 3 CONNECTOR DIMENSIONS REFERENCED FROM DRAWING WHICH CONN. P/NS BASED
- 4 CONNECTOR WITH BLACK HOUSING
- 5 MATERIAL: HOUSING: L.C.P UL 94-V0. CONTACT: BRASS

LOW HALOGEN



STEEL COVER




0.00076 MIN GOLD PLATING (30u INCHES GOLD PLATING)	450	↑	↑	↑	↑	↑	↑	↑	↑	↑	61.8	88	84.4	42.2	140	7-	-6	
	700	7H	3.6	6.6			12		6.85	7.25	21.8	32	28.4	14.2	40	7-5177986-1		
	550	↑	↑	↑			↑			↑	69.8	↑	↑	↑	160	6-	-8	
	800	6H	2.6	5.6			12		5.85	6.25	21.8	32	28.4	14.2	40	6-5177986-1		
	650	↑	↑	↑			↑			↑	85.8	104	100.4	50.2	200	5-	-0	
	900	5H	1.2	4.6	12	12	17	4.85	5.25	21.8	32	28.4	14.2	40	5-5177986-1			
△	900	5H	1.2	4.6	12	12	17	4.85	5.25	37.8	56	52.4	26.2	80	8-5177986-3			
0.0002 MIN GOLD PLATING (78u INCHES GOLD PLATING)	450	7H	3.6	6.6	12	16	17	6.85	7.25	53.8	72	68.4	34.2	120	4-5177986-5			
	400	↑	↑	↑			↑			↑	85.8	↑	↑	↑	200	4-	-0	
	600	8H	4.6	7.6			12		7.85	8.25	21.8	32	28.4	14.2	40	3-5177986-1		
	450	↑	↑	↑			↑			↑	85.8	↑	↑	↑	200	3-	-0	
	700	↑	↑	↑			↑			↑	77.8	104	100.4	50.2	180	2-	-9	
	500	7H	3.6	6.6			12		6.85	7.25	21.8	32	28.4	14.2	40	2-5177986-0		
	550	↑	↑	↑			↑			↑	61.8	88	84.4	42.2	140	1-	-6	
	800	6H	2.6	5.6			12		5.85	6.25	21.8	32	28.4	14.2	40	1-5177986-1		
	650	↑	↑	↑			↑			↑	69.8	↑	↑	↑	160		↑	-8
	900	5H	1.2	4.6	12	12	17	4.85	5.25	21.8	32	28.4	14.2	40	5177986-1			
	REMARKS	QTY	HEIGHT TYPE	Y	X	J	H	G	F	E	D	C	B	A	POS	SALEABLE PART NO.		

LOW HALOGEN

REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
-	-	SEE SHEET 1	-	-	-

Notes:

6 0.0002 MIN GOLD PLATING
(7.8u INCHES GOLD PLATING)





POLYIMIDE COVER

REMARKS	QTY	HEIGHT TYPE	J	H	G	F	E	D	C	B	A	POS	SALEABLE PART NO.

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN FLORENCE TAN 30AUG2004	TE Connectivity	
DIMENSIONS: mm		CHK ERIC TNG 30MAY2012		
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD SF LEONG 30MAY2012	NAME	
0 PLC ± -		PRODUCT SPEC	PLUG ASSEMBLY, FH 0.8 ON TAPING (EMBOSS) 0.5 BOSS LENGTH	
1 PLC ± 0.2		APPLICATION SPEC	SIZE	
2 PLC ± 0.15		WEIGHT	CAGE CODE	
3 PLC ± 0.1		0	DRAWING NO	
4 PLC ± -		CUSTOMER DRAWING	A2 00779	
ANGLES		SCALE	1:1	
FINISH		SHEET	2 OF 3	
-		REV	F1	


REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
-	-	SEE SHEET 1	-	-	-



CONNECTOR ONLY

84.2	85.8	79.2	200
76.2	77.8	71.2	180
68.2	69.8	63.2	160
60.2	61.8	55.2	140
52.2	53.8	47.2	120
44.2	45.8	39.2	100
36.2	37.8	31.2	80
28.2	29.8	23.2	60
20.2	21.8	15.2	40
N	M	L	POS.

LOW HALOGEN

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN FLORENCE TAN 30AUG2004	 TE Connectivity			
		CHK ERIC TNG 30MAY2012				
DIMENSIONS: mm	TOLERANCES UNLESS OTHERWISE SPECIFIED:	APVD SF LEONG 30MAY2012	NAME PLUG ASSEMBLY, FH 0.8 ON TAPING (EMBOSS) 0.5 BOSS LENGTH —			
	0 PLC ± — 1 PLC ± 0.2 2 PLC ± 0.15 3 PLC ± 0.1 4 PLC ± — ANGLES ± —	PRODUCT SPEC —				
	MATERIAL —	FINISH —	APPLICATION SPEC —	SIZE A2	CAGE CODE 00779	DRAWING NO C-5177986
CUSTOMER DRAWING			SCALE 1:1	SHEET 3 of 3	REV F1	

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[6-5177986-2](#)