

## Housing brackets - HC-B 24-LB - 1584677

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (http://phoenixcontact.com/download)



Replacement plastic single locking latch for standard housings of type B24



## **Key Commercial Data**

Packing unit	1 pc
Minimum order quantity	10 pc
Weight per Piece (excluding packing)	24.64 g
Custom tariff number	85389099
Country of origin	Germany

#### Technical data

#### Ambient conditions

Ambient temperature (operation)	-40 °C 125 °C
---------------------------------	---------------

#### General

Туре	B24		
Material	High-grade steel / plastic		
Locking latch material	Stainless steel, handle: PA		
Assembly instructions	Not for HC-BEMC housings		

### Classifications

#### eCl@ss

eCl@ss 4.0	272607xx
eCl@ss 4.1	27260701
eCl@ss 5.0	27143424
eCl@ss 5.1	27143424



# Housing brackets - HC-B 24-LB - 1584677

### Classifications

#### eCl@ss

eCl@ss 6.0	27143424
eCl@ss 7.0	27440209
eCl@ss 8.0	27449290
eCl@ss 9.0	27440290

#### **ETIM**

ETIM 3.0	EC002310
ETIM 4.0	EC002310
ETIM 5.0	EC002310

#### UNSPSC

UNSPSC 6.01	30211817
UNSPSC 7.0901	39121416
UNSPSC 11	43172601
UNSPSC 12.01	39121522
UNSPSC 13.2	39121522

## Approvals

Α	р	p	r	o	٧	а	ls

Approvals

EAC

Ex Approvals

Approvals submitted


Approval details


EAC

### Drawings



## Housing brackets - HC-B 24-LB - 1584677





Phoenix Contact 2016 © - all rights reserved http://www.phoenixcontact.com

## **Mouser Electronics**

**Authorized Distributor** 

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

Phoenix Contact: 1584677