

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Part Number:

0395430606

Status:


Active

Overview:

[Eurostyle Terminal Blocks](#)

Description:

5.00mm Pitch Eurostyle Vertical Fixed Mount PCB Terminal Block, Low Profile, 6 Circuits



Documents:

[3D Model](#)

[Drawing \(PDF\)](#)

[RoHS Certificate of Compliance \(PDF\)](#)

|                                                |  |                                           |
|------------------------------------------------|--|-------------------------------------------|
| Agency Certification                           |  |                                           |
| UL                                             |  | E48521                                    |
| General                                        |  |                                           |
| Product Family                                 |  | Terminal Blocks                           |
| Series                                         |  | <a href="#">39543</a>                     |
| Application                                    |  | N/A                                       |
| Component Type                                 |  | One Piece                                 |
| Overview                                       |  | <a href="#">Eurostyle Terminal Blocks</a> |
| Product Name                                   |  | ESE, Eurostyle Fixed Mount                |
| Type                                           |  | Euro Block                                |
| UPC                                            |  | 822350537728                              |
| Physical                                       |  |                                           |
| Circuits (Loaded)                              |  | 6                                         |
| Entry Angle                                    |  | Horizontal                                |
| Lock to Mating Part                            |  | None                                      |
| Number of Rows                                 |  | 1                                         |
| Orientation                                    |  | Vertical                                  |
| PC Tail Length                                 |  | 2.90mm                                    |
| PCB Thickness - Recommended                    |  | 2.00mm                                    |
| Panel Mount                                    |  | No                                        |
| Pitch - Mating Interface                       |  | 5.00mm                                    |
| Pitch - Termination Interface                  |  | 5.00mm                                    |
| Polarized to Mating Part                       |  | N/A                                       |
| Stackable                                      |  | No                                        |
| Temperature Range - Operating                  |  | -40° to +105°C                            |
| Wire Size AWG                                  |  | 14, 16, 18, 20, 22                        |
| Wire Size mm²                                  |  | 0.33-2.08                                 |
| Electrical                                     |  |                                           |
| Current - Maximum per Contact                  |  | 10.0A                                     |
| Voltage - Maximum                              |  | 300V                                      |
| Solder Process Data                            |  |                                           |
| Duration at Max. Process Temperature (seconds) |  | 005                                       |
| Lead-freeProcess Capability                    |  | WAVE                                      |
| Max. Cycles at Max. Process Temperature        |  | 135                                       |
| Process Temperature max. C                     |  | 260                                       |
| Material Info                                  |  |                                           |
| Reference - Drawing Numbers                    |  |                                           |
| Sales Drawing                                  |  | SD-39543-004                              |

EU ELV

Not Relevant

EU RoHS

Not Reviewed

REACH SVHC

Contained Per - ED/108/2014 (17 Dec 2014)

Halogen-Free

Status

Low-Halogen

For more information, please visit [Contact US](#)

China ROHS

50 Image

ELV

Not Relevant

RoHS Phthalates

Not Reviewed

Search Parts in this Series

[39543](#) Series

**PLEASE CHECK [WWW.MOLEX.COM](http://WWW.MOLEX.COM) FOR LATEST PART INFORMATION**

# Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[Molex:](#)

[39543-0606](#)