


SUPERSEDED BY 8-534206-5







2.54  
[.100]  
TYP

SUPERSEDED BY 7-534206-1

- |               |               |               |               |              |               |               |
|---------------|---------------|---------------|---------------|--------------|---------------|---------------|
| 4206-5        | $\triangle_2$ | 99.06[3.900]  | 101.60[4.000] | 80           | $\triangle_6$ | 4-534206-0    |
|               | $\triangle_2$ | 96.52[3.800]  | 99.06[3.900]  | 78           | $\triangle_6$ | 3-534206-9    |
|               | $\triangle_2$ | 93.98[3.700]  | 96.52[3.800]  | 76           | $\triangle_6$ | 3-534206-8    |
|               | $\triangle_2$ | 91.44[3.600]  | 93.98[3.700]  | 74           | $\triangle_6$ | 3-534206-7    |
|               | $\triangle_2$ | 88.90[3.500]  | 91.44[3.600]  | 72           | $\triangle_6$ | 3-534206-6    |
|               | $\triangle_2$ | 86.36[3.400]  | 88.90[3.500]  | 70           | $\triangle_6$ | 3-534206-5    |
|               | $\triangle_2$ | 83.82[3.300]  | 86.36[3.400]  | 68           | $\triangle_6$ | 3-534206-4    |
|               | $\triangle_2$ | 81.28[3.200]  | 83.82[3.300]  | 66           | $\triangle_6$ | 3-534206-3    |
|               | $\triangle_2$ | 78.74[3.100]  | 81.28[3.200]  | 64           | $\triangle_6$ | 3-534206-2    |
|               | $\triangle_2$ | 76.20[3.000]  | 78.74[3.100]  | 62           | $\triangle_6$ | 3-534206-1    |
|               | $\triangle_2$ | 73.66[2.900]  | 76.20[3.000]  | 60           | $\triangle_6$ | 3-534206-0    |
|               | $\triangle_2$ | 71.12[2.800]  | 73.66[2.900]  | 58           | $\triangle_6$ | 2-534206-9    |
|               | $\triangle_2$ | 68.58[2.700]  | 71.12[2.800]  | 56           | $\triangle_6$ | 2-534206-8    |
|               | $\triangle_2$ | 66.04[2.600]  | 68.58[2.700]  | 54           | $\triangle_6$ | 2-534206-7    |
|               | $\triangle_2$ | 63.50[2.500]  | 66.04[2.600]  | 52           | $\triangle_6$ | 2-534206-6    |
|               | 4206-1        | $\triangle_2$ | 60.96[2.400]  | 63.50[2.500] | 50            | $\triangle_6$ |
| $\triangle_2$ |               | 58.42[2.300]  | 60.96[2.400]  | 48           | $\triangle_6$ | 2-534206-4    |
| $\triangle_2$ |               | 55.88[2.200]  | 58.42[2.300]  | 46           | $\triangle_6$ | 2-534206-3    |
| $\triangle_2$ |               | 53.34[2.100]  | 55.88[2.200]  | 44           | $\triangle_6$ | 2-534206-2    |
| $\triangle_2$ |               | 50.80[2.000]  | 53.34[2.100]  | 42           | $\triangle_6$ | 2-534206-1    |
| $\triangle_2$ |               | 48.26[1.900]  | 50.80[2.000]  | 40           | $\triangle_6$ | 2-534206-0    |
| $\triangle_2$ |               | 45.72[1.800]  | 48.26[1.900]  | 38           | $\triangle_6$ | 1-534206-9    |
| $\triangle_2$ |               | 43.18[1.700]  | 45.72[1.800]  | 36           | $\triangle_6$ | 1-534206-8    |
| $\triangle_2$ |               | 40.64[1.600]  | 43.18[1.700]  | 34           | $\triangle_6$ | 1-534206-7    |
| $\triangle_2$ |               | 38.10[1.500]  | 40.64[1.600]  | 32           | $\triangle_6$ | 1-534206-6    |
| $\triangle_2$ |               | 35.56[1.400]  | 38.10[1.500]  | 30           | $\triangle_6$ | 1-534206-5    |
| $\triangle_2$ |               | 33.02[1.300]  | 35.56[1.400]  | 28           | $\triangle_6$ | 1-534206-4    |
| $\triangle_2$ |               | 30.48[1.200]  | 33.02[1.300]  | 26           | $\triangle_6$ | 1-534206-3    |
| $\triangle_2$ |               | 27.94[1.100]  | 30.48[1.200]  | 24           | $\triangle_6$ | 1-534206-2    |
| $\triangle_2$ |               | 25.40[1.000]  | 27.94[1.100]  | 22           | $\triangle_6$ | 1-534206-1    |
|               |               | $\triangle_2$ | 22.86[.900]   | 25.40[1.000] | 20            | $\triangle_6$ |
|               | $\triangle_2$ | 20.32[.800]   | 22.86[.900]   | 18           | $\triangle_6$ | 534206-9      |
|               | $\triangle_2$ | 17.78[.700]   | 20.32[.800]   | 16           | $\triangle_6$ | 534206-8      |
|               | $\triangle_2$ | 15.24[.600]   | 17.78[.700]   | 14           | $\triangle_6$ | 534206-7      |
|               | $\triangle_2$ | 12.70[.500]   | 15.24[.600]   | 12           | $\triangle_6$ | 534206-6      |
|               | $\triangle_2$ | 10.16[.400]   | 12.70[.500]   | 10           | $\triangle_6$ | 534206-5      |
|               | $\triangle_2$ | 7.62[.300]    | 10.16[.400]   | 8            | $\triangle_6$ | 534206-4      |
|               | $\triangle_2$ | 5.08[.200]    | 7.62[.300]    | 6            | $\triangle_6$ | 534206-3      |
|               | $\triangle_2$ | 2.54[.100]    | 5.08[.200]    | 4            | $\triangle_6$ | 534206-2      |
|               | $\triangle_9$ | -             | 2.54[.100]    | 2            | $\triangle_6$ | 534206-1      |

FINISH	B	A	NO OF .POSN	PART NUMBER
--------	---	---	----------------	----------------





THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN <b>M.BINNER</b> CHK <b>J.OLSON</b> 06NOV2002 06NOV02		 TE Connectivity	
DIMENSIONS: mm [INCHES]		TOLERANCES UNLESS OTHERWISE SPECIFIED:		NAME RECEPTACLE ASSEMBLY, MOD II, DOUBLE ROW, DUAL ENTRY, .100X.100CL, VERTICAL MOUNT, AMPMODU	
		0 PLC ± - 1 PLC ± - 2 PLC ± 0.13[.005] 3 PLC ± - 4 PLC ± - ANGLES ± -			
MATERIAL		FINISH			
					
		WEIGHT -		SIZE A2	
				CAGE CODE 00779	
				DRAWING NO C-534206	
				RESTRICTED TO -	
CUSTOMER DRAWING				SCALE 4:1 SHEET 1 OF 2 REV R7	

THIS DRAWING IS UNPUBLISHED.	RELEASED FOR PUBLICATION	- , -
© COPYRIGHT - By -	ALL RIGHTS RESERVED.	

LOC	DIST	REVISIONS					
AD	00	P	LTR	DESCRIPTION	DATE	DWN	APVD
			—	SEE SHEET 1	—	—	—

	$\triangle_{1,1}$	99.06[3.900]	101.60[4.000]	80	$\triangle_{1,2}$	9-534206-0
	$\triangle_{1,1}$	96.52[3.800]	99.06[3.900]	78	$\triangle_{1,2}$	8-534206-9
	$\triangle_{1,1}$	93.98[3.700]	96.52[3.800]	76	$\triangle_{1,2}$	8-534206-8
	$\triangle_{1,1}$	91.44[3.600]	93.98[3.700]	74	$\triangle_{1,2}$	8-534206-7
	$\triangle_{1,1}$	88.90[3.500]	91.44[3.600]	72	$\triangle_{1,2}$	8-534206-6
	$\triangle_{1,1}$	86.36[3.400]	88.90[3.500]	70	$\triangle_{1,2}$	8-534206-5
	$\triangle_{1,1}$	83.82[3.300]	86.36[3.400]	68	$\triangle_{1,2}$	8-534206-4
	$\triangle_{1,1}$	81.28[3.200]	83.82[3.300]	66	$\triangle_{1,2}$	8-534206-3
	$\triangle_{1,1}$	78.74[3.100]	81.28[3.200]	64	$\triangle_{1,2}$	8-534206-2
	$\triangle_{1,1}$	76.20[3.000]	78.74[3.100]	62	$\triangle_{1,2}$	8-534206-1
	$\triangle_{1,1}$	73.66[2.900]	76.20[3.000]	60	$\triangle_{1,2}$	8-534206-0
	$\triangle_{1,1}$	71.12[2.800]	73.66[2.900]	58	$\triangle_{1,2}$	7-534206-9
	$\triangle_{1,1}$	68.58[2.700]	71.12[2.800]	56	$\triangle_{1,2}$	7-534206-8
	$\triangle_{1,1}$	66.04[2.600]	68.58[2.700]	54	$\triangle_{1,2}$	7-534206-7
	$\triangle_{1,1}$	63.50[2.500]	66.04[2.600]	52	$\triangle_{1,2}$	7-534206-6
	$\triangle_{1,1}$	60.96[2.400]	63.50[2.500]	50	$\triangle_{1,2}$	7-534206-5
	$\triangle_{1,1}$	58.42[2.300]	60.96[2.400]	48	$\triangle_{1,2}$	7-534206-4
	$\triangle_{1,1}$	55.88[2.200]	58.42[2.300]	46	$\triangle_{1,2}$	7-534206-3
	$\triangle_{1,1}$	53.34[2.100]	55.88[2.200]	44	$\triangle_{1,2}$	7-534206-2
	$\triangle_{1,1}$	50.80[2.000]	53.34[2.100]	42	$\triangle_{1,2}$	7-534206-1
	$\triangle_{1,1}$	48.26[1.900]	50.80[2.000]	40	$\triangle_{1,2}$	7-534206-0
	$\triangle_{1,1}$	45.72[1.800]	48.26[1.900]	38	$\triangle_{1,2}$	6-534206-9
	$\triangle_{1,1}$	43.18[1.700]	45.72[1.800]	36	$\triangle_{1,2}$	6-534206-8
	$\triangle_{1,1}$	40.64[1.600]	43.18[1.700]	34	$\triangle_{1,2}$	6-534206-7
	$\triangle_{1,1}$	38.10[1.500]	40.64[1.600]	32	$\triangle_{1,2}$	6-534206-6
	$\triangle_{1,1}$	35.56[1.400]	38.10[1.500]	30	$\triangle_{1,2}$	6-534206-5
	$\triangle_{1,1}$	33.02[1.300]	35.56[1.400]	28	$\triangle_{1,2}$	6-534206-4
	$\triangle_{1,1}$	30.48[1.200]	33.02[1.300]	26	$\triangle_{1,2}$	6-534206-3
	$\triangle_{1,1}$	27.94[1.100]	30.48[1.200]	24	$\triangle_{1,2}$	6-534206-2
	$\triangle_{1,1}$	25.40[1.000]	27.94[1.100]	22	$\triangle_{1,2}$	6-534206-1
	$\triangle_{1,1}$	22.86[.900]	25.40[1.000]	20	$\triangle_{1,2}$	6-534206-0
	$\triangle_{1,1}$	20.32[.800]	22.86[.900]	18	$\triangle_{1,2}$	5-534206-9
	$\triangle_{1,1}$	17.78[.700]	20.32[.800]	16	$\triangle_{1,2}$	5-534206-8
	$\triangle_{1,1}$	15.24[.600]	17.78[.700]	14	$\triangle_{1,2}$	5-534206-7
	$\triangle_{1,1}$	12.70[.500]	15.24[.600]	12	$\triangle_{1,2}$	5-534206-6
$\triangle_9$	$\triangle_{1,1}$	10.16[.400]	12.70[.500]	10	$\triangle_{1,2}$	5-534206-5
$\triangle_9$	$\triangle_{1,1}$	7.62[.300]	10.16[.400]	8	$\triangle_{1,2}$	5-534206-4
$\triangle_9$	$\triangle_{1,1}$	5.08[.200]	7.62[.300]	6	$\triangle_{1,2}$	5-534206-3
$\triangle_9$	$\triangle_{1,1}$	2.54[.100]	5.08[.200]	4	$\triangle_{1,2}$	5-534206-2
$\triangle_9$	$\triangle_{1,1}$	-	2.54[.100]	2	$\triangle_6 \triangle_{1,2}$	5-534206-1

FINISH	B	A	NO OF POSN	PART NUMBER
--------	---	---	---------------	----------------

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN M.BINNER 06NOV2002 CHK J.OLSON 06NOV02 APVD J.OLSON 06NOV02		 TE Connectivity	
DIMENSIONS: mm [INCHES]		TOLERANCES, UNLESS OTHERWISE SPECIFIED:		NAME RECEPTACLE ASSEMBLY, MOD II, DOUBLE ROW, DUAL ENTRY, .100X.100CL, VERTICAL MOUNT, AMPMODU	
		0 PLC ± - 1 PLC ± - 2 PLC ± 0.13[.005] 3 PLC ± - 4 PLC ± - ANGLES ± -			
MATERIAL		FINISH			
					
		WEIGHT -		SIZE A2	
				CAGE CODE 00779	
				DRAWING NO C=534206	
				RESTRICTED TO -	
CUSTOMER DRAWING				SCALE 4:1 SHEET 2 of 2 REV R7	

# Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[3-534206-1](#)