








REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
	U	REDRAWN/REVISED PER ECO-17-001757	07NOV2017	GR	JO



SCALE 8:1

- 1 CONTACT AREAS PLATED WITH 0.76µm GOLD,SOLDER TAILS PLATED WITH 3.81µm TIN-LEAD,ALL OVER 1.27µm NICKEL
- 2 NOTE DELETED.
- 3 NOTE DELETED.
- 4 THE NOTED DIMENSIONS APPLY AT THE INTERSECTION OF THE POST AND HOUSING.
- 5 CONTACT AREAS PLATED WITH 0.76µm GOLD,SOLDER TAILS PLATED WITH 3.81µm TIN,ALL OVER 1.27µm NICKEL
- 6 NOTE DELETED.
- 7 FINISH: 0.03µm MIN GOLD ON GOLD PLATED AREA, 3.81µm MATTE IN TIN-LEAD ON TIN PLATED AREA. UNDER PLATING: 1.27µm NICKEL ON ENTIRE CONTACT.
- 8 FINISH: 0.03µm MIN GOLD ON GOLD PLATED AREA, 3.81µm MATTE IN TIN ON TIN PLATED AREA. UNDER PLATING: 1.27µm NICKEL ON ENTIRE CONTACT
- 9 NOTE DELETED.
- 10 MATERIAL- HOUSING:LCP
COLOR:BLACK
POST:COPPER ALLOY

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN G.RAMESH 07NOV2017	TE Connectivity	
DIMENSIONS: mm		CHK J.OLSON 07NOV2017		
	TOLERANCES UNLESS OTHERWISE SPECIFIED:	APVD J.OLSON 07NOV2017	NAME RECEPTACLE ASSEMBLY,VERTICAL, SINGLE ROW, AMPMODU System 50	
	0 PLC ±°	PRODUCT SPEC	SIZE A100779C=104192	
	1 PLC ±0.3	APPLICATION SPEC		
	2 PLC ±0.13		RESTRICTED TO	
MATERIAL 	3 PLC ±°	WEIGHT	CUSTOMER DRAWING	
	4 PLC ±°		SCALE 4:1 SHEET 1 OF 2 REV U	
ANGLES FINISH SEE DETAIL				

REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
	-	SEE SHEET 1	-	-	-

	31.75	25	34.14	26	8-104192-0
	15.24	13	17.63	13	7-104192-9
	5.08	4	7.47	5	7-104192-8
	36.83	29	39.22	30	7-104192-7
	30.48	24	32.87	25	7-104192-6
	24.13	19	26.52	20	7-104192-5
	17.78	14	20.17	15	7-104192-4
	13.97	11	16.36	12	7-104192-3
	11.43	9	13.82	10	7-104192-2
	8.89	7	11.28	8	7-104192-1
	31.75	25	34.14	26	6-104192-0
	15.24	13	17.63	13	5-104192-9
	5.08	4	7.47	5	5-104192-8
	36.83	29	39.22	3	5-104192-7
	30.48	24	32.87	25	5-104192-6
	24.13	19	26.52	20	5-104192-5
	17.78	14	20.17	15	5-104192-4
	13.97	11	16.36	12	5-104192-3
FINISH	11.43	9	13.82	10	5-104192-2
	8.89	7	11.28	8	5-104192-1
	DIM_C	^B SPACES	DIM_A	NO OF POSN	PART NUMBER

	31.75	25	34.14	26	3-104192-0
	15.24	13	17.63	13	2-104192-9
	5.08	4	7.47	5	2-104192-8
	36.83	29	39.22	30	2-104192-7
	30.48	24	32.87	25	2-104192-6
	24.13	19	26.52	20	2-104192-5
	17.78	14	20.17	15	2-104192-4
	13.97	11	16.36	12	2-104192-3
	11.43	9	13.82	10	2-104192-2
	8.89	7	11.28	8	2-104192-1
	31.75	25	34.14	26	1-104192-0
	15.24	13	17.63	13	104192-9
	5.08	4	7.47	5	104192-8
	36.83	29	39.22	3	104192-7
	30.48	24	32.87	25	104192-6
	24.13	19	26.52	20	104192-5
	17.78	14	20.17	15	104192-4
	13.97	11	16.36	12	104192-3
FINISH	11.43	9	13.82	10	104192-2
	8.89	7	11.28	8	104192-1
	DIM_C	^B SPACES	DIM_A	NO OF POSN	PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.

DWN
G. RAMESH

CHK
J. OLSON

APVD
J. OLSON

07NOV2017

07NOV2017

07NOV2017

DIMENSIONS:

mm

0 PLC

1 PLC

2 PLC

3 PLC

4 PLC

±

±0.3

±0.13

±

±

ANGLES

FINISH

±

±0.5°

SEE DETAIL

-

TOLERANCES UNLESS
OTHERWISE SPECIFIED:

PRODUCT SPEC

108-1093

APPLICATION SPEC

114-25031

WEIGHT

-

CUSTOMER DRAWING

DWN
G. RAMESH

CHK
J. OLSON

APVD
J. OLSON

07NOV2017

07NOV2017

07NOV2017

TE Connectivity

NAME
RECEPTACLE ASSEMBLY, VERTICAL,
SINGLE ROW, AMPMODU System 50

SIZE
A1

CAGE CODE
00779

DRAWING NO
C=104192

RESTRICTED TO
-

SCALE
4:1

SHEET
2

OF
2

REV
U

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[104192-2](#)