





TWO STEP BAND STRAP - STRAIGHT





TWO STEP BAND STRAP - PRE-COILED

BND-0812X SCREEN TERMINATION BAND-BAND LENGTH IN INCHES-BAND WIDTH IN INCHES **BAND CONFIGURATION** S - STRAIGHT (FLAT) P - PRE-COILED

NOTES:

- 1. THE BAND STRAPS ARE CONSTRUCTED FROM 300 SERIES PASSIVATED CORROSION RESISTING STEEL.
- 2. THE PRODUCT SHALL BE IDENTIFIED ON THE PACKAGE LABEL.
- 3. PART MARKING:

ONE STEP BAND STRAP WILL BE PERMANENTLY MARKED WITH TE LOGO. TWO STEP BAND STRAP WILL BE PERMANENTLY MARKED WITH TE LOGO.

4. RECOMMENDED INSTALLATION TOOLS:


BND-0812X: M81306/1-02 OR EQUIVALENT.

BND-1412X: TF1700 OR EQUIVALENT.

BND-1425X: M81306/1-01 OR EQUIVALENT. BND-1225X: M81306/2-01 OR EQUIVALENT.

5. THE INSTALLATION TOOL FOR ONE STEP BAND AND TWO STEP BAND ARE NOT INTERCHANGEABLE.

DRAV	VN K.WINCZURA	02/06/2016	10-0	PROJECTION NOT TO	TITLE:	
CHEC	KED	02/06/2016		SCALE	BND-****	
APPRO	VED K.SHEPPARD	30/10/2015	ALL DIMENSI	HERWISE SPECIFIED ONS IN MILLIMETRES NERAL TOL		
APPRO	VED D.JONES	26/07/2016	LINEA	R +/-0,25MM ULAR +/- 1°	ASSY USED ON:	Polamco
	REVISIONS					
LTR	DESCRIPTIO	N	DATE	APPROVED	SCREEN TERMINATION BAND	-TE
Е	REVISED PER ECO-16	-000290 08	3/01/2016	H.SMITH	·	connectivity
F	REVISED PER ECO-16	-011070 2	6/07/2016	D.JONES	TE CONNECTIVITY - POLAMCO LTD RESERVES THE RIGHT TO AMEND THIS DRAWING DRAWING NO: DRAWING	REV: SHT
	TE CAG	E CODE: 06	090 PA	ASSIVATE	AND THE INFORMATION CET FORTH HEREON AT ANY TIME HIGERC CHOILD	
	POLAMCO/T	E CAGE COD	E: U5792		INDEPENDENTLY EVALUATE THE SUITABILITY OF THE PRODUCT FOR THEIR APPLICATION. BND-XXXXX F	1





ONE STEP BAND STRAP - STRAIGHT

PART NUMBER	ENTRY SIZE	A ±1,8 [±.071]	B ±1,0 [±.040]	C ±0,2 [±.010]	D REF.	E REF.
BND-0812S	03 TO 12	206,3 [8.120]	5,0 [.197]	2,9 [.114]	0,4 [.016]	1,8 [.071]
BND-1412S	03 TO 24	362,0 [14.252]	5,0 [.197]	3,0 [.118]	0,4 [.016]	1,8 [.071]
BND-1425S	03 TO 24	362,1 [14.260]	8,9 [.350]	6,2 [.244]	0,5 [.020]	1,9 [.075]


TWO STEP BAND STRAP - STRAIGHT

IWO OTEL BAND OTIVAL - OTIVAIOTT						
DADT	ENTOY	Α	В	С		
PART	ENTRY	±1,8	±1,0	±0,2		
NUMBER	SIZE	[±.071]	[±.040]	[±.010]		
BND-1225S	02 TO 24	358,8	8,3	6,2		
BND-12258	03 TO 24	[14.126]	[.327]	[.244]		





DIAL OILI L	// (I ND C	, i i O (i - i	INE-OCILLI
PART		ENTRY	ØA
NUMBE	R	SIZE	REF
BND-081	20 0	3 TO 12	21.8
DIND-001	2P U	3 10 12	[.858]
BND-141	20 0	3 TO 24	44.5
BND-141.	2P U	3 10 24	[1.752]
BND-142	ED 0	3 TO 24	44.5
DND-142	ט אפ	3 10 24	[1.752]
	•		



TWO STEP BAND STRAP - PRE-COILED

PART	ENTRY	ØA
NUMBER	SIZE	REF
BND-1225P	03 TO 24	44,5
BND-1225P	03 10 24	[1.752]

DRAWN	K.WINCZURA	DATE 02/06/2016	A -1	3RD ANGLE PROJECTION
CHECKED		02/06/2016	Ψ ′ ′	NOT TO SCALE
APPROVED	K.SHEPPARD	30/10/2015	ALL DIMENSIONS	WISE SPECIFIED S IN MILLIMETRE RAL TOL
APPROVED	D.JONES	26/07/2016	LINEAR +	AR +/- 1°

REVISIONS

 LTR
 DESCRIPTION
 DATE
 APPROVED

 E
 REVISED PER ECO-16-000290
 08/01/2016
 H.SMITH

 F
 REVISED PER ECO-16-011070
 26/07/2016
 D.JONES

REVISED PER ECO-16-011070 26/07/2016

TE CAGE CODE: 06090
POLAMCO/TE CAGE CODE: U5792

TITLE:

BND-****

ASSY USED ON:

SCREEN TERMINATION BAND



TE CONNECTIVITY - POLAMCO LTD RESERVES THE RIGHT TO AMEND THIS DRAWING AND THE INFORMATION SET FORTH HEREON AT ANY TIME. USERS SHOULD INDEPENDENTLY EVALUATE THE SUITABILITY OF THE PRODUCT FOR THEIR APPLICATION.

DRAWING NO:
BND-XXXXX

DRAWING REV:

sнт **2**



PART NUMBER	DESCRIPTION	BAND SLOT WIDTH (MM)	VISUALISATION
M81306/1-02	PRE-CALIBRATED HAND TOOL FOR ONE STEP MICRO BAND BND-0812S BND-0812P BND-1412S BND-1412P	3,18	
M81306/1-01	PRE-CALIBRATED HAND TOOL FOR ONE STEP STANDARD BANDS BND-1425S BND-1425P	6,35	
TF1700 INCLUDES: - TIGHTENING TOOL - M81306/2-01A - FOLDING TOOL - TF1696 (SLIP JOINT PLIERS)	PRE-CALIBRATED HAND TOOL FOR TWO STEP BAND BND-1225S BND-1225P	6,65	TIGHTENING TOOL CUT-OFF HANDLE M81306/2-01A BAND SLOT AND CUT-OFF MECHANISM FOLDING TOOL TF1696

APPROVED		26/07/2016	GENE	S IN MILLIMETRES FAL TOL F0,25MM
APPROVED	K.SHEPPARD	30/10/2015		RWISE SPECIFIED
CHECKED		02/06/2016	Ψ 4	NOT TO SCALE
DRAWN	K.WINCZURA	DATE 02/06/2016	A 1	3RD ANGLE PROJECTION

LTR DESCRIPTION DATE APPROVED E REVISED PER ECO-16-000290 08/01/2016 H.SMITH F REVISED PER ECO-16-011070 26/07/2016 **D.JONES**

TE CAGE CODE: 06090 POLAMCO/TE CAGE CODE: U5792

TITLE:

RECOMMENDED TOOLING

ASSY USED ON:

SCREEN TERMINATION BAND

DRAWING NO: **BND-XXXXX**

DRAWING REV:

SHT 3

Polamco

TE

TE CONNECTIVITY - POLAMCO LTD RESERVES THE RIGHT TO AMEND THIS DRAWING AND THE INFORMATION SET FORTH HEREON AT ANY TIME. USERS SHOULD INDEPENDENTLY EVALUATE THE SUITABILITY OF THE PRODUCT FOR THEIR APPLICATION.

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

TE Connectivity: BND54AB00-2010A