











D

C

B

A



9.
- POSITIONAL TOLERANCES FOR BASIC DIMENSIONED FEATURES ARE RELATIVE TO FIDUCIALS OR SOME SIMILAR DATUM REFERENCES DEFINED BY PCB DESIGNER.
10.
- PLATED THROUGH HOLES
11.
- SOLDER PADS
12. ALL THROUGH HOLE LAYOUTS ARE AS VIEWED FROM TOP OF PCB.
13.
- CONNECTOR ORIENTATION

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN D. RYAN 27 JUN 00	TE Connectivity			
DIMENSIONS: INCHES		CHK M. STORRY 15 AUG 00	NAME			
		APVD —	PRODUCT SPEC			
		APPLICATION SPEC				
		—				
		WEIGHT —				
MATERIAL SEE NOTES	FINISH SEE NOTES	CUSTOMER DRAWING		SCALE 8:1	SHEET 2 of 2	REV S1

SIZE
A2

CAGE CODE
0JPN9

DRAWING NO
C=1589488

RESTRICTED TO
—

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[STM025M5SN](#)