

# Zack marker strip carrier - P-ZB METER - 1051854

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (http://phoenixcontact.com/download)



Profile, self-adhesive, for accommodating UC-TM, UC-TMF, UCT-TM, UCT-TMF, US-TMF, ZB, ZBF, TMT, Length: 1 m

#### **Product Features**

- Self-adhesive marker carriers, sold by the meter for cutting to custom length
- Powerful adhesion and optimum grip on standard device surfaces
- The P-ZB METER can accommodate marking material for the tall and flat marker grooves found on Phoenix Contact modular terminal blocks



## **Key Commercial Data**

Packing unit	1 M
GTIN	4 017918 016289
Weight per Piece (excluding packing)	40.0 g
Custom tariff number	39162000
Country of origin	Germany

## Technical data

#### **Dimensions**

Length (b)	1000 mm
Width (a)	10.5 mm

#### Ambient conditions

Ambient temperature (operation)	-40 °C 100 °C
---------------------------------	---------------

### General

Color	gray
Flammability rating according to UL 94	V0
Material	PA



# Zack marker strip carrier - P-ZB METER - 1051854

## Technical data

### General

Marking mounting type	Adhesive
Standards and Regulations	
Flammability rating according to UL 94	V0

## Classifications

## eCl@ss

eCl@ss 4.0	23150301
eCl@ss 4.1	23150301
eCl@ss 5.0	27141143
eCl@ss 5.1	27141143
eCl@ss 6.0	27141143
eCl@ss 7.0	27141143
eCl@ss 8.0	27141137
eCl@ss 9.0	27141137

### **ETIM**

ETIM 2.0	EC000761
ETIM 3.0	EC000761
ETIM 4.0	EC000761
ETIM 5.0	EC000761

## UNSPSC

UNSPSC 6.01	30212109
UNSPSC 7.0901	39121708
UNSPSC 11	39121708
UNSPSC 12.01	39121708
UNSPSC 13.2	39121708

Phoenix Contact 2016 @ - all rights reserved http://www.phoenixcontact.com

# **Mouser Electronics**

**Authorized Distributor** 

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

Phoenix Contact: 1051854