

10119126 - X0J - XXXLF

LEAD-FREE DESIGNATION  
ONLY WITH APPLICABLE  
PLATING CODES

4-COLUMN  
DIFFERENTIAL  
SIGNAL

| LETTER | PLATING (SEE NOTE 6) |                               |
|--------|----------------------|-------------------------------|
|        | APPLICATION          | TYPE (REFERENCE)              |
| B      | TELCORDIA CO         | 0.76µm GOLD or GXT            |
| C      | TELCORDIA UE         | 1.27µm GOLD                   |
| D      | TELCORDIA CO         | 0.76µm GOLD or GXT, LEAD-FREE |
| E      | TELCORDIA UE         | 1.27µm GOLD, LEAD-FREE        |

| NUMBER | GUIDE PIN STYLE (SEE NOTE 8) |
|--------|------------------------------|
| 0      | STANDARD GUIDE PIN, MACHINED |
| 1      | STANDARD GUIDE PIN, ROLLED   |

| MODULE DESCRIPTION                             | LETTER DESIGNATION REPRESENTED IN DASH NUMBER |   |   |   |   |   |   |   |   |   | BASE MODULE |
|------------------------------------------------|-----------------------------------------------|---|---|---|---|---|---|---|---|---|-------------|
| LEFT POLARIZING GUIDANCE MODULE (SEE SHEET 6)  | N                                             | J | A | B | C | D | E | F | G | H |             |
|                                                | NO KEY<br>NO GUIDE PIN                        |   |   |   |   |   |   |   |   |   |             |
| RIGHT POLARIZING GUIDANCE MODULE (SEE SHEET 7) | Z                                             | Y | P | Q | R | S | T | U | V | W |             |
|                                                | NO KEY<br>NO GUIDE PIN                        |   |   |   |   |   |   |   |   |   |             |
| OPEN MODULE (TWO WALL) (SEE SHEET 2)           | 0 (ZERO)                                      |   |   |   |   |   |   |   |   |   |             |
| LEFT WALL MODULE (SEE SHEET 3)                 | L                                             |   |   |   |   |   |   |   |   |   |             |
| RIGHT WALL MODULE (SEE SHEET 4)                | M                                             |   |   |   |   |   |   |   |   |   |             |
| FOUR WALL MODULE (SEE SHEET 5)                 | 1 (ONE)                                       |   |   |   |   |   |   |   |   |   |             |

| NUMBER | CONTACT MATING WIPE LENGTH |        | COMPLIANT TAIL TYPE (SEE NOTE 9) |
|--------|----------------------------|--------|----------------------------------|
|        | SIGNAL                     | GROUND |                                  |
| 1      | 2 MM                       | 4 MM   | 0.55 (0.0217") DRILL             |
| 2      | 3 MM                       | 4 MM   | 0.55 (0.0217") DRILL             |
| 3      | 2 MM                       | 4 MM   | 0.45 MICRO (0.0177") DRILL       |
| 4      | 3 MM                       | 4 MM   | 0.45 MICRO (0.0177") DRILL       |
| 5      | 2 MM                       | 3 MM   | 0.55 (0.0217") DRILL             |
| 6      | 3 MM                       | 3 MM   | 0.55 (0.0217") DRILL             |
| 7      | 2 MM                       | 3 MM   | 0.45 MICRO (0.0177") DRILL       |
| 8      | 3 MM                       | 3 MM   | 0.45 MICRO (0.0177") DRILL       |

FOR CUSTOM-LOADED MODULES, SEE INDIVIDUAL CUSTOM DRAWINGS WITH THE DRAWING-NUMBER FORMAT OF 10119126-XXXX, WHERE: "X" DENOTES MODULE TYPE PER CHART ON THIS SHEET "YYYY" IS A SEQUENTIAL NUMBER BEGINNING WITH "0001".

| TABLE 1 (SEE NOTE 11) |               |               |
|-----------------------|---------------|---------------|
|                       | UNGROUND      | GROUND        |
| FHS                   | Ø 2.35-Ø 2.55 | Ø 2.35-Ø 2.55 |
| PAD                   | N/A           | Ø 5.50        |
| PLATED                | NO            | YES           |
| DRILL(mm)             | 2.44mm        | 2.58mm        |
| DRILL(in)             | 0.096"        | 0.1015"       |


| TABLE 2 (SEE NOTE 12) |                                                        |                 |
|-----------------------|--------------------------------------------------------|-----------------|
| SCREW P/N             | DESCRIPTION                                            | BOARD THICKNESS |
| 10091790-002LF        | #2-56 X 0.375" LG. PHILIPS PANHEAD W/SQ CONICAL WASHER | 1.60-5.00mm     |
| 10091790-003LF        | #2-56 X 0.375" LG. PHILIPS PANHEAD W/SQ CONICAL WASHER | 5.00-10.00mm    |

|               |  |                     |  |                                          |  |             |  |               |  |            |  |                                                                                       |  |                                |  |        |  |              |  |               |  |
|---------------|--|---------------------|--|------------------------------------------|--|-------------|--|---------------|--|------------|--|---------------------------------------------------------------------------------------|--|--------------------------------|--|--------|--|--------------|--|---------------|--|
| spec ref      |  | -                   |  | dr                                       |  | Marty Glass |  | 2012/02/10    |  | projection |  | MM                                                                                    |  | size                           |  | A2     |  | scale        |  | 5:1           |  |
| tolerance std |  | ISO 406<br>ISO 1101 |  | TOLERANCES UNLESS<br>OTHERWISE SPECIFIED |  | eng         |  | Sandar Soe    |  | 2013/03/20 |  |  |  | ←                              |  | →      |  | ecn no       |  | ELX-S-14229-1 |  |
|               |  |                     |  |                                          |  | chr         |  | -             |  | -          |  |                                                                                       |  |                                |  |        |  | rel level    |  | Released      |  |
|               |  |                     |  |                                          |  | appr        |  | Chen-Hong Tan |  | 2013/04/09 |  | product family                                                                        |  | XCEDE HD                       |  |        |  |              |  |               |  |
| surface       |  | √                   |  | linear                                   |  | 0.X         |  | ±0.3          |  | FCj        |  | title                                                                                 |  | XCEDE HD VERTICAL HEADER       |  | dwg no |  | 10119126     |  | rev           |  |
|               |  |                     |  |                                          |  | 0.XX        |  | ±0.10         |  |            |  |                                                                                       |  | 3 PAIR, 4 COLUMN STITCH HEADER |  |        |  |              |  | B             |  |
|               |  |                     |  |                                          |  | 0.XXX       |  | ±0.05         |  |            |  |                                                                                       |  |                                |  |        |  |              |  |               |  |
| ISO 1302      |  | angular             |  | 0°                                       |  | ±2°         |  | www.fci.com   |  | cat. no.   |  | -                                                                                     |  | Product - Customer Drw         |  |        |  | sheet 1 of 8 |  |               |  |






PDS: Rev :B

STATUS:Released

Printed: Apr 10, 2013




OPEN WALL MODULE








BP HOLE PATTERN COMPONENT SIDE  
OPEN WALL MODULE BACKPLANE FOOTPRINT

|                                       |                     |          |               |            |                |                          |        |                                |           |          |
|---------------------------------------|---------------------|----------|---------------|------------|----------------|--------------------------|--------|--------------------------------|-----------|----------|
| spec ref                              | -                   | dr       | Marty Glass   | 2012/02/10 | projection     | MM                       | size   | A2                             | scale     | 3:1      |
| tolerance std                         | ISO 406<br>ISO 1101 | eng      | Sandar Soe    | 2013/03/20 | chr            | -                        | ecn no | ELX-S-14229-1                  | rel level | Released |
| surface                               | ISO 1302            | appr     | Chen-Hong Tan | 2013/04/09 | product family | XCEDE HD                 | dwg no | 10119126                       | rev       | B        |
| TOLERANCES UNLESS OTHERWISE SPECIFIED |                     | FCI      |               | title      |                | XCEDE HD VERTICAL HEADER |        | 3 PAIR, 4 COLUMN STITCH HEADER |           |          |
| linear                                |                     | 0.X      |               | ±0.3       |                | 0.XX                     |        | ±0.10                          |           |          |
| angular                               |                     | 0°       |               | ±2°        |                | 0.XXX                    |        | ±0.05                          |           |          |
| www.fci.com                           |                     | cat. no. |               | -          |                | Product - Customer Drw   |        | sheet 2 of 8                   |           |          |



LEFT WALL MODULE




LEFT WALL MODULE BACKPLANE FOOTPRINT

|               |  |                                       |  |          |  |                                                                                       |  |                                |  |                                                                                       |  |                                                                                       |  |           |  |                        |  |              |  |     |  |
|---------------|--|---------------------------------------|--|----------|--|---------------------------------------------------------------------------------------|--|--------------------------------|--|---------------------------------------------------------------------------------------|--|---------------------------------------------------------------------------------------|--|-----------|--|------------------------|--|--------------|--|-----|--|
| spec ref      |  | -                                     |  | dr       |  | Marty Glass                                                                           |  | 2012/02/10                     |  | projection                                                                            |  | MM                                                                                    |  | size      |  | A2                     |  | scale        |  | 3:1 |  |
| tolerance std |  | TOLERANCES UNLESS OTHERWISE SPECIFIED |  | eng      |  | Sandar Soe                                                                            |  | 2013/03/20                     |  |  |  |  |  | ecn no    |  | ELX-S-14229-1          |  |              |  |     |  |
| chr           |  |                                       |  | -        |  | -                                                                                     |  |                                |  |                                                                                       |  |                                                                                       |  |           |  |                        |  |              |  |     |  |
| ISO 406       |  |                                       |  | ISO 1101 |  |                                                                                       |  |                                |  |                                                                                       |  |                                                                                       |  |           |  |                        |  |              |  |     |  |
| ISO 1302      |  |                                       |  | appr     |  | Chen-Hong Tan                                                                         |  | 2013/04/09                     |  | product family                                                                        |  | XCEDE HD                                                                              |  | rel level |  | Released               |  |              |  |     |  |
| surface       |  | ✓                                     |  | linear   |  |  |  | title                          |  | XCEDE HD VERTICAL HEADER                                                              |  | dwg no                                                                                |  | 10119126  |  | rev                    |  | B            |  |     |  |
|               |  |                                       |  |          |  |                                                                                       |  | 3 PAIR, 4 COLUMN STITCH HEADER |  |                                                                                       |  |                                                                                       |  |           |  |                        |  |              |  |     |  |
| ISO 1302      |  | angular                               |  | 0°       |  |                                                                                       |  | ±2°                            |  | www.fci.com                                                                           |  | cat. no.                                                                              |  | -         |  | Product - Customer Drw |  | sheet 3 of 8 |  |     |  |






PDS: Rev :B

STATUS:Released

Printed: Apr 10, 2013



RIGHT WALL MODULE



BP HOLE PATTERN COMPONENT SIDE

RIGHT WALL MODULE BACKPLANE FOOTPRINT





Copyright FCI.

|               |  |         |  |                                       |  |             |  |             |  |                                                            |  |        |  |                        |  |              |  |               |  |       |  |       |  |
|---------------|--|---------|--|---------------------------------------|--|-------------|--|-------------|--|------------------------------------------------------------|--|--------|--|------------------------|--|--------------|--|---------------|--|-------|--|-------|--|
| spec ref      |  | -       |  | dr                                    |  | Marty Glass |  | 2012/02/10  |  | projection                                                 |  | MM     |  | size                   |  | A2           |  | scale         |  | 3:1   |  |       |  |
| tolerance std |  | ISO 406 |  | TOLERANCES UNLESS OTHERWISE SPECIFIED |  | eng         |  | Sandar Soe  |  | 2013/03/20                                                 |  |        |  |                        |  | ecn no       |  | ELX-S-14229-1 |  |       |  |       |  |
| ISO 1101      |  |         |  | chr                                   |  | -           |  | -           |  |                                                            |  |        |  |                        |  | rel level    |  | Released      |  |       |  |       |  |
| surface       |  |         |  | linear                                |  |             |  | title       |  | XCEDE HD VERTICAL HEADER<br>3 PAIR, 4 COLUMN STITCH HEADER |  | dwg no |  | 10119126               |  | rev          |  | B             |  |       |  |       |  |
|               |  |         |  |                                       |  |             |  |             |  |                                                            |  |        |  |                        |  |              |  |               |  | 0.X   |  | ±0.3  |  |
|               |  |         |  |                                       |  |             |  |             |  |                                                            |  |        |  |                        |  |              |  |               |  | 0.XX  |  | ±0.10 |  |
|               |  |         |  |                                       |  |             |  |             |  |                                                            |  |        |  |                        |  |              |  |               |  | 0.XXX |  | ±0.05 |  |
| ISO 1302      |  | angular |  | 0°                                    |  | ±2°         |  | www.fci.com |  | cat. no.                                                   |  | -      |  | Product - Customer Drw |  | sheet 4 of 8 |  |               |  |       |  |       |  |




PDS: Rev :B

STATUS:Released

Printed: Apr 10, 2013




FOUR WALL MODULE




FOUR WALL MODULE BACKPLANE FOOTPRINT

|                                       |                     |         |               |            |                |          |                                                                                                                    |               |           |          |
|---------------------------------------|---------------------|---------|---------------|------------|----------------|----------|--------------------------------------------------------------------------------------------------------------------|---------------|-----------|----------|
| spec ref                              | -                   | dr      | Marty Glass   | 2012/02/10 | projection     | MM       | size                                                                                                               | A2            | scale     | 3:1      |
| tolerance std                         | ISO 406<br>ISO 1101 | eng     | Sandar Soe    | 2013/03/20 | chr            | -        | ecn no                                                                                                             | ELX-S-14229-1 | rel level | Released |
| surface                               | ISO 1302            | appr    | Chen-Hong Tan | 2013/04/09 | product family | XCEDE HD | dwg no                                                                                                             | 10119126      | rev       | B        |
| TOLERANCES UNLESS OTHERWISE SPECIFIED |                     | linear  | 0.X           | ±0.3       |                |          | title XCEDE HD VERTICAL HEADER<br>3 PAIR, 4 COLUMN STITCH HEADER<br>cat. no. - Product - Customer Drw sheet 5 of 8 |               |           |          |
|                                       |                     |         | 0.XX          | ±0.10      |                |          |                                                                                                                    |               |           |          |
|                                       |                     |         | 0.XXX         | ±0.05      |                |          |                                                                                                                    |               |           |          |
|                                       |                     | angular | 0°            | ±2°        |                |          |                                                                                                                    |               |           |          |




LEFT POLARIZING / GUIDE MODULE

OPTIONAL KEY SEE SHEET 1  
PART NUMBER TREE





SEE NOTE 5




SEE DETAIL A  
ON SHEET 8 FOR  
PINOUT DETAILS

BP HOLE PATTERN COMPONENT SIDE


LEFT POLARIZING / GUIDE MODULE  
BACKPLANE FOOTPRINT



(5.2)  
FOR 3MM WIPE SIGNAL  
(4.2)  
FOR 2MM WIPE SIGNAL  
(6.4)  
FOR 4MM WIPE GROUND  
(5.4)  
FOR 3MM WIPE GROUND



|                                       |                     |        |               |            |                |          |          |               |           |          |
|---------------------------------------|---------------------|--------|---------------|------------|----------------|----------|----------|---------------|-----------|----------|
| spec ref                              | -                   | dr     | Marty Glass   | 2012/02/10 | projection     | MM       | size     | A2            | scale     | 5:1      |
| tolerance std                         | ISO 406<br>ISO 1101 | eng    | Sandar Soe    | 2013/03/20 | chr            | -        | ecn no   | ELX-S-14229-1 | rel level | Released |
| surface                               | ISO 1302            | appr   | Chen-Hong Tan | 2013/04/09 | product family | XCEDE HD | cat. no. | 10119126      | rev       | B        |
| TOLERANCES UNLESS OTHERWISE SPECIFIED |                     | linear |               | 0.X        | ±0.3           | angular  |          | 0°            | ±2°       |          |
|                                       |                     |        |               | 0.XX       | ±0.10          |          |          |               |           |          |
|                                       |                     |        |               | 0.XXX      | ±0.05          |          |          |               |           |          |




RIGHT POLARIZING / GUIDE MODULE

OPTIONAL KEY SEE SHEET 1  
PART NUMBER TREE

SEE NOTE 5

PIN A1





SEE DETAIL A  
ON SHEET 8 FOR  
PINOUT DETAILS


SEE NOTE 11 &  
TABLE 1

BP HOLE PATTERN COMPONENT SIDE

RIGHT POLARIZING / GUIDE MODULE  
BACKPLANE FOOTPRINT



(5.2)  
FOR 3MM WIPE SIGNAL  
(4.2)  
FOR 2MM WIPE SIGNAL  
(6.4)  
FOR 4MM WIPE GROUND  
(5.4)  
FOR 3MM WIPE GROUND




|                                       |                     |      |               |                         |                |                                |           |               |           |          |
|---------------------------------------|---------------------|------|---------------|-------------------------|----------------|--------------------------------|-----------|---------------|-----------|----------|
| spec ref                              | -                   | dr   | Marty Glass   | 2012/02/10              | projection     | MM                             | size      | A2            | scale     | 5:1      |
| tolerance std                         | ISO 406<br>ISO 1101 | eng  | Sandar Soe    | 2013/03/20              | chr            | -                              | ecn no    | ELX-S-14229-1 | rel level | Released |
| surface                               | ISO 1302            | appr | Chen-Hong Tan | 2013/04/09              | product family | XCEDE HD                       | rel level | 10119126      | rev       | B        |
| TOLERANCES UNLESS OTHERWISE SPECIFIED |                     | FCI  |               | XCED HD VERTICAL HEADER |                | 3 PAIR, 4 COLUMN STITCH HEADER |           | www.fci.com   |           | cat. no. |
| linear                                |                     | 0.X  |               | ±0.3                    |                | 0.XX                           |           | ±0.10         |           | angular  |
| angular                               |                     | 0°   |               | ±2°                     |                | 0°                             |           | ±2°           |           | 0°       |

PDS: Rev :B

STATUS:Released

Printed: Apr 10, 2013




| TABLE 3 |                                                    |                                                    |
|---------|----------------------------------------------------|----------------------------------------------------|
|         | COMPLIANT PIN<br>DRILL $\varnothing 0.55[0.0217"]$ | COMPLIANT PIN<br>DRILL $\varnothing 0.45[0.0117"]$ |
| PTH     | $\varnothing 0.45 \pm 0.05$                        | $\varnothing 0.36 \pm 0.05$                        |
| DRILL   | $\varnothing 0.55[0.0217"]$                        | $\varnothing 0.45[0.0117"]$                        |
| PAD     | $\varnothing 0.85$                                 | $\varnothing 0.75$                                 |

NOTES:

- CONNECTOR MATERIALS  
SHROUD : HIGH-TEMP POLYMER, COLOR : BLACK, UL94V-0  
CONTACTS : HIGH PERFORMACE COPPER ALLOY
- PRODUCT SPECIFICATION : GS-12-0936
- APPLICATION SPECIFICATION : GS-20-0348
- PRODUCT MARKING :  
PART NUMBER (10119126-X0J-XXXLF)  
"FCI" AND DATE CODE (FCI P#####)
- NOTCH DESIGNATES "ROW A" SIDE OF CONNECTOR. NOTCH FEATURE ON OPPOSITE FOR PRODUCT MARKING.
- PLATING THICKNESS OF SIGNAL & GROUND CONTACT ARE DETERMINED BY PLATING CODE, REFER TO P/N TREE ON SHEET 1.
- PACKAGING MEETS GS-14-920 LEAD-FREE LABELING SPECIFICATION.
- GUIDE-PIN STYLE DESIGNATION ONLY APPLIES TO MODULE VERSIONS THAT REQUIRE GUIDE-PIN HARDWARE. FOR ALL NON-GUIDE-PIN VERSIONS, THE DEFAULT DASH-NUMBER DIGIT IN THAT LOCATION IS STILL '0'.
- SEE APPLICATION SPECIFICATION FOR ROUTING GUIDELINES, ADDITIONAL PTH GUIDELINES, MATED DIMENSIONS, GUIDE PIN SELECTION, ETC.
- A  $\triangle B$  SYMBOL WILL BE NEXT TO ANY DIMENSION, VIEW OR NOTE THAT HAS BEEN MODIFIED WITH THE CURRENT DRAWING REVISION.
- $\triangle B$  (11) OPTIONAL HOLE LOCATION FOR GROUNDED PIN OR ADDITIONAL GUIDE-PIN SUPPORT. SEE TABLE 1 SHEET 1 FOR ADDITIONAL DETAILS.
- $\triangle B$  (12) SCREW IS OPTIONAL AND ENGAGES WITH BOTTOM OF GUIDE PIN FROM BENEATH THE PCB FOR ADDITIONAL GUIDE-PIN SUPPORT.



Copyright FCI.

|                                                                                               |  |                |                                                                                       |                                       |            |             |                                                                                       |          |                                                                                       |   |                    |                        |               |              |  |
|-----------------------------------------------------------------------------------------------|--|----------------|---------------------------------------------------------------------------------------|---------------------------------------|------------|-------------|---------------------------------------------------------------------------------------|----------|---------------------------------------------------------------------------------------|---|--------------------|------------------------|---------------|--------------|--|
| spec ref -                                                                                    |  |                | dr Marty Glass                                                                        |                                       | 2012/02/10 |             | projection                                                                            |          | MM                                                                                    |   | size A2            |                        | scale 3:1     |              |  |
| tolerance std                                                                                 |  |                | eng Sandar Soe                                                                        |                                       | 2013/03/20 |             |  |          |  |   | ecn no             |                        | ELX-S-14229-1 |              |  |
| ISO 406<br>ISO 1101                                                                           |  |                | chr -                                                                                 |                                       | -          |             |                                                                                       |          |                                                                                       |   | rel level          |                        | Released      |              |  |
| TOLERANCES UNLESS OTHERWISE SPECIFIED                                                         |  |                | appr Chen-Hong Tan                                                                    |                                       | 2013/04/09 |             | product family                                                                        |          |                                                                                       |   | -                  |                        |               |              |  |
|                                                                                               |  |                |  |                                       | title      |             | XCEDE HD VERTICAL HEADER<br>3 PAIR, 4 COLUMN STITCH HEADER                            |          |                                                                                       |   | dwg no<br>10119126 |                        | rev<br>B      |              |  |
|                                                                                               |  |                |                                                                                       |                                       |            |             |                                                                                       |          |                                                                                       |   |                    |                        |               |              |  |
|                                                                                               |  |                |                                                                                       |                                       |            |             |                                                                                       |          |                                                                                       |   |                    |                        |               |              |  |
| surface  |  | linear         |                                                                                       | 0.X ±0.3<br>0.XX ±0.10<br>0.XXX ±0.05 |            | www.fci.com |                                                                                       | cat. no. |                                                                                       | - |                    | Product - Customer Drw |               | sheet 8 of 8 |  |
| ISO 1302                                                                                      |  | angular 0° ±2° |                                                                                       |                                       |            |             |                                                                                       |          |                                                                                       |   |                    |                        |               |              |  |

# Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

## [FCI / Amphenol:](#)

|                                           |                                           |                                           |                                           |                                           |
|-------------------------------------------|-------------------------------------------|-------------------------------------------|-------------------------------------------|-------------------------------------------|
| <u><a href="#">10119126-A0J-30DLF</a></u> | <u><a href="#">10119126-W0J-70DLF</a></u> | <u><a href="#">10119126-Y0J-50DLF</a></u> | <u><a href="#">10119126-U0J-20DLF</a></u> | <u><a href="#">10119126-00J-50DLF</a></u> |
| <u><a href="#">10119126-V0J-50DLF</a></u> | <u><a href="#">10119126-C0J-20DLF</a></u> | <u><a href="#">10119126-M0J-20DLF</a></u> | <u><a href="#">10119126-T0J-50DLF</a></u> | <u><a href="#">10119126-R0J-40DLF</a></u> |
| <u><a href="#">10119126-R0J-60DLF</a></u> | <u><a href="#">10119126-J0J-80DLF</a></u> | <u><a href="#">10119126-L0J-50DLF</a></u> | <u><a href="#">10119126-A0J-80DLF</a></u> | <u><a href="#">10119126-J0J-10DLF</a></u> |
| <u><a href="#">10119126-10J-70DLF</a></u> | <u><a href="#">10119126-P0J-80DLF</a></u> | <u><a href="#">10119126-G0J-60DLF</a></u> | <u><a href="#">10119126-E0J-70DLF</a></u> | <u><a href="#">10119126-F0J-50DLF</a></u> |
| <u><a href="#">10119126-C0J-60DLF</a></u> | <u><a href="#">10119126-P0J-10DLF</a></u> | <u><a href="#">10119126-10J-50DLF</a></u> | <u><a href="#">10119126-P0J-30DLF</a></u> | <u><a href="#">10119126-U0J-50DLF</a></u> |
| <u><a href="#">10119126-H0J-10DLF</a></u> | <u><a href="#">10119126-Q0J-50DLF</a></u> | <u><a href="#">10119126-F0J-70DLF</a></u> | <u><a href="#">10119126-U0J-60DLF</a></u> | <u><a href="#">10119126-10J-10DLF</a></u> |
| <u><a href="#">10119126-A0J-20DLF</a></u> | <u><a href="#">10119126-M0J-70DLF</a></u> | <u><a href="#">10119126-B0J-60DLF</a></u> | <u><a href="#">10119126-Y0J-60DLF</a></u> | <u><a href="#">10119126-E0J-50DLF</a></u> |
| <u><a href="#">10119126-10J-30DLF</a></u> | <u><a href="#">10119126-G0J-70DLF</a></u> | <u><a href="#">10119126-W0J-20DLF</a></u> | <u><a href="#">10119126-S0J-30DLF</a></u> | <u><a href="#">10119126-P0J-60DLF</a></u> |
| <u><a href="#">10119126-H0J-20DLF</a></u> | <u><a href="#">10119126-00J-80DLF</a></u> | <u><a href="#">10119126-J0J-60DLF</a></u> | <u><a href="#">10119126-S0J-70DLF</a></u> | <u><a href="#">10119126-D0J-40DLF</a></u> |
| <u><a href="#">10119126-F0J-20DLF</a></u> | <u><a href="#">10119126-P0J-40DLF</a></u> | <u><a href="#">10119126-H0J-30DLF</a></u> | <u><a href="#">10119126-J0J-70DLF</a></u> | <u><a href="#">10119126-F0J-80DLF</a></u> |
| <u><a href="#">10119126-D0J-60DLF</a></u> | <u><a href="#">10119126-W0J-10DLF</a></u> | <u><a href="#">10119126-B0J-40DLF</a></u> | <u><a href="#">10119126-S0J-40DLF</a></u> | <u><a href="#">10119126-M0J-60DLF</a></u> |
| <u><a href="#">10119126-Q0J-20DLF</a></u> | <u><a href="#">10119126-V0J-20DLF</a></u> | <u><a href="#">10119126-S0J-80DLF</a></u> | <u><a href="#">10119126-F0J-60DLF</a></u> | <u><a href="#">10119126-E0J-20DLF</a></u> |
| <u><a href="#">10119126-U0J-80DLF</a></u> | <u><a href="#">10119126-W0J-30DLF</a></u> | <u><a href="#">10119126-B0J-80DLF</a></u> | <u><a href="#">10119126-U0J-10DLF</a></u> | <u><a href="#">10119126-S0J-50DLF</a></u> |
| <u><a href="#">10119126-00J-30DLF</a></u> | <u><a href="#">10119126-Y0J-10DLF</a></u> | <u><a href="#">10119126-T0J-80DLF</a></u> | <u><a href="#">10119126-R0J-20DLF</a></u> | <u><a href="#">10119126-L0J-70DLF</a></u> |
| <u><a href="#">10119126-B0J-30DLF</a></u> | <u><a href="#">10119126-P0J-20DLF</a></u> | <u><a href="#">10119126-A0J-50DLF</a></u> | <u><a href="#">10119126-H0J-70DLF</a></u> | <u><a href="#">10119126-Q0J-10DLF</a></u> |
| <u><a href="#">10119126-Y0J-30DLF</a></u> | <u><a href="#">10119126-P0J-50DLF</a></u> | <u><a href="#">10119126-D0J-10DLF</a></u> | <u><a href="#">10119126-V0J-70DLF</a></u> | <u><a href="#">10119126-S0J-10DLF</a></u> |
| <u><a href="#">10119126-L0J-60DLF</a></u> | <u><a href="#">10119126-H0J-80DLF</a></u> | <u><a href="#">10119126-V0J-10DLF</a></u> | <u><a href="#">10119126-10J-20DLF</a></u> | <u><a href="#">10119126-L0J-80DLF</a></u> |
| <u><a href="#">10119126-L0J-10DLF</a></u> | <u><a href="#">10119126-V0J-60DLF</a></u> | <u><a href="#">10119126-P0J-70DLF</a></u> | <u><a href="#">10119126-00J-40DLF</a></u> | <u><a href="#">10119126-C0J-10DLF</a></u> |
| <u><a href="#">10119126-R0J-30DLF</a></u> | <u><a href="#">10119126-W0J-40DLF</a></u> | <u><a href="#">10119126-M0J-50DLF</a></u> | <u><a href="#">10119126-R0J-70DLF</a></u> | <u><a href="#">10119126-Q0J-30DLF</a></u> |
| <u><a href="#">10119126-C0J-70DLF</a></u> | <u><a href="#">10119126-E0J-60DLF</a></u> | <u><a href="#">10119126-V0J-40DLF</a></u> | <u><a href="#">10119126-G0J-40DLF</a></u> | <u><a href="#">10119126-J0J-40DLF</a></u> |