

4

3

2

1

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

-.-

© COPYRIGHT - By - TE CONNECTIVITY

ALL RIGHTS RESERVED.

LOC
HBDIST
-

REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
	E	CHANGE LOGO&ADD LINE IDENTIFICATION ECO-12-003498&ADD CQC SYMBOL P-11-003756	05Nov2012	YS.H	BH.Y

STE **CQC** MADE IN CHINA
PCH-112D2H \Rightarrow **12V**
 TV-3(N0)
UL **CS** 5A(N0)/3A(NC)
 30V \equiv /277V ~ Res.
DVE 5A/3A 277V ~ Res.
 5A/3A 30V \equiv Res.
 LOT NO. SEE NOTE 6
 OEG

PART A
 PART B
 Dimensions: 15.2, 3.8±0.2, 0.45, 0.8, 0.8, 0.8

Dimensions: 20, 1.1, 10.16±0.2, 7.62±0.2, 0.2, 7.6±0.2, 0.24, 1, 2, 3, 4, 5

DRILLING DIAGRAM (BOTTOM VIEW)

Dimensions: 7.6±0.1, 10.16±0.1, 5.08±0.1, 2.54±0.1, 2- ϕ 1.2±0.1 (HOLE), 3- ϕ 1.5±0.1 (HOLE)

CONNECTION DIAGRAM (BOTTOM VIEW)

Connections: 1, 2, 3, 4, 5

Diagram dimension	Tolerance
0.99mm max.	±0.1mm
1 - 2.99mm	±0.2mm
3mm min.	±0.3mm

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN	H,SASAKI	TE Connectivity	
		CHK	N,FUMAYAMA		
DIMENSIONS: mm		APVD	A,NAGAI	NAME	
		TOLERANCES UNLESS OTHERWISE SPECIFIED:		PCH SPEC,000 CUSTOMER DRAWING	
		0 PLC ± - 1 PLC ± - 2 PLC ± - 3 PLC ± - 4 PLC ± - ANGLES ± -		RESTRICTED TO	
MATERIAL		FINISH		SIZE	A3
				CAGE CODE	00779
				DRAWING NO	G= 1461410
				CUSTOMER DRAWING	
				SCALE	5:1
				SHEET	1 of 2
				REV	E

1470-19 (3/11)

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[9-1440003-7](#)