









LOC		DIST		REVISIONS			
FX		00		REV	DESCRIPTION	DATE	OWN
				D1	REVISED PER ECR 07-029132	07JAN2008	DLD
				E	REVISED PER ECR 07-030366	08JAN2008	DLD
				F	REVISED PER ECO 08-006962	19MAR2008	DLD



- NOTE(S):
1. APPLICABLE TERMINAL PART NUMBERS (SOLD SEPARATELY):
FOR TIN APPLICATIONS: 1393367 AND 1393366.
FOR GOLD APPLICATIONS: 1393365 AND 1393364.
FOR TERMINATION AND REELING OPTIONS
SEE DRAWINGS 1393367, 1393366, 1393365, AND 1393364.
 2. COMPATIBLE WIRE SIZES FOR MAT SEAL DESIGN 1.19 TO 2.06 O.D.
(22-18 AWG, 0.35-0.75 mm2)
 3. TPA AND CAM LEVER ARE SHIPPED IN THEIR PRE-LOADED POSITION.
ALL ASSEMBLIES ARE TO BE TRAY PACKAGED.
 4. CUSTOMER PART NUMBER AND TRACEABILITY CODE (YY = TWO DIGIT YEAR,
JJJ = JULIAN DAY, HH = TWO DIGIT MILITARY HOUR, A=ASSEMBLY PROCESS
USED) ARE PRINTED IN THIS LOCATION.
 5. PART ASSEMBLY WEIGHT WITHOUT TERMINALS AND WITH STANDARD PIN-OUT
CONFIGURATION IS 26.09 GRAMS.
 6. OPTIONAL WIRESHIELD P/N 8-1419157-8 (SOLD SEPARATELY). PLEASE CONTACT
YOUR TYCO ELECTRONICS SALES REPRESENTATIVE FOR AVAILABILITY AND PRICING.



THIS VIEW SHOWS THE
MODIFIED CAM LEVER
SCALE 2:1

KEYING OPTION "G" SHOWN
SEE SHEET 2 FOR BILL OF MATERIALS
AND SHEET 3, 4 AND 5 FOR PIN-OUT CHARTS

TOLERANCES UNLESS OTHERWISE SPECIFIED:		TYPICAL DIMENSIONS:		MATERIAL:		FINISH:		WEIGHT:		CUSTOMER DRAWING:	
0 PLC		±0.3		SEE CHART ON SHEET 2		-		SEE NOTE 5		-	
1 PLC		±0.10									
2 PLC		±0.10									
3 PLC		±0.10									
4 PLC		±0.10									
ANGLES		±0.3°									
FINISH		-									
WEIGHT		-									
CUSTOMER DRAWING		-									

[illegible][illegible]

THIS IS A STANDARD 141 CONFORMING TO THE REQUIREMENTS OF THE INTERNATIONAL ORGANIZATION FOR STANDARDIZATION (ISO) AND THE NATIONAL BUREAU OF STANDARDS (NBS). IT IS NOT TO BE USED FOR CONSTRUCTION OF A DRAWING.		DRAWN A. HOLT 14NOV2006		 Tyco Electronics Harrisburg, PA 17105-3608	
DIMENSIONS: mm		TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC $\pm$.01 2 PLC $\pm$.02 3 PLC $\pm$.02 4 PLC $\pm$.02 5 PLC $\pm$.02 6 PLC $\pm$.02 7 PLC $\pm$.02 8 PLC $\pm$.02 9 PLC $\pm$.02 10 PLC $\pm$.02 11 PLC $\pm$.02 12 PLC $\pm$.02 13 PLC $\pm$.02 14 PLC $\pm$.02 15 PLC $\pm$.02 16 PLC $\pm$.02 17 PLC $\pm$.02 18 PLC $\pm$.02 19 PLC $\pm$.02 20 PLC $\pm$.02 21 PLC $\pm$.02 22 PLC $\pm$.02 23 PLC $\pm$.02 24 PLC $\pm$.02 25 PLC $\pm$.02 26 PLC $\pm$.02 27 PLC $\pm$.02 28 PLC $\pm$.02 29 PLC $\pm$.02 30 PLC $\pm$.02 31 PLC $\pm$.02 32 PLC $\pm$.02 33 PLC $\pm$.02 34 PLC $\pm$.02 35 PLC $\pm$.02 36 PLC $\pm$.02 37 PLC $\pm$.02 38 PLC $\pm$.02 39 PLC $\pm$.02 40 PLC $\pm$.02 41 PLC $\pm$.02 42 PLC $\pm$.02 43 PLC $\pm$.02 44 PLC $\pm$.02 45 PLC $\pm$.02 46 PLC $\pm$.02 47 PLC $\pm$.02 48 PLC $\pm$.02 49 PLC $\pm$.02 50 PLC $\pm$.02 51 PLC $\pm$.02 52 PLC $\pm$.02 53 PLC $\pm$.02 54 PLC $\pm$.02 55 PLC $\pm$.02 56 PLC $\pm$.02 57 PLC $\pm$.02 58 PLC $\pm$.02 59 PLC $\pm$.02 60 PLC $\pm$.02 61 PLC $\pm$.02 62 PLC $\pm$.02 63 PLC $\pm$.02 64 PLC $\pm$.02 65 PLC $\pm$.02 66 PLC $\pm$.02 67 PLC $\pm$.02 68 PLC $\pm$.02 69 PLC $\pm$.02 70 PLC $\pm$.02 71 PLC $\pm$.02 72 PLC $\pm$.02 73 PLC $\pm$.02 74 PLC $\pm$.02 75 PLC $\pm$.02 76 PLC $\pm$.02 77 PLC $\pm$.02 78 PLC $\pm$.02 79 PLC $\pm$.02 80 PLC $\pm$.02 81 PLC $\pm$.02 82 PLC $\pm$.02 83 PLC $\pm$.02 84 PLC $\pm$.02 85 PLC $\pm$.02 86 PLC $\pm$.02 87 PLC $\pm$.02 88 PLC $\pm$.02 89 PLC $\pm$.02 90 PLC $\pm$.02 91 PLC $\pm$.02 92 PLC $\pm$.02 93 PLC $\pm$.02 94 PLC $\pm$.02 95 PLC $\pm$.02 96 PLC $\pm$.02 97 PLC $\pm$.02 98 PLC $\pm$.02 99 PLC $\pm$.02 100 PLC $\pm$.02 101 PLC $\pm$.02 102 PLC $\pm$.02 103 PLC $\pm$.02 104 PLC $\pm$.02 105 PLC $\pm$.02 106 PLC $\pm$.02 107 PLC $\pm$.02 108 PLC $\pm$.02 109 PLC $\pm$.02 110 PLC $\pm$.02 111 PLC $\pm$.02 112 PLC $\pm$.02 113 PLC $\pm$.02 114 PLC $\pm$.02 115 PLC $\pm$.02 116 PLC $\pm$.02 117 PLC $\pm$.02 118 PLC $\pm$.02 119 PLC $\pm$.02 120 PLC $\pm$.02 121 PLC $\pm$.02 122 PLC $\pm$.02 123 PLC $\pm$.02 124 PLC $\pm$.02 125 PLC $\pm$.02 126 PLC $\pm$.02 127 PLC $\pm$.02 128 PLC $\pm$.02 129 PLC $\pm$.02 130 PLC $\pm$.02 131 PLC $\pm$.02 132 PLC $\pm$.02 133 PLC $\pm$.02 134 PLC $\pm$.02 135 PLC $\pm$.02 136 PLC $\pm$.02 137 PLC $\pm$.02 138 PLC $\pm$.02 139 PLC $\pm$.02 140 PLC $\pm$.02 141 PLC $\pm$.02 142 PLC $\pm$.02 143 PLC $\pm$.02 144 PLC $\pm$.02 145 PLC $\pm$.02 146 PLC $\pm$.02 147 PLC $\pm$.02 148 PLC $\pm$.02 149 PLC $\pm$.02 150 PLC $\pm$.02 151 PLC $\pm$.02 152 PLC $\pm$.02 153 PLC $\pm$.02 154 PLC $\pm$.02 155 PLC $\pm$.02 156 PLC $\pm$.02 157 PLC $\pm$.02 158 PLC $\pm$.02 159 PLC $\pm$.02 160 PLC $\pm$.02 161 PLC $\pm$.02 162 PLC $\pm$.02 163 PLC $\pm$.02 164 PLC $\pm$.02 165 PLC $\pm$.02 166 PLC $\pm$.02 167 PLC $\pm$.02 168 PLC $\pm$.02 169 PLC $\pm$.02 170 PLC $\pm$.02 171 PLC $\pm$.02 172 PLC $\pm$.02 173 PLC $\pm$.02 174 PLC $\pm$.02 175 PLC $\pm$.02 176 PLC $\pm$.02 177 PLC $\pm$.02 178 PLC $\pm$.02 179 PLC $\pm$.02 180 PLC $\pm$.02 181 PLC $\pm$.02 182 PLC $\pm$.02 183 PLC $\pm$.02 184 PLC $\pm$.02 185 PLC $\pm$.02 186 PLC $\pm$.02 187 PLC $\pm$.02 188 PLC $\pm$.02 189 PLC $\pm$.02 190 PLC $\pm$.02 191 PLC $\pm$.02 192 PLC $\pm$.02 193 PLC $\pm$.02 194 PLC $\pm$.02 195 PLC $\pm$.02 196 PLC $\pm$.02 197 PLC $\pm$.02 198 PLC $\pm$.02 199 PLC $\pm$.02 200 PLC $\pm$.02 201 PLC $\pm$.02 202 PLC $\pm$.02 203 PLC $\pm$.02 204 PLC $\pm$.02 205 PLC $\pm$.02 206 PLC $\pm$.02 207 PLC $\pm$.02 208 PLC $\pm$.02 209 PLC $\pm$.02 210 PLC $\pm$			

LOC	DIST	REVISIONS						
FX	00	P	LTR	DESCRIPTION	DATE	DWN	APVD	
		-	-	SEE SHEET 1	-	-	-	

PIN OUT CHART																																											
BLANK CAVITIES INDICATE OPEN TERMINAL HOLE POSITIONS																																											
CAVITIES WITH A NUMERIC SYMBOL INDICATE CLOSED TERMINAL HOLE POSITIONS																																											
TERMINAL HOLE POSITION																																				ASSEMBLY PART NUMBER	KEYING OPTION						
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40				
											11	12																										0-1924170-1	G				
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18			21	22						27	28	29	30					35	36	37	38	39	40	0-1924170-2	G	
			3	4	5	6	7	8	9	10	11	12	13	14	15	16																			35	36	37	38	39	40	0-1924170-3	G	
							7	8	9	10	11	12	13	14	15	16																			35	36	37	38	39	40	0-1924170-4	G	
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16					21	22						27	28	29	30					35	36	37	38	39	40	0-1924170-5	G	
1	2	3	4	5	6	7	8	9	10	11	12	13	14																					35	36						0-1924170-6	G	
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16								24							29	30										0-1924170-7	G	
							7	8	9	10	11	12																							35	36	37	38	39	40	0-1924170-8	G	
			3	4	5	6	7	8	9	10	11	12																						35	36	37	38	39	40	0-1924170-9	G		
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16												27	28	29	30					35	36	37	38	39	40	1-1924170-0	G	
							7	8	9	10	11	12						18																	35	36	37	38	39	40	1-1924170-1	G	
1	2	3	4			7	8	9	10	11	12	13	14	15	16					21	22						27	28	29	30					35	36	37	38	39	40	1-1924170-2	G	
1	2					7	8	9	10	11	12									21	22														35	36	37	38	39	40	1-1924170-3	G	
			3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18			21	22													35	36	37	38	39	40	1-1924170-4	G	
1	2	3	4			7	8	9	10	11	12	13	14	15	16	17	18			21	22						27	28	29	30					35	36	37	38	39	40	1-1924170-5	G	
1	2					7	8	9	10	11	12						17	18		21	22													35	36	37	38	39	40	1-1924170-6	G		
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18			21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	1-1924170-7	G		
			3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18									27	28	29	30					35	36	37	38	39	40	1-1924170-8	G	
						7	8	9	10	11	12																															1-1924170-9	G
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18			21	22	23	24	25	26	27	28	29	30					35	36	37	38	39	40	2-1924170-0	G		
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16				21	22							27	28	29	30								39	40		2-1924170-1	G	
						7	8	9	10	11	12	13	14	15	16																							39	40		2-1924170-2	G	
			3	4	5	6	7	8	9	10	11	12	13	14	15	16																					39	40		2-1924170-3	G		
1	2					7	8	9	10	11	12						17	18		21	22	23	24	25	26									35	36	37	38	39	40	2-1924170-4	G		
1	2					7	8	9	10	11	12						17	18		21	22	23	24											35	36	37	38	39	40	2-1924170-5	G		
						7	8	9	10	11	12	13	14	15	16	17	18																		35	36	37	38	39	40	2-1924170-6	G	
						7	8	9	10	11	12	13	14	15	16	17	18								26										35	36	37	38	39	40	2-1924170-7	G	
						7	8	9	10	11	12	13	14	15	16	17	18																				39	40		2-1924170-8	G		
			3	4		7	8	9	10	11	12	13	14	15	16												27	28	29	30			32					37	38	39	40	2-1924170-9	G
1	2					7	8	9	10	11	12	13	14	15	16	17	18			21	22						27	28	29	30					35	36	37	38	39	40	3-1924170-0	G	
1	2					7	8	9	10	11	12	13	14	15	16				21	22							27	28	29	30					35	36	37	38	39	40	3-1924170-1	G	
1	2					7	8	9	10	11	12	13	14	15	16				21	22							27	28	29	30					35	36	37	38	39	40	3-1924170-2	G	
1	2					7	8	9	10	11	12	13	14	15	16	17	18			21	22														35	36	37	38	39	40	3-1924170-3	G	
1	2					7	8	9	10	11	12								21	22							27	28	29	30					35	36	37	38	39	40	3-1924170-4	G	
1	2					7	8	9	10	11	12	13	14	15	16				21	22															35	36	37	38	39	40	3-1924170-5	G	
1	2			5	6	7	8	9	10	11	12	13	14	15	16	17	18			21	22						27	28	29	30					35	36	37	38	39	40	3-1924170-6	G	
1	2			5	6	7	8	9	10	11	12	13	14	15	16				21	22			24											35	36	37	38	39	40	3-1924170-7	G		
1	2					7	8	9	10	11	12								21	22			24											35	36	37	38	39	40	3-1924170-8	G		
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18			21	22	23	24				27	28	29	30	31	32	33	34	35	36	37	38	39	40	3-1924170-9	G	
					5	6	7	8	9	10	11	12	13	14	15	16			19	20							27	28	29	30							37	38	39	40	4-1924170-0	G	
					5	6	7	8	9	10	11	12	13	14	15	16			19																								

LOC	DIST	REVISIONS						
FX	00	P	LTR	DESCRIPTION	DATE	DWN	APVD	
		-	-	SEE SHEET 1	-	-	-	

PIN OUT CHART																																										
BLANK CAVITIES INDICATE OPEN TERMINAL HOLE POSITIONS																																										
CAVITIES WITH A NUMERIC SYMBOL INDICATE CLOSED TERMINAL HOLE POSITIONS																																										
TERMINAL HOLE POSITION																																						ASSEMBLY PART NUMBER	KEYING OPTION			
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40			
				5	6	7	8	9	10	11	12	13	14	15	16								24			27	28	29	30					35	36	37	37	39	40	6-1924170-6	G	
			3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18					23	24		26								35	36	37	37	39	40	6-1924170-7	G	
			3	4	5	6	7	8	9	10	11	12	13	14	15	16							24			27	28	29	30					35	36	37	37	39	40	6-1924170-8	G	
			3	4	5	6	7	8	9	10	11	12	13	14	15	16							24											35	36	37	37	39	40	6-1924170-9	G	
1	2			5	6	7	8	9	10	11	12	13	14	15	16					21	22		24			27	28	29	30							37	38	39	40	7-1924170-0	G	
				5	6	7	8	9	10	11	12	13	14	15	16								24			27	28	29	30					35	36	37	38	39	40	7-1924170-1	G	
1	2					7	8	9	10	11	12	13	14	15	16					21	22		24											35	36	37	38	39	40	7-1924170-2	G	
1	2					7	8	9	10	11	12	13	14	15	16					21	22		24			27	28	29	30					35	36	37	38	39	40	7-1924170-3	G	
											11	12											24																		7-1924170-4	G
1	2										11	12	13	14	15	16						24																			7-1924170-5	G
											11	12																				32					37	38	39	40	7-1924170-6	G
											11	12							19	20			24																	7-1924170-7	G	
											11	12							19	20													33	34						7-1924170-8	G	
						7	8	9	10	11	12								19	20			24																	7-1924170-9	G	
						7	8	9	10	11	12								19	20													33	34						8-1924170-0	G	
						7	8	9	10	11	12																				31	32				37	38	39	40	8-1924170-1	G	
							9	10	11	12							17	18	19	20	21	22		24		26							33	34	35	36	37	38	39	40	8-1924170-2	G
				5	6	7	8	9	10	11	12	13	14	15	16																					37	38			8-1924170-3	G	
			3	4	5	6	7	8	9	10	11	12	13	14	15	16			19	20																37	38	39	40	8-1924170-4	G	
						7	8	9	10	11	12	13	14	15	16			19	20																	37	38	39	40	8-1924170-5	G	
1	2					7	8	9	10	11	12	13	14	15	16		17	18			21	22			25	26	27	28	29	30	31	32	33	34	35	36	37	38		8-1924170-6	G	
1	2					7	8	9	10			13	14	15	16					21	22		24			27	28	29	30					35	36	37	38		8-1924170-7	G		
1	2					7	8	9	10			13	14	15	16					21	22		24			27	28	29	30					35	36	37	38		8-1924170-8	G		
1	2	3	4			7	8	9	10	11	12		14	15		17	18			21	22		24		25	26	27	28	29	30	31	32	33	34	35	36	37	38		8-1924170-9	G	
1	2	3	4			7	8	9	10	11	12		14	15		17	18			21	22	23	24	25	26	27	28	29	30	31	32			35	36	37	38		9-1924170-0	G		
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16					21	22		24			27	28	29	30					35	36	37	38		9-1924170-1	G		
		3	4	5	6					11	12												24											35	36	37	38	39	40	9-1924170-2	G	
						7	8	9	10	11	12												24											35	36	37	38		9-1924170-3	G		
										11	12												24											35	36	37	38	39	40	9-1924170-4	G	
		3	4	5	6					11	12								19	20																	39	40	9-1924170-5	G		
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16			19	20	21	22	23	24		26	27	28	29	30				35	36	37	38	39	40	9-1924170-6	G		
						7	8	9	10	11	12	13	14	15	16			19	20				24										33	34			37	38	39	40	9-1924170-7	G
		3	4	5	6	7	8	9	10	11	12	13	14	15	16			19	20				24										33	34			37	38	39	40	9-1924170-8	G
		3	4	5	6	7	8	9	10	11	12	13	14	15	16			19	20				24												37	38	39	40	9-1924170-9	G		
						7	8	9	10	11	12	13	14	15	16			19	20				24												37	38	39	40	0-1924171-1	G		
										11	12							19	20																				0-1924171-2	G		
		3	4	5	6	7	8	9	10	11	12							19	20				24														39	40	0-1924171-3	G		
						7	8	9	10	11	12																						33	34					0-1924171-4	G		
										11	12																						33	34					0-1924171-5	G		
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16					21	22		24											35	36	37	38	39	40	0-1924171-6	G	
						7	8	9	10	11	12												24												35	36				0-1924171-7	G	
										11	12	13	14	15	16								24																0-1924171-8	G		
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16			19	20	21	22	23	24		26	27	28	29	30					35	36	37	38					

LOC	DIST	REVISIONS					
		F	LTR	DESCRIPTION	DATE	DWN	APVD
FX	00	-	-	SEE SHEET 1	-	-	-

PIN OUT CHART																																											
BLANK CAVITIES INDICATE OPEN TERMINAL HOLE POSITIONS																																											
CAVITIES WITH A NUMERIC SYMBOL INDICATE CLOSED TERMINAL HOLE POSITIONS																																											
TERMINAL HOLE POSITION																																								ASSEMBLY PART NUMBER	KEYING OPTION		
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40				
											11	12																												0-1924172-1	G		
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18			21	22							27	28	29	30					35	36	37	38	39	40	0-1924172-2	G
			3	4	5	6	7	8	9	10	11	12	13	14	15	16																				35	36	37	38	39	40	0-1924172-3	G
							7	8	9	10	11	12	13	14	15	16																				35	36	37	38	39	40	0-1924172-4	G
							7	8	9	10	11	12																								35	36	37	38	39	40	0-1924172-5	G
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16					21	22			24				27	28	29	30					35	36	37	38	39	40	0-1924172-6	G
							7	8	9	10	11	12					17	18																		35	36	37	38	39	40	0-1924172-7	G
							7	8	9	10	11	12	13	14	15	16	17	18																		35	36	37	38	39	40	0-1924172-8	G
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16					21	22						27	28	29	30					35	36	37	38	39	40	0-1924172-9	G	
							7	8	9	10	11	12												24												35	36	37	38	39	40	1-1924172-0	G
							7	8	9	10	11	12	13	14	15	16								24												35	36	37	38	39	40	1-1924172-1	G
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16			19	20	21	22	23	24		26	27	28	29	30					35	36	37	38	39	40	1-1924172-2	G		
1	2					7	8	9	10	11	12						17	18			21	22													35	36	37	38	39	40	1-1924172-3	G	
			3	4	5	6					11	12												24											35	36	37	38	39	40	1-1924172-4	G	
			3	4	5	6																		24											35	36	37	38	39			1-1924172-5	G
			3	4	5	6					11	12												24											35	36	37	38	39			1-1924172-6	G

PIN OUT CHART																																											
BLANK CAVITIES INDICATE OPEN TERMINAL HOLE POSITIONS																																											
CAVITIES WITH A NUMERIC SYMBOL INDICATE CLOSED TERMINAL HOLE POSITIONS																																											
TERMINAL HOLE POSITION																																								ASSEMBLY PART NUMBER	KEYING OPTION		
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40				
											11	12																												0-1924173-1	H		
							7	8	9	10	11	12							19	20				24													37	38	39	40	0-1924173-2	H	
					5	6	7	8	9	10	11	12	13	14	15	16			19	20				24				27	28	29	30							37	38	39	40	0-1924173-3	H
1	2	3	4						9	10	11	12	13	14	15	16					21	22						27	28	29	30									39	40	0-1924173-4	H
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16					21	22	23	24	25	26	27	28	29	30	31	32	33	34				37	38	39	40	0-1924173-5	H	
									9	10	11	12																											39	40	0-1924173-6	H	
							7	8	9	10	11	12												24												35	36	37	38	39	40	0-1924173-7	H
							7	8	9	10	11	12											24																		0-1924173-8	H	
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16				20	21	22						27	28	29	30	31	32					37	38	39	40	0-1924173-9	H	
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16					21	22						27	28	29	30	31	32					37	38	39	40	1-1924173-0	H	
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16					21	22		24				27	28	29	30					35	36	37	38	39	40	1-1924173-1	H	
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16					21	22		24				27	28	29	30						37	38	39	40	1-1924173-2	H		
									9	10	11	12					17	18	19	20	21	22		24		26							33	34	35	36	37	38	39	40	1-1924173-3	H	
1	2						7	8	9	10	11	12	13	14	15	16					21	22					27	28	29	30	31	32					37	38	39	40	1-1924173-4	H	
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16		17	18			21	22					27	28	29	30					35	36	37	38	39	40	1-1924173-5	H	
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16					21	22		24				27	28	29	30					35	36	37	38			1-1924173-6	H	
1	2						7	8	9	10	11	12	13	14	15	16					21	22		24				27	28	29	30					35	36	37	38	39	40	1-1924173-7	H
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16					21		23		25	26	27	28	29	30	31	32	33	34			37	38	39	40	1-1924173-8	H		
			3	4	5	6					11	12							19	20																		39	40	1-1924173-9	H		
			3	4	5	6					11	12							19	20				24														39	40	2-1924173-0	H		
			3	4	5	6					11	12							19	20				24														39	40	2-1924173-1	H		

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[1-1924173-4](#)