


- ① CAVITY LOCATION DIMENSIONS INCREASE IN INCREMENTS OF .125 - TOLERANCE NON-CUMULATIVE.
- ② AMP LOGO MOLDED IN APPROXIMATE AREA SHOWN.
- ③ .000050 GOLD IN CONTACT AREA, .000100-.000200 MATTE TIN ON THE TERMINATION AREA, ALL OVER .000050 NICKEL.
- ④ "NON-STANDARD SIZE"- MINIMUM ORDER QUANTITY MAY BE REQUIRED.
- ⑤ OBSOLETE PARTS: OBSOLETE CIS STREAMLINING PER D.RENAUD/D.SINISI



OBSELETE										5-102935-7
OBSELETE										5-102935-6
OBSELETE										5- -5
OBSELETE										5- -4
OBSELETE										5- -3
OBSELETE										5- -2
OBSELETE										5- -1
OBSELETE										5- -0
OBSELETE										4- -9
OBSELETE										4- -8
OBSELETE										4- -7
OBSELETE										4- -6
OBSELETE										4- -5
OBSELETE										4- -4
OBSELETE										4- -3
OBSELETE										4- -2
OBSELETE										4- -1
OBSELETE										4- -0
OBSELETE										3- -9
OBSELETE										3- -8
OBSELETE										3- -7
OBSELETE	③	2.493	2.375	19	40	3-				-6
OBSELETE	③	2.493	2.375	19	40	3-				-5
SUPERSEDED BY 3-102935-6										
OBSELETE										3- -4
OBSELETE										3- -3
OBSELETE										3- -2
OBSELETE										3- -1
OBSELETE										3- -0
OBSELETE										2- -9
OBSELETE	③	1.993	1.875	15	32	2-				-8
OBSELETE										2- -7
OBSELETE										2- -6
OBSELETE										2- -5
OBSELETE										2- -4
OBSELETE										2- -3
OBSELETE										2- -2
OBSELETE										2- -1
OBSELETE										2- -0
OBSELETE	③	1.493	1.375	11	24	1-				-9
OBSELETE										1- -8
OBSELETE										1- -7
OBSELETE	③	1.243	1.125	9	20	1-				-6
OBSELETE	③	1.243	1.125	9	20	1-				-5
SUPERSEDED BY 1-102935-6										
OBSELETE										1- -4
OBSELETE	③	1.868	1.750	14	30	1-				-3
OBSELETE	③	.993	.875	7	16	1-				-2
OBSELETE										1- -1
OBSELETE										1- -0
OBSELETE										-9
OBSELETE	④	.743	.625	5	12					-8
SUPERSEDED										
OBSELETE	③	.618	.500	4	10					-6
OBSELETE	③	.493	.375	3	8					-4
OBSELETE										-3
OBSELETE										-2
	③	.368	.250	2	6					102935-1
REMARKS	FINISH	C	B	A	NO OF POSN	ASSEMBLY PART NUMBER				

THIS DRAWING IS A CONTROLLED DOCUMENT. DIN 5-29-85 L.A. MAYER 6-6-85 S. OWENS

TE Connectivity

RECEPTACLE ASSEMBLY, LEVEL V, DOUBLE ROW, .125 X .125 CL, #26-#22 AWG

SIZE: A1 CAGE CODE: 00779 DRAWING NO: 102935

CUSTOMER DRAWING SCALE: 4:1 SHEET 1 OF 1 REV: M3

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[2-102935-8](#)