


Dec.1.2018 Copyright 2018 HIROSE ELECTRIC CO., LTD. All Rights Reserved.
 In case that the application demands a high level of reliability, such as automotive,
 please contact a company representative for further information.



NO.	MATERIAL	FINISH . REMARKS	NO.	MATERIAL	FINISH . REMARKS
2	PHOSPHOR BRONZE	CONTACT :GOLD PLATING 0.3µm min LEAD :GOLD PLATING 0.03µm min UNDER :NICKEL PLATING 2µm min	6	PBT	UL94V-0 (BLACK)
1	PHOSPHOR BRONZE	CONTACT :GOLD PLATING 0.3µm min LEAD :GOLD PLATING 0.03µm min UNDER :NICKEL PLATING 2µm min	5	PBT	UL94V-0 (BLACK)
			4	STEEL	OVER :NICKEL PLATING 1µm min UNDER :COPPER PLATING 5µm min
			3	PBT	UL94V-0 (BLACK)

UNITS	SCALE	COUNT	DESCRIPTION OF REVISIONS	DESIGNED	CHECKED	DATE
mm	4 : 1	4	DIS-E-002927	KI. NAGANUMA	YH. ENAMI	09.09.16

APPROVED : HO. MIWA	05.10.17	DRAWING NO.	EDC3-044567-01
CHECKED : YH. ENAMI	05.10.14	PART NO.	FI30-20S(50)
DESIGNED : TU. TANIGUCHI	05.10.14	CODE NO.	CL230-0505-5-50
DRAWN : YK. SATO	05.09.07		

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[Hirose Electric:](#)

[FI30-20S\(50\)](#)