

HIGH CURRENT MULTILAYER CHIP BEAD

ACML-0603H



RoHS
Compliant



1.6 x 0.8 x 0.8mm

FEATURES:

- Multilayer monolithic structure yields high reliability
- Unique terminal electrode structure ensures permissible currents
- High impedance over a wide frequency range

APPLICATIONS:

- Audio & Video Equipment
- Automotive Electrical Equipment
- Communication Equipment
- OA Equipment

STANDARD SPECIFICATIONS:

PARAMETERS

ABRACON P/N:	ACML-0603H-xxx Series
Operating temperature:	-55°C to + 125°C
Storage temperature:	-55°C to + 125°C

Part Number	Z (Ω) ±25%	Test Freq MHz	Rdc Ω Max	Ir mA Max
ACML-0603H-050	5	100	0.03	2000
ACML-0603H-110	11	100	0.03	2000
ACML-0603H-310	31	100	0.05	1500
ACML-0603H-600	60	100	0.08	1500
ACML-0603H-121	120	100	0.1	1200
ACML-0603H-221	220	100	0.15	1000
ACML-0603H-301	300	100	0.2	1000
ACML-0603H-501	500	100	0.28	800
ACML-0603H-601	600	100	0.35	800

Ir: Rated current applied when the chip surface temperature rise 20°C

OPTIONS AND PART IDENTIFICATION:

(Left blank if standard)

ACML - 0603H - □□□ - □

Impedance



Please refer to the tables above.

Packaging

T

Tape and Reel

TYPICAL ELECTRICAL CHARACTERISTICS:



ABRACON IS
ISO 9001 / QS 9000
CERTIFIED



ABRACON
CORPORATION

Visit www.abracon.com for Terms & Conditions of Sale **Revised: 02.08.08**
30332 Esperanza, Rancho Santa Margarita, California 92688
tel 949-546-8000 | fax 949-546-8001 | www.abracon.com

HIGH CURRENT MULTILAYER CHIP BEAD

ACML-0603H




RoHS
Compliant




1.6 x 0.8 x 0.8mm

OUTLINE DRAWING:




TAPE & REEL: Tape and reel 4,000pcs/reel

Dimensions of Reel



Dimensions of Tape



Codes	A	B	W	E	F
ACML-0603H	1.05±0.15	1.90±0.15	8.00±0.3	1.75±0.1	4.0±0.1

Codes	P ₀	P ₁	P ₂	ΦD ₀	T
ACML-0603H	4.00±0.10	4.00±0.10	2.00±0.05	1.55±0.05	1.0±0.03

Dimension: mm

ABRACON IS
ISO 9001 / QS 9000
CERTIFIED



Visit www.abracon.com for Terms & Conditions of Sale
30332 Esperanza, Rancho Santa Margarita, California 92688
tel 949-546-8000 | fax 949-546-8001 | www.abracon.com

Revised: 02.08.08

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

ABRACON:

[ACML-0603H-050-T](#) [ACML-0603H-301-T](#) [ACML-0603H-600-T](#) [ACML-0603H-221-T](#) [ACML-0603H-601-T](#) [ACML-0603H-310-T](#) [ACML-0603H-121-T](#) [ACML-0603H-501-T](#) [ACML-0603H-110-T](#) [ABM11-28.63636MHZ-D2X-T3](#) [ABM11-40.000MHZ-D2X-T3](#)