





LOC	DIST	REVISIONS					
P	LTR	DESCRIPTION			DATE	DWN	APVD
		C1			REVISED PER ECO-11-004917	11MAR11	RK HMR


- 1 MARKED USING WHITE INK AS SHOWN.
- 2 SCREWS BOTTOMED.
- 3 OBSOLETE PARTS: OBSOLETE CIS STREAMLINING PER D.RENAUD/D.SINISI




1546283-1



3-1437648-4



2-1437648-4



1-1546283-9

2/3 OBSOLETE

3 OBSOLETE

2/3 OBSOLETE

3 OBSOLETE

8.775	28	4PCR-28-006	1546279-1
8.450	27	4PCR-27-006	1-1546283-6
8.125	26	4PCR-26-006	1-1546283-5
7.800	25	4PCR-25-006	1-1546283-4
7.475	24	4PCR-24-006	9-1546119-1
7.150	23	4PCR-23-006	4-1437648-9
6.825	22	4PCR-22-006	1-1546283-3
6.500	21	4PCR-21-006	1-1546283-2
6.175	20	4PCR-20-006	1-1546283-1
5.850	19	4PCR-19-006	1-1546283-0
5.525	18	4PCR-18-006	1546283-9
5.200	17	4PCR-17-006	4-1437648-8
4.875	16	4PCR-16-006	1546283-8
4.550	15	4PCR-15-006	1546283-7
4.225	14	4PCR-14-006	1546283-6
3.900	13	4PCR-13-006	1546283-5
3.575	12	4PCR-12-006	9-1546119-0
3.250	11	4PCR-11-006	1546283-4
2.925	10	4PCR-10-006	8-1546119-9
2.600	9	4PCR-05-526	1-1546283-9
2.600	9	4PCR-09-518	1546283-3
2.600	9	4PCR-09-006	4-1437648-1
2.275	8	4PCR-08-006	3-1437648-8
1.950	7	4PCR-07-444	3-1437648-4
1.950	7	4PCR-07-006	8-1546119-8
1.625	6	4PCR-06-517	1546283-2
1.625	6	4PCR-06-519	1546283-1
1.625	6	4PCR-06-006	3-1437648-1
1.300	5	4PCR-05-006	2-1437648-8
.975	4	4PCR-04-468	2-1437648-4
.975	4	4PCR-04-006	2-1437648-3
.650	3	4PCR-03-006	2-1437648-0
.325	2	4PCR-02-006	1-1437648-8

DIM A REF	NO OF POS	CATALOG NUMBER	PART NO.
-----------	-----------	----------------	----------

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS: INCHES	TOLERANCES UNLESS OTHERWISE SPECIFIED:
	0 PLC ± - 1 PLC ± - 2 PLC ± .01 3 PLC ± .005 4 PLC ± - ANGLES ± 1°
MATERIAL	FINISH
-	-

DWN S. SCHLEGEL 9/26/03	TE Connectivity		
CHK S. YODER 9/26/03			
APVD S. YODER 9/26/03	NAME		
PRODUCT SPEC	4PCR-XX-006 ASSEMBLY		
APPLICATION SPEC	SIZE	CAGE CODE	DRAWING NO
WEIGHT -	A3	00779	C-2-1437648-0
CUSTOMER DRAWING		SCALE NTS	SHEET 1 OF 2
		REV C1	

4


3

2


1

THIS DRAWING IS UNPUBLISHED.	RELEASED FOR PUBLICATION - , - .
© COPYRIGHT - By - ALL RIGHTS RESERVED.	

LOC FT	DIST 0	REVISIONS				
P	LTR	DESCRIPTION	DATE	DWN	APVD	
	-	SEE SHEET 1	-	-	-	



9.425	30	4PCR-30-006	1-1546283-8
9.100	29	4PCR-29-006	1-1546283-7
DIM A REF	NO OF POS	CATALOG NUMBER	PART NO.

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN S. SCHLEGEL 9/26/03	 TE Connectivity							
		CHK S. YODER 9/26/03								
		APVD S. YODER 9/26/03								
		NAME								
DIMENSIONS: INCHES	TOLERANCES UNLESS OTHERWISE SPECIFIED:	PRODUCT SPEC	4PCR-XX-006 ASSEMBLY							
	0 PLC ± - 1 PLC ± - 2 PLC ± .01 3 PLC ± .005 4 PLC ± - ANGLES ± 1°	APPLICATION SPEC	SIZE			CAGE CODE	DRAWING NO	RESTRICTED TO		
	MATERIAL	FINISH	WEIGHT		A300779		C-2-1437648-0		-	
		CUSTOMER DRAWING			SCALE	NTS	SHEET	2 OF 2	REV	C1

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[2-1437648-0](#) [2-1437648-8](#) [3-1437648-8](#) [4-1437648-1](#) [5-1437648-2](#) [8-1437648-1](#)