



REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
	E1	ECR-17-013211	08SEP2017	M.G	D.Z

D


(2 POS.)




KEY A




KEYB




KEY E



KEY C





KEY D




- NOTE:
1. GENERAL TOLERANCE: ± 0.3 , $\pm 3^\circ$
 2. MATERIAL: 66NYLON GF(UL94V-0)
 3. MATING CONN. P/N: SEE TABLE
 4. APPLICABLE CONTACT P/N: 1971031-1

C






SEC. B-B




SEC. D-D

B



(2 POS.) (3~4 POS.) (5 POS.) (6~8 POS.) (9~10 POS.)

A



THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN Liu Jimmy 11JUN2008	TE Connectivity		
DIMENSIONS: mm		CHK Wu happye 11JUN2008			
		APVD Zhou Julian 11JUN2008	NAME Grace Inertia Connector 2.0 EV Series Plug Housing		
		PRODUCT SPEC 108-106001			
MATERIAL SEE NOTE		APPLICATION SPEC 114-5425	SIZE A2		
		WEIGHT 0			
		FINISH -	CAGE CODE 00779		
			DRAWING NO C-1971030		
			RESTRICTED TO -		
			CUSTOMER DRAWING		
			SCALE 4:1		
			SHEET 1 of 3		
			REV E1		

D

C

B

A

1971030

4

3

2

1

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION
© COPYRIGHT - TE Connectivity ALL RIGHTS RESERVED.

REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
	-	SEE SHEET 1	-	-	-





















(3 POS.)

(4 POS.)

(5 POS.)

(6 POS.)

(7 POS.)



THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:
mm

MATERIAL
-

TOLERANCES UNLESS OTHERWISE SPECIFIED

0 PLC	±	-
1 PLC	±	-
2 PLC	±	-
3 PLC	±	-
4 PLC	±	-
ANGLES	±	-
FINISH	-	-

DWN
Liu Jimmy
11JUN2008

CHK
Wu Hapye
11JUN2008

APVD
Zhou Julian
11JUN2008

PRODUCT SPEC
108-106001

APPLICATION SPEC
114-5425

WEIGHT
-

CUSTOMER DRAWING

TE Connectivity

NAME
Grace Inertia Connector 2.0 EV Series Plug Housing

SIZE
A2

CAGE CODE
00779

DRAWING NO
C-1971030

RESTRICTED TO
-

SCALE
4:1

SHEET
2 OF 3

REV
E1

D




C

B

A

1971030

(10 POS.)

E1

THIS DRAWING IS A CONTROLLED DOCUMENT.																
DIMENSIONS: mm 	TOLERANCES UNLESS OTHERWISE SPECIFIED. <table><tr><td>0 PLC</td><td>±</td><td>±</td></tr><tr><td>1 PLC</td><td>±</td><td>-</td></tr><tr><td>2 PLC</td><td>±</td><td>-</td></tr><tr><td>3 PLC</td><td>±</td><td>-</td></tr><tr><td>4 PLC</td><td>±</td><td>-</td></tr></table>	0 PLC	±	±	1 PLC	±	-	2 PLC	±	-	3 PLC	±	-	4 PLC	±	-
0 PLC	±	±														
1 PLC	±	-														
2 PLC	±	-														
3 PLC	±	-														
4 PLC	±	-														
MATERIAL	ANGLES FINISH															
SEE NOTE	-															

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[1971030-4](#)