


- | CKTS | DIM A | DIM B |
|------|--------------------------|----------------|
| 02 | 4.83±0.20
.190±.008 | 2.54
.100 |
| 03 | 7.37±0.20
.290±.008 | 5.08
.200 |
| 04 | 9.91±0.20
.390±.008 | 7.62
.300 |
| 05 | 12.45±0.20
.490±.008 | 10.16
.400 |
| 06 | 14.99±0.23
.590±.009 | 12.70
.500 |
| 07 | 17.53±0.23
.690±.009 | 15.24
.600 |
| 08 | 20.07±0.23
.790±.009 | 17.78
.700 |
| 09 | 22.61±0.25
.890±.010 | 20.32
.800 |
| 10 | 25.15±0.25
.990±.010 | 22.86
.900 |
| 11 | 27.69±0.25
1.090±.010 | 25.40
1.000 |
| 12 | 30.23±0.28
1.190±.011 | 27.94
1.100 |
| 13 | 32.77±0.28
1.290±.011 | 30.48
1.200 |
| 14 | 35.31±0.28
1.390±.011 | 33.02
1.300 |
| 15 | 37.85±0.28
1.490±.011 | 35.56
1.400 |
| 16 | 40.39±0.28
1.590±.011 | 38.10
1.500 |

FORMAT: Eng-lega-master-tb-prod-B

ASSY NO:		A-4030-NA(197)A		ASSY NO:		A-4030-NF(241)		ASSY NO:				ASSY NO:			
PLATING:		197 OVERALL TIN		PLATING:		241 SELECT GOLD 20 MI		PLATING:				PLATING:			
DIM L:		14.22/.560		DIM L:		21.34/.840		DIM L:				DIM L:			
DIM M:		7.49/.295		DIM M:		14.22/.560		DIM M:				DIM M:			
GOLD:		NA		GOLD:		5.08/.200		GOLD:				GOLD:			
DIM P:		3.43/.135		DIM P:		3.81/.150		DIM P:				DIM P:			
TIN:		OVERALL TIN		TIN:		5.08/.200		TIN:				TIN:			
PACK:		PK-44743-002 (TUBE)		PACK:		PK-4030-001 (BULK)		PACK:				PACK:			
CKT	PART NO:	ENGINEERING NO:		CKT	PART NO:	ENGINEERING NO:		CKT					CKT		
02	22-47-4023	A-4030-02A(197)A		02	22-10-2024	A-4030-02F(241)		02					02		
03	22-47-4033	A-4030-03A(197)A		03	22-10-2034	A-4030-03F(241)		03					03		
04	22-47-4043	A-4030-04A(197)A		04	22-10-2044	A-4030-04F(241)		04					04		
05	22-47-4053	A-4030-05A(197)A		05	22-10-2054	A-4030-05F(241)		05					05		
06	22-47-4063	A-4030-06A(197)A		06	22-10-2064	A-4030-06F(241)		06					06		
07	22-47-4073	A-4030-07A(197)A		07	22-10-2074	A-4030-07F(241)		07					07		
08	22-47-4083	A-4030-08A(197)A		08	22-10-2084	A-4030-08F(241)		08					08		
09	22-47-4093	A-4030-09A(197)A		09	22-10-2094	A-4030-09F(241)		09					09		
10	22-47-4103	A-4030-10A(197)A		10	22-10-2104	A-4030-10F(241)		10					10		
11	22-47-4113	A-4030-11A(197)A		11	22-10-2114	A-4030-11F(241)		11					11		
12	22-47-4123	A-4030-12A(197)A		12	22-10-2124	A-4030-12F(241)		12					12		
13	22-47-4133	A-4030-13A(197)A		13	22-10-2134	A-4030-13F(241)		13					13		
14	22-47-4143	A-4030-14A(197)A		14	22-10-2144	A-4030-14F(241)		14					14		
15	22-47-4153	A-4030-15A(197)A		15	22-10-2154	A-4030-15F(241)		15					15		
16	22-47-4163	A-4030-16A(197)A		16	22-10-2164	A-4030-16F(241)		16					16		

QUALITY SYMBOLS  = 0  = 0  = 0  = 0  = 0  = 0  = 0  = 0	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION										
	NOTE 8 UPDATED EC NO: 168043 DRWN: PKH CHK'D: SS06 REV APPR: ISHWARG	2017/11/02	2017/11/13	2017/11/17	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION UNITS	SCALE	molex®		
						MM	INCH	MM/IN			1:1
					4 PLACES	±	±	DRWN BY	DATE	KK 100 HEADER ASSEMBLY NON STANDARD OPTIONS	
					3 PLACES	±	± 0.015	KSAMIEC	2011/03/22		
					2 PLACES	± 0.38	±	CHK'D BY	DATE	PRODUCT CUSTOMER DRAWING	
					1 PLACES	±	±	MKIPPER	2011/03/21		
		0 PLACES	±	±	APPR BY	DATE	SERIES MATERIAL NUMBER CUSTOMER				
		ANGULAR TOL ± 0.5		JCOMERCI	2011/09/30	4030			SEE CHART	GENERAL MARKET	
	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		DRAWING SIZE	THIRD ANGLE PROJECTION	DOCUMENT NUMBER		DOC TYPE	DOC PART	SHEET NUMBER		
		B		SD-4030-0002		PSD	001	5 OF 5			

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[Molex:](#)

[22-03-2166](#)