



4

3


2

1

| LOC | DIST | REVISIONS |     |                                                   |           |      |      |
|-----|------|-----------|-----|---------------------------------------------------|-----------|------|------|
|     |      | P         | LTR | DESCRIPTION                                       | DATE      | DWN  | APVD |
| HB  | —    |           |     |                                                   |           |      |      |
|     |      |           | F   | REMOVED THE RIB ON THE BASE TO CASE ECO-15-011310 | 19Nov2015 | YS.H | CHL  |



| Diagram dimension | Tolerance |
|-------------------|-----------|
| 0.99mm max.       | ±0.1mm    |
| 1 - 2.99mm        | ±0.2mm    |
| 3mm min.          | ±0.3mm    |



CONNECTION FIGURE




FIGURE FOR PRINTED CIRCUIT BOARD PROCESSING  
(BOTTOM VIEW)

|                                        |  |                            |          |   |                                            |           |              |
|----------------------------------------|--|----------------------------|----------|---|--------------------------------------------|-----------|--------------|
| THIS DRAWING IS A CONTROLLED DOCUMENT. |  | DWN                        | H.Sasaki | — | TE Connectivity                            |           |              |
|                                        |  | CHK                        | Y.Oikawa | — |                                            |           |              |
|                                        |  | APVD                       | A.Nagai  | — | NAME<br>OJ-SS-LM SPEC,000 CUSTOMER DRAWING |           |              |
|                                        |  | PRODUCT SPEC<br>製品規格       |          | — |                                            |           |              |
|                                        |  | APPLICATION SPEC<br>取付適用規格 |          | — |                                            |           |              |
|                                        |  | WEIGHT                     |          | — | SIZE                                       | CAGE CODE | DRAWING NO   |
|                                        |  |                            |          |   | A3                                         | 00779     | 1461117      |
|                                        |  | CUSTOMER DRAWING           |          |   | SCALE                                      | 5:1       | SHEET 1 OF 2 |
|                                        |  |                            |          |   |                                            |           | REV F        |

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

- , - .

© COPYRIGHT - By - TE CONNECTIVITY

ALL RIGHTS RESERVED.

LOC  
HB

DIST

-

REVISIONS

変更

P

LTR

DESCRIPTION

DATE

DWN

APVD

-

SEE SHEET 1

-

-

-

Ⓑ

|             |                  |               |        |             |      |
|-------------|------------------|---------------|--------|-------------|------|
| 3-1419129-1 | OJ-SS-124LM, 000 | 107-79010     | 24V    | OJ-SS-124LM | f    |
| 4-1419144-2 | OJ-SS-118LM, 000 | 107-79010     | 18V    | OJ-SS-118LM | e    |
| 2-1419129-1 | OJ-SS-112LM, 000 | 107-79010     | 12V    | OJ-SS-112LM | d    |
| 1461117-3   | OJ-SS-109LM, 000 | 107-79010     | 9V     | OJ-SS-109LM | c    |
| 1440007-1   | OJ-SS-106LM, 000 | 107-79010     | 6V     | OJ-SS-106LM | b    |
| 1440007     | OJ-SS-105LM, 000 | 107-79010     | 5V     | OJ-SS-105LM | a    |
| PART NO     | DESCRIPTION      | PACKAGE SPEC. | PART B | PART A      | TYPE |

## RELAY TYPE

ⒶⒷ NOTE:

1.LOT NO SYSTEM AS FOLLOWING:

WEEK  
YEAR

Ⓐ 2.TERMINAL DIMENSION IS BEFORE SOLDER DIP;

Ⓐ 3.FOR THE TIN-PLATING OF THE PINS:

+0.1mm FOR WIDTH,THICKENSS AND DIAMETER.

+0.5mm FOR LENGTH.

ⒶⒶ 4.USED WELDED CONTACT&amp;LASER MARKING.

Ⓐ 5.ADD LOT NO. SYSTEM AS FOLLOWING;

|   |    |     |
|---|----|-----|
| 1 | 1  | A   |
| I | II | III |

I, DIGITS FOR DAY OF THE WEEK

1...MONDAY IN THIS WEEK;

2...TUESDAY IN THIS WEEK;

.....

7...SUNDAY IN THIS WEEK

II, DIGITS FOR SHIFT OF THE DAY

1...DAY SHIFT IN THIS DAY;

2...NIGHT SHIFT IN THIS DAY;

III, ONE CHARACTER DISTINGUISH THE  
LINE IDENTITY, SUCH AS: A,B.....Z

THIS DRAWING IS A CONTROLLED DOCUMENT.

DWN

H.Sasaki

CHK

Y.Oikawa

APVD

A.Nagai

PRODUCT SPEC

製品規格

APPLICATION SPEC

取付適用規格

WEIGHT

-

CUSTOMER DRAWING

DIMENSIONS:

単位: 耗

mm

TOLERANCES UNLESS

OTHERWISE SPECIFIED:

一般公差

0 PLC ± -

1 PLC ± -

2 PLC ± -

3 PLC ± -

4 PLC ± -


ANGLES ± -

FINISH

仕上

MATERIAL

材料



|                  |            |             |                      |      |
|------------------|------------|-------------|----------------------|------|
|                  |            | EPOXY RESIN | SEAL (BASE & BOBBIN) | 15   |
|                  |            | 3UEW        | MAGNETIC WIRE        | 14   |
| 94V-0            |            | P.B.T       | CASE                 | 13   |
| 94V-0            |            | P.B.T       | BASE                 | 12   |
| 94V-0            |            | P.B.T       | BOBBIN               | 11   |
|                  | SOLDER DIP | C.P WIRE    | COIL TERMINAL        | 10   |
| 94V-0            |            | P.P.S       | CARD                 | 9    |
|                  |            | Ag          | MOVABLE CONTACT      | 8    |
|                  |            | Ag          | NO.CONTACT           | 7    |
|                  |            | STEEL       | HINGE SPRING         | 6    |
|                  | SOLDER DIP | Cu ALLOY    | NO.TERMINAL          | 5    |
|                  | SOLDER DIP | Cu ALLOY    | MOVABLE SPRING       | 4    |
|                  | NIP        | STEEL       | CORE                 | 3    |
|                  | NIP        | STEEL       | ARMATURE             | 2    |
|                  | NIP        | STEEL       | YOKE                 | 1    |
| INCOMBUSTIBILITY | TREATMENT  | MATERIAL    | DESCRIPTION          | ITEM |



TE Connectivity

NAME

名称

OJ-SS-LM SPEC,000 CUSTOMER DRAWING

SIZE

CAGE CODE

DRAWING NO

番号

RESTRICTED TO

REV

A3

00779

C=

1461117

SCALE

尺度

5:1

SHEET

2 of 2

REV

F

# Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[3-1419129-1](#)