


Apr.1.2020 Copyright 2020 HIROSE ELECTRIC CO., LTD. All Rights Reserved.
 2 In case of consideration for using Automotive equipment / device which demand high reliability, kindly contact our sales window correspondents.

COUNT	DESCRIPTION OF REVISIONS	BY	CHKD	DATE	COUNT	DESCRIPTION OF REVISIONS	BY	CHKD	DATE
3	RE-F-09671	K.N	H.Y	04.04.08					

RECOMMENDED LAND PATTERN DIMENSION OF P.C.B. (MOUNTING SIDE)



DIMENSION TABLE OF CONNECTOR AND P.C.B. LAND PATTERN.

PART No.	CODE No.	5	A	B	C	D	E
FX8C-60P-SV1(92)	CL578-0521-6-92	60	24.60	23.00	20.70	17.40	22.20
FX8C-80P-SV1(92)	CL578-0523-1-92	80	30.60	29.00	26.70	23.40	28.20
FX8C-100P-SV1(92)	CL578-0525-7-92	100	36.60	35.00	32.70	29.40	34.20
FX8C-120P-SV1(92)	CL578-0526-0-92	120	42.60	41.00	38.70	35.40	40.20
FX8C-140P-SV1(92)	CL578-0527-2-92	140	48.60	47.00	44.70	41.40	46.20

- NOTE 1. LEAD CO-PLANARITY SHALL BE 0.1mm MAX.
 2. EMBOSSED CARRIER TAPE PACKAGING SHALL BE APPLIED FOR THIS PRODUCT.
 SEE NEXT PAGE FOR DETAILS.
 3. FOR MODIFICATION, ETC., PREVENTIVE HOLE FOR SINK MARK MAY BE ADDED ACCORDING TO CIRCUMSTANCES.
 4. THE DIMENSIONS IN PARENTHESES ARE FOR REFERENCE.
 5 NUMBER OF CONTACTS.

NO.	MATERIAL	FINISH, REMARKS	NO.	MATERIAL	FINISH, REMARKS
1	PPS	LIGHT BROWN (UL94V-0)	2	PHOSPHOR BRONZE	
CONTACT AREA: GOLD 0.1μm min		LEAD AREA: TIN-PLATING 1μm min		UNDER PLATING: NICKEL 1μm min	

NO.	MATERIAL	FINISH, REMARKS	NO.	MATERIAL	FINISH, REMARKS
CL	CL				




SCALE	DRAWING NO.	PART NO.	APPROVED	RELEASED
FREE	EDC3-151087-22	FX8C-**P-SV1(92)	Y. YOSHIMURA	

DESIGNED	CHECKED	APPROVED	RELEASED
K. NAKAMURA	H. OKAWA	Y. YOSHIMURA	

DATE	TIME	REMARKS	
03.02.03	03.02.12	03.02.14	03.02.15

CODE NO.	UNIT
EDC3-151087-22	mm

TO	PCK



HRS DRAWING FOR REFERENCE


CL578

1/2


Apr.1.2020 Copyright 2020 HIROSE ELECTRIC CO., LTD. All Rights Reserved.
 2 In case of consideration for using Automotive equipment / device which demand high reliability, kindly contact our sales window correspondents.

COUNT	DESCRIPTION OF REVISIONS	BY	CHKD	DATE	COUNT	DESCRIPTION OF REVISIONS	BY	CHKD	DATE
△					△				
△					△				
△					△				

UNREELING DIRECTION




REEL DIMENSION



△ DIMENSION TABLE OF EMBOSSED CARRIER TAPE AND REEL.

PART No.	CODE No.	2	A	B	C	D	E	F
FX8C-60P-SV1(92)	CL578-0521-6-92	60	20	25	20.2	40.4	44	44.4
FX8C-80P-SV1(92)	CL578-0523-1-92	80	26	31	20.2	40.4	44	44.4
FX8C-100P-SV1(92)	CL578-0525-7-92	100	32	37	26.2	52.4	56	56.4
FX8C-120P-SV1(92)	CL578-0526-0-92	120	38	43	26.2	52.4	56	56.4
FX8C-140P-SV1(92)	CL578-0527-2-92	140	44	49	34.2	68.4	72	72.4

NOTE 1 1 REEL : 1000 CONNECTORS
 2 NUMBER OF CONTACTS



TO
 PCK

2 POLYESTER		(TOP COVER TAPE)		(CONNECTOR)	
NO.	MATERIAL	FINISH, REMARKS	NO.	MATERIAL	FINISH, REMARKS
1	PS		3		
CODE NO. (OLD) CL		DRAWN S. SUZUKI		DESIGNED K. NAKAMURA	
		03.02.03		03.02.12	
		03.02.03		03.02.14	
		03.02.03		03.02.15	
SCALE FREE		DRAWING NO. EDC3-151087-22		PART NO. FX8C-**-P-SV1(92)	
UNITS JTTT		HIROSE ELECTRIC CO., LTD		CODE NO. CL578	

2