




NOTES:

- 5 OBSOLETE PARTS: OBSOLETE CIS STREAMLINING PER D.RENAUD/D.SINISI
- 6 CONNECTOR WITH BLACK HOUSING



LOW HALOGEN

REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
	B	REVISED PER ECO-17-005660	120CT2017	B. J	S. Y

AVAILABLE	1000	12	17	29.8	44	40.4	20.2	60	2-	-2
				85.8				200	1-	-0
				77.8	104	100.4	50.2	180		-9
				69.8				160		-8
				61.8	88	84.4	42.2	140		-6
				53.8				120		-5
	700	16		45.8	72	68.4	34.2	100		-4
				37.8	56	52.4	26.2	80		-3
				29.8	44	40.4	20.2	60		-2
	1000	12	17	21.8	32	28.4	14.2	40	5353999-1	
TOOLING STATUS	QTY	F	E	D	C	B	A	POS	PART NO.	

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN 16SEP04 FLORENCE TAN	TE Connectivity				
DIMENSIONS: mm		CHK ERIC TNG					
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD SEI LEONG					
0 PLC ±0.1 1 PLC ±0.05 2 PLC ±0.01 3 PLC ±0.01 4 PLC ANGLES ±0.1		PRODUCT SPEC 108-5390					
MATERIAL		FINISH	APPLICATION SPEC -	NAME REC ASSY, 5H, 0.76 GOLD 0.8FH, BTB CONNECTOR 0.5 BOSS LENGTH			
			WEIGHT -	SIZE A3	CAGE CODE 00779	DRAWING NO C-5353999	RESTRICTED TO -
CUSTOMER DRAWING			SCALE 4:1	SHEET 1 OF 2	REV B		

REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
-	-	SEE SHEET 1	-	-	-



- NOTES;
- 1 MATERIAL: HOUSING: L.C.P. (HIGH TEMP. THERMOPLASTIC)
UL 94V-0, NATURAL.
CONTACT: BERYLIUM COPPER.
 - 2 FINISH: CONTACT AREA: 0.00076 MIN GOLD ON
0.0013 MIN ALL OVER NICKEL.
SOLDERING AREA: 0.002 MIN MATTE-TIN.
 - 3. POSITION SERIES: SEE TABLE.
 - 4. CONN STACK HEIGHT COMBINE OF PLUG "Y" H VS REC "X" H.
STACK HEIGHT = Y + X - 5

Ø 1.2 ± 0.03

RECOMMENDED P.C. BOARD LAYOUT

LOW HALOGEN

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN FLORENCE TAN 16SEP04	TE Connectivity		
DIMENSIONS: mm		CHK ERIC TNG			
		APVD SE IFONG	NAME REC ASSY, 5H, 0.76 GOLD 0.8FH, BTB CONNECTOR 0.5 BOSS LENGTH		
		PRODUCT SPEC 108-5390	SIZE A300779		
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APPLICATION SPEC -	CAGE CODE C-5353999		
MATERIAL		FINISH -	RESTRICTED TO -		
		WEIGHT -	SCALE 4:1		
		CUSTOMER DRAWING	SHEET 2 OF 2		
			REV B		

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[1-5353999-0](#)