






- NOTES:
1. MATERIAL: SEE TABLE
 2. FINISHES: SEE TABLE
 3. PRODUCT SPECIFICATION: NOT REQUIRED
 4. PACKAGING: NOT REQUIRED
 5. MATES WITH: NONE
 6. PART IS DESIGNED TO MEET UL 1059 CLASS C 600V, 40A
 7. STAGGERED PC TAIL POSITION ON ALTERNATE CIRCUITS
 8. "XX" REFERS TO NUMBER OF CIRCUITS
 9. FOR OPTIONAL IMPRINTING, REFER TO SD-38120-005



SECTION Z-Z

7	XX	SCREW, M4, #2 POZI-SLOT, ST. STEEL	ST. STEEL	TIN
6	A/R	REAR TERMINAL	COPPER	TIN
5	A/R	FRONT TERMINAL	COPPER	TIN
4	XX	CAGE	BRASS	NICKEL
3	XX	SCREW, M4, #2 POZI-SLOT, BRONZE	BRONZE	TIN
2	I	COVER	THERMOPLASTIC	BLACK
1	I	BODY	THERMOPLASTIC	BLACK
ITEM	QTY.	DESCRIPTION	MATERIAL	FINISH

EC NO. ECN# 4261
DRN: RK 10-7-05
CHK: APPR:
D

DESCRIPTION
MAJOR
CRITICAL
C

GENERAL TOLERANCES: (UNLESS SPECIFIED)	
4 PLACES	mm INCH
3 PLACES	±.038 ±.005
2 PLACES	±.13 ±.01
1 PLACE	±.3
ANGULAR: ±2°	
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS	

SCALE 1:1
DESIGN UNITS
☐ mm ☒ INCH
DRAWN BY & DATE
R.STONE 9-13-00
CHECKED BY & DATE
R.KEMP 9-13-02
APPROVED BY & DATE
L. ROTHBAUS 9-27-02
CAD FILENAME
9135XX

PROJECT NO. -
DIMENSIONS:
☒ mm ☐ INCH ☐ mm ONLY
SHT REV
REVISE ON CAD ONLY
TITLE: SR BTS 8 AWG ASSY, 600V 40 A
MOLEX INCORPORATED
MATERIAL NO. SEE CHART
DRAWING NO. SD-39910-002
SHEET NO. 1 OF 2
THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION.
SIZE B

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[Molex:](#)

[39910-0606](#)