




△ 15 ~~647127-6~~ SHOWN



RECOMMENDED MOUNTING HOLE PATTERN
FOR 1.57[.062] THICK P.C. BOARD

	SUPERCEDED BY 3-647127-2
13	SUPERCEDED BY 3-647127-1
15	SUPERCEDED BY 3-647127-0
	SUPERCEDED BY 2-647127-9
15	SUPERCEDED BY 2-647127-8
13	SUPERCEDED BY 2-647127-7
15	SUPERCEDED BY 2-647127-6
	OBSELETE
	SUPERCEDED BY 2-647127-4
	OBSELETE
	OBSELETE

14	49.94	1.966	12	3-647127-2
	45.97	1.810	11	3-647127-1
	42.01	1.654	10	3-647127-0
	38.05	1.498	9	2-647127-9
	34.09	1.342	8	2-647127-8
	30.12	1.186	7	2-647127-7
	26.16	1.030	6	2-647127-6
	22.20	.874	5	2-647127-5
	18.24	.718	4	2-647127-4
	14.27	.562	3	2-647127-3
13	10.31	.406	2	2-647127-2
	49.94	1.966	12	1-647127-2
	45.97	1.810	11	1-647127-1
	42.01	1.654	10	1-647127-0
	38.05	1.498	9	-647127-9-
	34.09	1.342	8	-647127-8-
	30.12	1.186	7	-647127-7-
	26.16	1.030	6	-647127-6-
	22.20	.874	5	-647127-5-
	18.24	.718	4	-647127-4-
PLATING	14.27	.562	3	-647127-3-
	10.31	.406	2	-647127-2-
	MM	IN	NO. OF POSN	PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN B. LEWIS 17JUN98 CHK R. SWING 17JUN98		 TE Connectivity				
DIMENSIONS: mm [INCHES]		APVD D. CLARK 17JUN98 PRODUCT SPEC — APPLICATION SPEC —				NAME MTA-156 SHROUDED HEADER ASSEMBLY, STRAIGHT .045 SQUARE POST, TIN, W/ RETENTION PEG		
		TOLERANCES UNLESS OTHERWISE SPECIFIED: 0. PLC ± — 1. PLC ± — 2. PLC ± .005 4. PLC ± — ANGLES ± ±		SIZE A1	CAGE CODE 00779		DRAWING NO C-647127	RESTRICTED TO —
MATERIAL —		FINISH —		WEIGHT —		SCALE 5:1	SHEET 1 of 1	REV F
CUSTOMER DRAWING								

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[2-647127-3](#)