

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

- - -

© COPYRIGHT - BY TYCO ELECTRONICS CORPORATION.

ALL RIGHTS RESERVED.

LOC	DIST	REVISIONS				
		P	LTR	DESCRIPTION	DATE	
	C	REVISED PER ECO-10-004812			06MAY10	HMR CR

MATERIAL:




HOUSING: THERMOPLASTIC, UL94V-0, BLACK.
 TERMINALS: BRIGHT TIN PLATED COPPER ALLOY.
 SCREWS: 8-32 ZINC PLATED STEEL.

ELECTRICAL:

CURRENT RATING: 30A
 VOLTAGE RATING: 600V
 WIRE RANGE: 10-18 AWG (UL)
 10-22 AWG (CSA)


ENVIRONMENTAL:

RECOMMENDED TORQUE: 12 IN-LB
 OPERATING TEMP.: -40°C TO +120°C




1

OBsolete PARTS: OBsolete CIS Streamlining per D.RENAUD/D.SINISI



DETAIL A



DIM. B	DIM. A	NO. OF POS.	CATALOG NUMBER	TE PART NO.
8.313	8.823	20	8STR-20-006	2-1546038-0
7.875	8.385	19	8STR-19-006	1-1546038-9
7.438	7.948	18	8STR-18-006	1-1546038-8
7.000	7.510	17	8STR-17-006	1-1546038-7
6.563	7.073	16	8STR-16-006	1-1546038-6
6.125	6.635	15	8STR-15-006	1-1546038-5
5.688	6.198	14	8STR-14-006	1-1546038-4
5.250	5.760	13	8STR-13-006	1-1546038-3
4.813	5.323	12	8STR-12-006	1-1546038-2
4.375	4.885	11	8STR-11-006	1-1546038-1
3.938	4.448	10	8STR-10-006	1-1546038-0
3.500	4.010	9	8STR-09-006	1546038-9
3.063	3.573	8	8STR-08-006	1546038-8
2.625	3.135	7	8STR-07-006	1546038-1
2.188	2.698	6	8STR-06-626	2-1546038-1
1.750	2.260	5	8STR-05-006	1546038-5
1.313	1.823	4	8STR-04-006	1546160-4
.875	1.385	3	8STR-03-006	3-1437659-6
.438	.948	2	8STR-02-006	1546160-2

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN S SCHLEGEL CHK S YODER APVD S YODER	13SEP05 9/13/05 9/13/05	Tyco Electronics Corporation Harrisburg, PA 17105-3608
DIMENSIONS:	TOLERANCES UNLESS OTHERWISE SPECIFIED:			
INCHES				
0 PLC	± -			
1 PLC	± -			
2 PLC	± .02			
3 PLC	± .010			
4 PLC ANGLES	± -			
MATERIAL	FINISH			
-	-			
WEIGHT	-			
CUSTOMER DRAWING				

SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO
A3	00779	C-3-1437659-6	-
SCALE 1:1	1 OF 1	REV C	

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[8STR-04-006](#)