


DASH NO	CABLE ACCOMMODATED	A HEX	ASSEMBLE PER
-D1	BELDEN 1855A COMM/SCOPE 7538	.178	TAI-226
-D2	BELDEN 1505A GEPKO VPM2000	.255	
-D3	RG-59		
-D4	BELDEN 1694A GEPKO VSD2001	.290	
-D6	BELDEN 1695A		
-D7	BELDEN 9221 RG-179	.178	
-D8	BELDEN 1506A GEPKO VPM2000TK	.255	
-D9	BELDEN 9209		
-D10	BELDEN 8281	.324	
-D11	WESTPENN 25815	.255	
-D12	NOKIA 0.6/2.8	.213	
-D14	BELDEN 8279 GEPKO VPM618 CANARE L-3CFB	.255	
-D17	NK NETWORKS 0,6/3,7	.290	
-D19	BELDEN 1855A	.213	
-D24	BELDEN 179DT	.178	


DATA CONTAINED IN THIS DOCUMENT IS  
PROPRIETARY TO TROMPETER ELECTRONICS INC.  
AND SHALL NOT BE DISCLOSED, COPIED OR USED  
FOR PROCUREMENT OR MANUFACTURE WITHOUT  
EXPRESS WRITTEN PERMISSION.

# REVISIONS

REV	DESCRIPTIONS	DATE	APPROVED
G	REVISED PER ECO 15675	10-13-04	WJ



RED INDICATES ORIGINAL



RECOMMENDED  
HEX CRIMP

## 3. EXAMPLE OF A COMPLETE MODEL NO:

UPLR2000 - D1  
BASIC P/N          DASH NO.  
PER TABLE

## 2. RF COAXIAL 75Ω BNC FULL CRIMP RIGHT ANGLE CABLE PLUG FOR DIGITAL APPLICATION

- FINISH: BODY: TFS-1A (NICKEL)  
OUTER CONTACT: TFS-1Z (GOLD FLASH Pd Ni)  
PIN: TFS-1B (GOLD)  
BAYONET SLEEVE: BLACK ELECTROLESS NICKEL

NOTES: UNLESS OTHERWISE SPECIFIED.

INTERPRET DRAWING PER MIL-STD-100. DIMENSIONS ARE IN INCHES AND INCLUDE FINISH THICKNESS UNLESS OTHERWISE SPECIFIED.		TOL: UNLESS SPECIFIED. .XX ± .XXX ± .005 .XXXX ± ANGLE ±			
DRN AAH	10-7-04	MATERIAL:			
CHK TJL	10-7-04	FINISH:		TITLE:  UPLR2000	
QUALITY MS	10/13/04	SEE NOTE 1			
MANUF BP	10/13	DO NOT SCALE DWG		SIZE A	CAGE CODE 14949
APPROVED WJ	10/14/04	DRAWING NO. 1-0572		REV. G	DATE 12-14-98
NEXT ASSY 1-0572		SCALE 4/1		SHEET IC	

# Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[Cinch Connectivity Solutions:](#)

[UPLR2000-D4](#)