






LOC	DIST	REVISIONS				
		CM	00	P LTR	DESCRIPTION	DATE
				MI	REVISED PER ECR-12-01160	04FEB2013 KH TM




SECTION B-B

RECOMMENDED MOUNTING HOLE PATTERN
FOR 1.57 [.062] THICK P.C. BOARD
HOLE THAT CORRESPONDS TO REMOVED
CONTACT CAN BE OMITTED

- MATES WITH HOUSING 350735.
- PARTS COMPLY TO AMP SOLDERABILITY SPECIFICATION 109-11-3.
- CONTACT IS PLATED OVERALL WITH 0.00127 [.000050] NICKEL, THEN 0.00076 [.000030] GOLD OVER CONTACT LENGTH INDICATED AND TIN LEAD ON SOLDER TAIL END.
- CIRCUIT IDENTIFICATION CHARACTERS ARE ADJACENT TO THE INDICATED CAVITIES, BUT LOCATION AND ORIENTATION MAY DIFFER FROM PRINT.
- CONTACT IS PLATED OVERALL WITH 0.00127 [.000050] NICKEL, THEN 0.00076 [.000030] GOLD OVER CONTACT LENGTH INDICATED AND MATTE TIN ON SOLDER TAIL END.
- DIMENSIONS IN BRACKETS ARE IN INCHES.
- SUPERSEDED BY 350737-4



3 DIMENSIONAL MODEL
SCALE 4:1



SECTION A-A
SCALE 10:1

THIS DRAWING IS A CONTROLLED DOCUMENT.	DRAWN BY		APPROVED BY		NAME	DESCRIPTION	DRAWING NO.	CAGE CODE	SCALE	SHEET OF	REV M
	05OCT2005 K. WHITAKER	05OCT2005 S. RIDGILL	05OCT2005 S. RIDGILL	05OCT2005 S. RIDGILL							

PHOSPOR BRONZE, GOLD 	NYLON, UL94V-0, NATURAL	350737-4
PHOSPOR BRONZE, GOLD 	NYLON, UL94V-0, NATURAL	350737-2
PHOSPOR BRONZE, PRE-TIN	NYLON, UL94V-0, NATURAL	350737-1
PIN CONTACT MATERIAL AND FINISH		
HOUSING MATERIAL AND COLOR		PART NUMBER
THIS DRAWING IS A CONTROLLED DOCUMENT.		
DRAWN BY		
APPROVED BY		
NAME		
DESCRIPTION		
DRAWING NO.		
CAGE CODE		
SCALE		
SHEET OF		
REV M		

THIS DRAWING IS A CONTROLLED DOCUMENT.	DRAWN BY	APPROVED BY	NAME	DESCRIPTION	DRAWING NO.	CAGE CODE	SCALE	SHEET OF	REV M

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[350737-1](#)