

4

3

2

1

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

AUG ,2006.

© COPYRIGHT

BY TYCO ELECTRONICS CORPORATION.

ALL RIGHTS RESERVED.

LOC

DW

DIST

P

LTR

DESCRIPTION

DATE

DWN

APVD

A

REVISED(ECR-11-005410)

15MAR'11

J.C.

W.K.

C

E

0.60

1.25±0.15

1.55

2.40

2.20

D

B

A

3.6±0.1

E

1.25TYP.

0.80

1.6MIN.

0.6±0.1

3.27 REF.

3±0.10

2.1±0.1

PIN 1

CONNECTOR OUTLINE

STAND OFF AREA

3.70

0.73

0.40

0.50

0.10

0.55

0.30±0.05

PIN 1

4.75

2 PIN

3 PIN

NOTE:

1. MATERIAL:
HOUSING: HIGH TEMP. THERMOPLASTIC, UL 94V-0, COLOR: NATURAL.
CONTACTS: PHOSPHOR BRONZE.
TAB: PHOSPHOR BRONZE.

2. FINISH:
CONTACTS: (SEE TABLE) OVER 50µ" MIN. NICKEL PLATED.
TAB: 100µ" MIN. MATTE-TIN OVER 50µ" MIN. NICKEL PLATED.

3. NO TE LOGO AND DATE CODE ON THE PRODUCT.

4. LOCKING WINDOW:
ONE PLACE FOR 2 AND 3 CONTACTS,
TWO PLACES FOR MORE THAN 3 CONTACTS.

5. RECOMMENDED PART NUMBER OF CABLE ASSEMBLY:
HOUSING: X-440146-X
CONTACT: 440147-X

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:
MM

MATERIAL
SEE NOTE

TOLERANCES UNLESS
OTHERWISE SPECIFIED:

0 PLC ± -
1 PLC ± -
2 PLC ± 0.2
3 PLC ± -
4 PLC ± -
ANGLES ± -

FINISH
SEE NOTE

DWN
A. WU
29APR2005

CHK
S. HOU
29APR2005

APVD
W.J. KE
29APR2005

PRODUCT SPEC
108-57499

APPLICATION SPEC

WEIGHT
SEE TABLE

CUSTOMER DRAWING

NAME

SIZE
A3

CAGE CODE
00779

DRAWING NO
C=1734260

RESTRICTED TO

SCALE

SHEET
1 OF 2

REV
A

0.762µm
MIN.
GOLD

17.50 18.60 19.30 20.50 24.04 15 4-1734260-5
16.25 17.35 18.05 19.25 22.79 14 4-1734260-4
15.00 16.10 16.80 18.00 21.54 13 4-1734260-3
13.75 14.85 15.55 16.75 20.29 12 4-1734260-2
12.50 13.60 14.30 15.50 19.04 11 4-1734260-1
11.25 12.35 13.05 14.25 17.79 10 4-1734260-0
10.00 11.10 11.80 13.00 16.54 9 3-1734260-9
8.75 9.85 10.55 11.75 15.29 8 3-1734260-8
7.50 8.60 9.30 10.50 14.04 7 3-1734260-7
6.25 7.35 8.05 9.25 12.79 6 3-1734260-6
5.00 6.10 6.80 8.00 11.54 5 3-1734260-5
3.75 4.85 5.55 6.75 10.29 4 3-1734260-4
2.50 3.60 4.30 5.50 9.04 3 3-1734260-3
1.25 2.35 3.05 4.25 7.79 2 3-1734260-2

17.50 18.60 19.30 20.50 24.04 15 1-1734260-5
16.25 17.35 18.05 19.25 22.79 14 1-1734260-4
15.00 16.10 16.80 18.00 21.54 13 1-1734260-3
13.75 14.85 15.55 16.75 20.29 12 1-1734260-2
12.50 13.60 14.30 15.50 19.04 11 1-1734260-1
11.25 12.35 13.05 14.25 17.79 10 1-1734260-0
10.00 11.10 11.80 13.00 16.54 9 1734260-9
8.75 9.85 10.55 11.75 15.29 8 1734260-8
7.50 8.60 9.30 10.50 14.04 7 1734260-7
6.25 7.35 8.05 9.25 12.79 6 1734260-6
5.00 6.10 6.80 8.00 11.54 5 1734260-5
3.75 4.85 5.55 6.75 10.29 4 1734260-4
2.50 3.60 4.30 5.50 9.04 3 1734260-3
1.25 2.35 3.05 4.25 7.79 2 1734260-2

PLATING

DIMENSION

NO. OF CONTACTS

PART NUMBER

TE

TE Connectivity

WIRE TO BOARD MALE HEADER,
1.25MM PITCH, SMT STRAIGHT TYPE.

AMP 1470-19 REV 31MAR2000

D

C

B


A

D


C

B

A



NOTE:
1. CARTON DIMENSIONS: 340 X 340 X 250



1000/REEL	4000	44.0	15
			14
			13
	6000	32.0	12
			11
			10
			9
			8
	7000	24.0	7
			6
			5
			4
	10000	16.0	3
			2
PACKING	QUANTITY	DIM W	NO. OF PIN

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:
MM

MATERIAL
-

TOLERANCES UNLESS OTHERWISE SPECIFIED:

0 PLC ± -

1 PLC ± -

2 PLC ± -

3 PLC ± -

4 PLC ± -

ANGLES ± -

FINISH
-

DWN

CHK

APVD

PRODUCT SPEC

APPLICATION SPEC

WEIGHT

CUSTOMER DRAWING

TE Connectivity

NAME

WIRE TO BOARD MALE HEADER,
1.25MM PITCH, SMT STRAIGHT TYPE.

SIZE
A3

CAGE CODE
00779

DRAWING NO
C=1734260

RESTRICTED TO
-

SCALE
-

SHEET
2 OF 2

REV
A

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[3-1734260-6](#)