



SECTION A-A

IMPEDANCE ( Z )			
Frequency	25 MHz	100 MHz	300 MHz
Nominal (REF)	73 Ω	151 Ω	278 Ω
Minimum	- Ω	121 Ω	- Ω




AGILENT E4991A Impedance/Material Analyzer  
HP 16092A-Test Fixture REF #3141

**UNCONTROLLED DOCUMENT**



DETAIL "A"  
SCALE 8:1



NOTES: UNLESS OTHERWISE SPECIFIED

1. COSMETIC SPECIFICATION REFER TO WI-QA-038.

FERRITE CORE DIMENSIONS (SPEC): mm [in]

A	25.40 [1.000]	±	0.46 [.018]
B	12.70 [.500]	±	0.25 [.010]
C	12.70 [.500]	±	0.25 [.010]

WEIGHT/1000 23.68 kgs [52.2 Lbs]

DIMENSIONS ARE IN mm (INCHES).				This print is the property of Laird Tech. and is loaned in confidence subject to return upon request and with the understanding that no copies shall be made without the written consent of Laird Tech. All rights to design or invention are reserved.			
REV	DESCRIPTION	DATE	INT				
E	UPDATE THE LOGO	05/13/15	QIU	PROJECT/PART NUMBER:		REV	DRAWN BY:
D	UPDATE COMPANY LOGO	12/28/12	QIU	28B1000-000		E	JRK
C	UPDATE Z SPECS AND COMPANY LOGO	06/14/07	JRK	DATE:	06/30/04	SCALE:	2 : 1
B	CHANGE Z SPEC @ 100 MHZ MIN.	09/18/06	JRK	CAD #	28B1000-000-E	TOOL #	B1000
A	ORIGINAL DRAFT	06/30/04	JRK			MATERIAL:	
REV	DESCRIPTION	DATE	INT			FERRITE	

# Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

Laird:

[28B1000-000](#)