

4

3

2

1

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

© COPYRIGHT

ALL RIGHTS RESERVED.

LOC

DIST

REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD

D

C

B

A

REPLACED BY OCEAN STYLE APPLICATOR PART NUMBER

FOR REPLACEMENT PARTS FOR APPLICATOR REFER TO ADDITIONAL PAGE(S). SPARE PARTS KIT (IF LISTED) WILL REMAIN AVAILABLE.

THE REPLACEMENT OCEAN STYLE APPLICATOR HAS THE SAME TERMINATOR/PRESS INTERFACE AS APPLICATOR

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:



TOLERANCES UNLESS OTHERWISE SPECIFIED:

0 PLC ±

1 PLC ±

2 PLC ±

3 PLC ±

4 PLC ±

ANGLES ±

FINISH

MATERIAL

DWN

CHK

APVD

PRODUCT SPEC

APPLICATION SPEC

WEIGHT

TE Connectivity

NAME

SIZEA3

CAGE CODE

DRAWING NOC-

RESTRICTED TO

SCALE

SHEET OF

REV

1470-19 (3/11)

Pro/ENGINEER DRAWING

											73
-	1	1	1	1	1	1	1	1426129	PRINT, APPLICATOR LOG SHEET		72
-	1	1	1	1	1	1	1	1338705-1	DOCUMENTATION PACKAGE		71
											70
											69
											68
-	1	1	1	1	1	1	1	461264-1	PLATE, IDENTIFICATION		67
-	2	2	2	2	2	2	2	21017-2	SCR,DRIVE (#2x.19) ID PLATE		66
											65
-	1	1	1	1	1	1	1	986950-1	WASHER, FLAT PRECISION		64
-	1	1	1	1	1	1	1	3-18031-0	SCR,SKT SET(M6X6)RAM		63
-	1	1	1	1	1	1	1	18023-9	SCR,SHC(M4X6) INS DISC		62
-	2	2	2	2	2	2	2	2-18032-5	SCR,SKT SET(M5X20)DRAG		61
-	1	1	1	1	1	1	1	18024-7	SCR,BHC(M4X10) ANVIL		60
-	1	1	1	1	1	1	1	5-18022-2	SCR, HEX(M4X8) FEED FINGER		59
											58
											57
-	1	1	1	1	1	1	1	1333240-1	PAWL, FEED		56
											55
-	4	4	4	4	4	4	4	18024-8	SCR,BHC(M4x12)SHEAR HOLDER		54
-	2	2	2	2	2	2	2	9-18023-6	SCR,SHC(M4x14) TERM HLD DWN		53
-	1	1	1	1	1	1	1	18030-1	NUT, HEX(M3) HOLD DOWN		52
-	1	1	1	1	1	1	1	811242-5	BUMPER, HOLDDOWN		51
-	1	1	1	1	1	1	1	690753-2	SPACER, TONKER		50
-	1	1	1	1	1	1	1	18024-3	SCR,BHC(M3X10) CAM		49
-	-	1	-	-	1	-	-	1338675-1	CAM, PRE FEED 30 & 40 mm ST		48
-	1	-	1	1	-	1	-	1338676-1	CAM, POST FEED 30 & 40 mm ST		47
-	1	1	1	1	1	1	1	1320999-4	APPLICATOR BASIC SUBASSY		46
-	1	1	1	1	1	1	1	690191-1	PLUG, NYLON		45
-	1	1	1	1	1	1	1	1338660-1	RAM		44
-	1	1	1	1	1	1	1	690125-1	WASHER, LAMINATED		43
-	1	1	1	1	1	1	1	690124-1	WASHER, RAM		42
-	1	1	1	1	1	1	1	2-18024-6	SCR,BHC(M8X25)RAM		41
-	1	1	1	1	1	1	1	23241-1	BALL, STEEL		40
-	1	1	1	1	1	1	1	2-22278-7	SPRING, COMPRESSION		39
-	1	1	1	1	1	1	1	1320922-1	DISC, INSULATION		38
-	1	1	1	1	1	1	1	354777-1	WIRE DISC, PLASTIC		37
-	1	1	1	1	1	1	1	22480-5	WASHER, SPRING		36
-	1	1	1	1	1	1	1	690212-1	POST, RAM		35
-	1	1	1	1	1	1	1	1-1320934-3	SUPPORT, TERMINAL		34
-	2	2	2	2	2	2	2	1-18024-0	SCR,BHC(M4X20)STRIP GUIDE		33
-	1	1	1	1	1	1	1	18027-2	WASHER, FLAT(M4)		32
-	1	1	1	1	1	1	1	1-18023-2	SCR,SKT CAP(M4X12)MOUNT BLOCK		31
-	1	1	1	1	1	1	1	1-1320908-2	SPACER, STRIP GUIDE		30
-	1	1	1	1	1	1	1	1633073-7	STRIP GUIDE PLATE ASSY		29
-	1	1	1	1	1	1	1	1-455888-5	SPACER, FRONT SHEAR DEP		28
-	2	2	2	2	2	2	2	1-22284-0	SPRING, DRAG		27
-	1	1	1	1	1	1	1	356835-1	LEVER, DRAG RELEASE		26
-	1	1	1	1	1	1	1	240792-1	DRAG, TERMINAL		25
-	1	1	1	1	1	1	1	1320928-2	PLATE, STRIP GUIDE		24
-	1	1	1	1	1	1	1	980371-4	SCR,SHC SHLD		23
-	1	-	1	-	1	-	1	690472-2	STRIPPER		22
-	1	1	1	1	1	1	1	1-18023-1	SCR,SHC(M4X10) STRIPPER		21
-	4	4	4	4	4	4	4	18025-2	WASHER, LOCK(M4) STRIPPER		20
-	-	1	-	-	1	-	-	690472-1	STRIPPER		19
											18
-	1	-	-	1	-	-	-	1338684-2	HOLDER, SHEAR, FRONT (NO-CUT)		17
											16
											15
											14
											13
-	1	1	1	1	1	1	1	3-22280-3	SPRING, SHEAR		12
-	1	1	1	1	1	1	1	356885-5	STOP, SHEAR		11
-	-	1	1	-	1	1	1	1-1320921-0	HOLDER, SHEAR, FRONT (CUT)		10
-	1	1	1	1	1	1	1	454276-5	SHEAR, FLOAT (FRONT)		9
1	2	2	2	1	1	1	1	1333210-2	ANVIL		8
-	1	1	1	1	1	1	1	3-240641-3	SPACER, DEPRESSOR (REAR)		7
											6
-	1	1	1	1	1	1	1	4-455889-6	DEPRESSOR, SHEAR (FRONT)		5
-	1	1	1	1	1	1	1	238011-7	SPACER, BLOCK CRIMPER		4
1	2	2	2	1	1	1	1	4-456134-3	CRIMPER, INSULATION		3
-	1	1	1	1	1	1	1	1-455888-2	SPACER, CRIMPER		2
1	2	2	2	1	1	1	1	456411-6	CRIMPER, WIRE		1

			DIMENSIONS: mm [INCHES]		MATL		HT TR		FIN	
			DO NOT SCALE PRINT.		DR		16JAN01		APP	
			TOLERANCES UNLESS OTHERWISE SPECIFIED,		L.L.OFHOUSE		16JAN01		F.BACKHURST	
			1 P.LC DEC ±0.5 [±0.2 IN]		CHK		REL		18-07-01	
			2 P.LC DEC ±				M.CLIFFORD		AMP Incorporated Harrisburg, PA 17105-3608	
			3 P.LC DEC ±		NAME		SIDE FEED HD-I APPLICATOR			
			ANGLES ±		SCALE		D		DWG NO	
			SURF TEXTURE, ✓				1426129		SHEET	
			REMOVE BURRS, BREAK						1 OF 1	
			SHARP EDGES RO.38 MAX						REV	
F			ECR-06-026822		RK		NOV06		F	
P F LTR			REVISION RECORD		APP		DATE		F	
3			CAGE CODE		00779		CUSTOMER AND ASSEMBLY DRAWING			
			RESTRICTED TO							

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[1426129-6](#)