








6-1823071-4	H	3.2	CURRY	K	8.15
5-1823071-4	H	3.2	BORDEAUX VIOLET	D	10.95
5-1823071-3	H	3.2	BLUE	C	10.95
4-1823071-7	H	3.2	NATURAL	B	10.95
5-1823071-1	H	3.2	BLACK	A	10.95
TE Bestell-Nr. ORDER-NO.	REV	Gewicht WEIGHT [g]	Farbe COLOUR	Kod. COD.	L 1

PRODUCT CHARACTERISTICS ACC. QMP EMEA_12 BESONDERE MERKMALE NACH QMP EMEA_12	TOLERANCING ISO 8015 TOLERIERUNG ISO 8015	NAME	4 POS. PIN DIA 0.6. HEADER ASSY 4pol. Pin Dia 0.6 . Stiftleiste	RESTRICTED TO NUR FÜR
THIS DRAWING IS A CONTROLLED DOCUMENT. DIESSES ZEICHNUNGSDOKUMENT WIRD DURCH AMP REGISTRIERTES KONTROLLSYSTEM ANGEGEBEN. FÜR DIE TECHNISCHE VERFÄHRUNG STEHT DAS VERFAHREN DIE ANGABEN FÜR DIE TECHNISCHE VERFÄHRUNG STEHT DAS VERFAHREN	DWN A.Loecker 13MAY2011	DATE	17MAY2011	
DIMENSIONS MASSENHEITEN [mm]	TOLERANCES UNLESS OTHERWISE SPECIFIED TOLERANZEN UNLESS ANDERE ANGEWENDET	APVD J.L.GASSNER 17MAY2011		
0 PLC 1 PLC 2 PLC 3 PLC 4 PLC	±0.1 ±0.1 ±0.1 ±0.1 ±0.1	PRODUCT SPEC PRODUKTSPEZ. 108-94331		
MATERIAL -	ANALYSE/ANALYSE FINISH/BOHRFLÄCHE/FARBE -	APPLICATION SPEC VERARBEITUNGSSPEZ. 114-10867	SIZE A1	SCALE MASSSTAB 5:1
		WEIGHT GEWICHT -	CAGE CODE 00779	SHEET BLATT 2 OF VON 2
			DRAWING NO. 1823071	REV H1
			CUSTOMER DRAWING	

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[5-1823071-3](#)