




1 MATERIAL;HOUSING:L.C.P.(HIGH TEMP THERMO PLASTIC)
UL 94V-0,NATURAL.
CONTACT & SOLDER PEG:BRASS.

2 FINISH1;CONTACT AREA:0.0002 MIN GOLD ON
0.0013 MIN ALL OVER NICKEL.
SOLDERING AREA:0.001 MIN MATTE TIN.

4. CONN STACK HEIGHT COMBINE OF PLUG "Y"H VS REC "X"H.
STACK HEIGHT = Y + X - 5

△ TINE AND MOUNT METAL HEIGHAT SHALL BE 0.15MAX.

6 OBSOLETE PARTS: OBSOLETE CIS STREAMLINING PER D.RENAUD/D.SINISI

P/N SEE SHEET 2 OF 2.

THIS DRAWING IS A CONTROLLED DOCUMENT FOR AMP INCORPORATED
IT IS SUBJECT TO CHANGE AND THE CONTROLLING ENGINEERING
ORGANIZATION SHOULD BE CONTACTED FOR THE LATEST REVISION.

CUSTOMER DRAWING

—
^

Tyco Electronics
(Singapore) Pte. Ltd.

NAME	PLUG ASSEMBLY WITH SOLDER PEG 8H TYPE FOR FH 0.8mm PITCH B-T-B CONNECTOR STD
------	---

SIZE	CAGE CODE	DRAWING NO
A3	00779	C-5179562

SCALE	4	SHEET	1	OF	2	REV	01
-------	---	-------	---	----	---	-----	----

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[5179562-4](#)