

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Part Number: [0470541000](#)
Status: **Active**
Overview: [KK® Interconnect System - Molex](#)
Description: [KK 254 Housing with Polarization Rib, 4 Pin](#)

Documents:

[3D Model](#) [Packaging Specification 470541000-PK-000 \(PDF\)](#)
[Drawing \(PDF\)](#) [RoHS Certificate of Compliance \(PDF\)](#)
[Product Specification PS-47053-001-001 \(PDF\)](#)

Agency Certification

UL E29179

General

Product Family Crimp Housings
 Series [47054](#)
 Application Signal, Wire-to-Board
 Overview [KK® Interconnect System - Molex](#)
 Product Name KK 254
 UPC 822348237999

Physical

Circuits (maximum) 4
 Color - Resin Ivory
 Flammability 94V-0
 Gender Receptacle
 Glow-Wire Capable No
 Lock to Mating Part Yes
 Material - Resin Nylon
 Net Weight 0.522/g
 Number of Rows 1
 Packaging Type Bag
 Panel Mount No
 Pitch - Mating Interface 2.54mm
 Pitch - Termination Interface 2.54mm
 Polarized to Mating Part Yes
 Stackable No
 Temperature Range - Operating See Product Specification

Electrical

Current - Maximum per Contact 4.0A


Solder Process Data

Duration at Max. Process Temperature (seconds) 005
 Lead-free Process Capability N/A
 Max. Cycles at Max. Process Temperature 001
 Process Temperature max. C 230

Material Info

Reference - Drawing Numbers

Packaging Specification 470541000-PK-000
 Product Specification PS-47053-001-001
 Sales Drawing SD-47054-001



Series image - Reference only

EU ELV

Not Relevant

EU RoHS

Compliant

REACH SVHC

Not Contained Per -
 ED/61/2018 (27 June
 2018)

Halogen-Free

Status

Low-Halogen

For more information, please visit [Contact US](#)

China ROHS

ELV

RoHS Phthalates

China RoHS

Green Image

Not Relevant

Not Contained

Search Parts in this Series

[47054 Series](#)

Mates With

[47053](#) 2.54mm Pitch KK Vertical Header, with Friction Lock

Use With

[2759](#) KK Crimp Terminal, 22-30 AWG

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[Molex:](#)

[47054-1000](#)