

## Spiral tube - WG-S HF 70 BK - 3241118

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)



Spiral hose, for easy bundling and guiding of cables and conductors, offers protection against slight mechanical strain

The figure shows a version of the article



### Key Commercial Data

|                                      |          |
|--------------------------------------|----------|
| Packing unit                         | 1 pc     |
| Minimum order quantity               | 25 pc    |
| Weight per Piece (excluding packing) | 99.0 g   |
| Custom tariff number                 | 39269097 |
| Country of origin                    | Poland   |

### Technical data

#### Dimensions

|                |                 |
|----------------|-----------------|
| Length (b)     | 25 m            |
| Width (a)      | 70 mm           |
| Cable diameter | 13 mm ... 70 mm |

#### Ambient conditions

|                                 |                  |
|---------------------------------|------------------|
| Ambient temperature (operation) | -50 °C ... 85 °C |
| Ambient temperature (assembly)  | -20 °C ... 60 °C |

#### General

|  |                                |
|--|--------------------------------|
| Color                                  | black                          |
| Type                                   | Continuous strip               |
| Components                             | free from silicone and halogen |
| Flammability rating according to UL 94 | HB                             |
| Material                               | PE                             |

# Spiral tube - WG-S HF 70 BK - 3241118

## Technical data

### Standards and Regulations

|  |    |
|--|----|
| Flammability rating according to UL 94 | HB |
|--|----|

## Classifications

### eCl@ss

|            |          |
|------------|----------|
| eCl@ss 4.0 | 27140602 |
| eCl@ss 4.1 | 27140602 |
| eCl@ss 5.0 | 27140602 |
| eCl@ss 5.1 | 27140602 |
| eCl@ss 6.0 | 27400703 |
| eCl@ss 7.0 | 27400703 |
| eCl@ss 8.0 | 27430302 |

### ETIM

|          |          |
|----------|----------|
| ETIM 3.0 | EC000012 |
| ETIM 4.0 | EC000046 |
| ETIM 5.0 | EC002604 |

### UNSPSC

|               |          |
|---------------|----------|
| UNSPSC 6.01   | 30211812 |
| UNSPSC 7.0901 | 39121411 |
| UNSPSC 11     | 39121411 |
| UNSPSC 12.01  | 39121708 |
| UNSPSC 13.2   | 39121411 |

## Accessories

### Accessories

#### Cutting tools

Cutting tool - CUTFOX-ES - 1212621



Electrician's scissors, high cutting performance thanks to micro-serrated cutting area, suitable for copper, aluminum, Kevlar fibers, and plastic, two-component non-slip soft-grip handles, ergonomic design, adjustable screw joint



# Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[Phoenix Contact:](#)

[3241118](#)