


THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION
 © COPYRIGHT BY TYCO ELECTRONICS CORPORATION. ALL INTERNATIONAL RIGHTS RESERVED.

LOC	DIST	REVISIONS						
GP	00	P	LTR	DESCRIPTION	KIH	DATE	DWN	APVD
		L		REVISED PER ECO-09-001588		25JUN2009	CJV	CWR



- 1 FOR MINI APPLICATOR.
- 2 FINISH: GOLD FLASH ALL OVER .000015 GOLD ON CONTACT AREA OVER .000050 MIN THK NICKEL OVER ENTIRE CONTACT, -OR- GOLD FLASH OVER PALLADIUM-NICKEL, .000015 MIN TOTAL THK IN LOCALIZED CONTACT PLATING AREA AND GOLD FLASH ON REMAINDER OVER .000050 MIN NICKEL ON ENTIRE CONTACT.
- 3. FOR 22-24 AWG WIRE WITH AN INSULATION RANGE OF .040-.056 DIA.

2	86658-2	1	86656-2
FINISH	LOOSE PIECE PART NO.	PART NO.	

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN	J. GALLUCCI	6-27-89	Tyco Electronics Corporation Harrisburg, PA 17105-3608
DIMENSIONS: INCHES		CHK	D. L. ROCKER	6-28-89	
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD	G.D. MILLER	6-29-89	
0 PLC ± - 1 PLC ± - 2 PLC ± - 3 PLC ± .005 4 PLC ± - ANGLES ± -		PRODUCT SPEC	108-9024		
MATERIAL: PHOS. BRONZE		FINISH	SEE TABLE		NAME: CONTACT, PIN, .025 SQ, ROUND WIRE, .100 CENTERLINE, FFC
		APPLICATION SPEC	114-16003		SIZE: A2
CUSTOMER DRAWING		WEIGHT	-		CAGE CODE: 00779
		SCALE	8:1		DRAWING NO: C=86656
		SHEET	1 of 1		RESTRICTED TO: -
		REV	L		

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[86656-2](#)