




PRELIMINARY

REVISIONS				
SYM	ZONE	ECN, ERN NO.	DATE	APPRD.
A		PROPOSAL	2006/02/10	
B		PROPOSAL	2006/02/16	


THIS IS A CAD DRAWING. DO NOT MANUALLY REVISE.



U77-C211X-X01X



U77-C411X-X011



U77-C611X-X011

AMPHENOL PART NUMBER CONFIGURATION

U77 - C X 1 1 X - X 0 1 X

PLATING

2 = 1X2 (2 PORTS)  
4 = 1X4 (4 PORTS)  
6 = 1X6 (6 PORTS)

PLATING

0 = STANDARD  
4 = REAR PRESS FIT PINS

PACKAGING FOR CAGE

1 = TRAY PACKAGING  
T = TAPE & REEL PACKAGING  
(FOR 2 PORTS ONLY)

PLATING

1 = TIN PLATING  
2 = NICKEL PLATING

MATERIAL (RoHS COMPLIANCE):

CAGE:  
COPPER ALLOY

PLATING OPTION 1:  
100μ" [2.54 μm] MIN. TIN  
PLATING OVER 50 μ" (1.27 μm)  
MIN. NICKEL UNDER PLATING.

PLATING OPTION 2:  
100μ" [3.81 μm] MIN. NICKEL  
PLATING (NOT FOR SOLDER PINS).

LIGHT PIPE:  
CLEAR POLYCARBONATE.

BRACKET FOR LIGHT PIPE:  
STAINLESS STEEL.

PACKAGING:  
TAPE AND REEL OR TRAY PACKAGING.  
(BULK PACK FOR LIGHT PIPE KIT)

TEMPERATURE RANGE:  
-40°C TO +85°C


DRAWN	J.SI	DATE	2006/02/16
DESIGNED	J.SI	DATE	2006/02/16
CHECKED	X		X
DWG. APPRD.			
ENG. REL. NO.			
REF.	X		
DIMENSIONS ARE IN	INCHES (mm)	CODE ID. NO.	03554

Amphenol Canada Corp.

TITLE  
SFP 1XN CAGE, PRESS FIT PINS  
WITH LIGHT PIPE (SHIPPED LOOSE)

DWG	DRAWING NO.	REV.
A	P-U77-AX11X-X01X	B
SCALE	1:1	WT. _____
SURF.	_____	SHEET 1 OF 2

THIS DOCUMENT CONTAINS PROPRIETARY INFORMATION AND SUCH INFORMATION  
MAY NOT BE DISCLOSED TO OTHERS FOR ANY PURPOSE OR USED FOR MANUFACTURING  
PURPOSES WITHOUT WRITTEN PERMISSION FROM AMPHENOL CANADA CORP.



REVISIONS				
SYM	ZONE	ECN, ERN NO.	DATE	APPRD.
A		PROPOSAL	2006/02/16	
B		PROPOSAL	2006/02/16	

THIS IS A CAD DRAWING. DO NOT MANUALLY REVISE.

DRAWN	J.SI	DATE	2006/02/16
DESIGNED	J.SI	DATE	2006/02/16
CHECKED	X		
DWG. APPRD.			
ENG. REL. NO.			
REF.	X		
DIMENSIONS ARE IN	INCHES (mm)	CODE ID. NO.	03554
DWG.	A	DRAWING NO.	P-U77-AX11X-X01X
SCALE	1:1	WT.	-----
SURF.	-----	SHEET	2 OF 2

Amphenol Canada Corp.

TITLE  
SFP 1XN CAGE, PRESS FIT PINS  
WITH LIGHT PIPE (SHIPPED LOOSE)

RECOMMENDED SFP HOST BOARD LAYOUT  
(SEE P-U77-AX11X-XX0X FOR OTHER DIMS)  
(ON COMPONENTS SIDE MOUNTING)

THIS DOCUMENT CONTAINS PROPRIETARY INFORMATION AND SUCH INFORMATION  
MAY NOT BE DISCLOSED TO OTHERS FOR ANY PURPOSE OR USED FOR MANUFACTURING  
PURPOSES WITHOUT WRITTEN PERMISSION FROM AMPHENOL CANADA CORP.

# Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

## Amphenol:

[U77C41102011](#) [U77C21141011](#) [U77C21142011](#) [U77C41142011](#) [U77C61142011](#) [U77C21102011](#) [U77C41101011](#)

## FCI / Amphenol:

[U77C41141011](#) [U77C61102011](#)