



P	LTR	DESCRIPTION	DATE	DWN	APVD
	D2	PART STATUS UPDATED	11JAN2018	RK	PS



—CLAMPING SCREW

BLOCKED CAVITY



284051-2 AS SHOWN


△ MATERIALS AND FINISH:
HOUSING: PA 6-6, UL 94-V0, COLOR: SEE TABLE.
CLAMP: BRASS, NICKEL PLATED.
CONTACT SPRING: PHOSPHOR BRONZE, FINISH: SEE TABLE.
CLAMPING SCREW: M3, BRASS, NICKEL PLATED.

2. WIRE SIZE RANGE: 12-30 AWG.


3. NOT CUMULATIVE TOLERANCE.

4 INK MARKING, BLACK COLOR.

5 INK MARKING, WHITE COLOR.



—WIRE ENTRY

RETENTION-
LATCH


8.4

- 6.20
RFF

Diagram of a Polarization Key Slot. It shows a rectangular slot with a horizontal line on the left and a vertical line on the right. The text "POLARIZATION" is written above the slot, and "KEY SLOT" is written below the slot. An arrow points to the right from the right side of the slot.

$$-12.5 \rightarrow$$

—MATING FACE



2.54 REF 

$$10, 16+0, 10$$

	SEE DETAIL T	TIN PLATED	BLACK	35.56	4	1-284051-7
OBSOLETE	SEE DETAIL T	TIN PLATED	GREEN	35.56	4	1-284051-6
OBSOLETE	SEE DETAIL S	0.00076 SELECT GOLD	GREEN	15.24	2	1-284051-5
OBSOLETE	-	0.00076 SELECT GOLD	GREEN	15.24	2	1-284051-4
	-	TIN PLATED	GREEN	127.00	13	1-284051-3
	-	TIN PLATED	GREEN	116.84	12	1-284051-2
	-	TIN PLATED	GREEN	106.68	11	1-284051-1
	-	TIN PLATED	GREEN	96.52	10	1-284051-0
	-	TIN PLATED	GREEN	86.36	9	284051-9
	-	TIN PLATED	GREEN	76.20	8	284051-8
	-	TIN PLATED	GREEN	66.04	7	284051-7
	-	TIN PLATED	GREEN	55.88	6	284051-6
	-	TIN PLATED	GREEN	45.72	5	284051-5
	-	TIN PLATED	GREEN	35.56	4	284051-4
	-	TIN PLATED	GREEN	25.40	3	284051-3
	-	TIN PLATED	GREEN	15.24	2	284051-2
	MARKING	CONTACT FINISH	HOUSING COLOR	A	NO OF POSN	PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN S. WELDON	16NOV2005		 TE Connectivity	
		CHK C. RICHARD	16NOV2005			
DIMENSIONS: mm		TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD C. RICHARD	NAME	
		0 PLC ±.3 1 PLC ±0.25 2 PLC ±0.000 3 PLC ±0.0000 4 PLC ±0.0000 ANGLES ±2°		PRODUCT SPEC - APPLICATION SPEC -		TERMINAL BLOCK, VERTICAL, PLUG, STACKING, RIGHT HAND, 10.16mm PITCH
MATERIAL		FINISH		SIZE A2		
				CAGE CODE 00779		DRAWING NO C-284051
				RESTRICTED TO		
CUSTOMER DRAWING				SCALE 3:1		SHEET 1 of 2 REV D2

D

D

C

C

B


B

A


A

THIS DRAWING IS UNPUBLISHED.	RELEASED FOR PUBLICATION	20
© COPYRIGHT 20	BY -	ALL RIGHTS RESERVED.


REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
	-	SEE SHEET 1	-	-	-



DETAIL S



DETAIL T

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN S. WELDON 16NOV2005	 TE Connectivity					
		CHK C. RICHARD 16NOV2005						
DIMENSIONS: mm		APVD C. RICHARD 16NOV2005	NAME TERMINAL BLOCK, VERTICAL, PLUG, STACKING, RIGHT HAND, 10.16mm PITCH					
		PRODUCT SPEC -						
		APPLICATION SPEC -	SIZE A2		CAGE CODE 00779		DRAWING NO C=284051	
MATERIAL		WEIGHT -						
TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ±- 1 PLC ±0.3 2 PLC ±0.25 3 PLC ±0.000 4 PLC ±0.0000 ANGLES ±2° FINISH		CUSTOMER DRAWING		SCALE 3:1		SHEET 2 OF 2		REV D2

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[1-284051-6](#)