

SERPAC 152R (3D exploded) -Click on image to show toolbar. Use to Play/Pause Animation. -Left click and drag on image to move 3D model.





2.00

er proofing gasket PS15 optional. see note #2

3.25



c) Change the views to ortho and section views if needed from the Views pull down menu.

d) Explore options included in the tool bar like: Views, Transparency of model, Lighting type, etc.

PART NO.	DESCRIPTION (Included)	ACCSESSORIES (Optional)		
5-2R	TOP	PART NO.	DESCRIPTION	1
15	воттом	PS15	Perimeter Seal	1
6018	4-40 SCREW (4)	350	Prototype Grid Circuit Board	1
6102	THRE ADED INSERTS (4)	450	Prototype Clad Circuit Board]


Enclosure weight .28 lbs / 125 gm

1) Enclosure meets or exceeds IP40 and NEMA 1 2) When used with PS15 the enclosure meets or exceeds IP 67 and NEMA 4X, 12 and 13 MIL-STD-810G 506.5

3) Circuit Board drawings can be download at:

http://www.serpac.com/Accessories/CircuitBoard/drawings/350-450-cbg.pdf 4) All components are RoHS Compliant.

ALL DIMENSIONS ARE ± .010" 7/29/10 (1 of 2) 2009 Wright Ave. La Verne, CA 91750 Ph. (626) 331-0517 Fx. (626) 331-8584 serpac.com



PART NO.	DESCRIPTION (Included)	ACCSESSORIES (Optional)	
5-2R	TOP	PART NO.	DESCRIPTION
		NO.	
15	BOTTOM	PS 15	Perimeter Seal
6018	4-40 SCREW (4)	350	Prototype Grid Circuit Board
6102	THREADED INSERTS (4)	450	Prototype Clad Circuit Board

2) When used with PS15 the enclosure meets or exceeds

IP 67 and NEMA 4X, 12 and 13 MIL-STD-810G 506.5
3) Circuit Board drawings can be download at:

http://www.serpac.com/Accessories/CircuitBoard/drawings/350-450-cbg.pdf 4) All components are RoHS Compliant.

ALL DIMENSIONS ARE ± .010" 7/29/10 (2 of 2) 2009 Wright Ave. La Verne, CA 91750 Ph. (626) 331-0517 Fx. (626) 331-8584 www.serpac.com

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

SERPAC:

152R,AL 152R,BK 152R,GY