


PRODUCT NO.	NOTES
71226-001	—
71226-001LF	NOTE 2



NOTES:

1. MATERIAL: 416 STAINLESS STEEL.
2. THIS PRODUCT MEETS EUROPEAN UNION DIRECTIVES AND OTHER COUNTRY REGULATIONS AS DESCRIBED IN GS-22-008.

mat'l. code				surface ISO 1302 ✓		tolerance ISO 406 ISO 1101	projection 1st angle	product family HPC
ltr	ecn no	dr	date	tolerances unless otherwise specified				title
A	V50947	GAH	8/8/95	angles		.XX±.01/.3	INCH/MM	NUT, SQUARE #2-56
B	V60758	SAR	6/18/96	linear		.XXX±.005/.13		
C	V00558	LSS	3/3/00	0°±2'		.XXXX±.0020/.051	scale 1:1	
D	V05-0697	DAI	8/18/05	dr	G. HULL	8/8/95	FCJ	dwg no
E	M06-0265	AGS	7/10/06	enrg	D. HORCHLER	7/25/95		sheet 1 of 2 size
				chr	D. HORCHLER	8/9/95		71226 A3
				appd	S. CLARK	8/10/95		type Product Customer Drawing
sheet index	revision sheet	E	E					
		1	2					




FCIconnect.com


Copyright FCI

PRODUCT NO.

SEE SHT. 1



UN-ASSEMBLED GUIDE PIN




SEE NOTE 2

ASSEMBLY NOTE:

AFTER CONNECTOR IS ON PCB,
INSERT THE SQUARE NUT, AND
THEN SCREW IN THE GUIDE PIN


SQUARE
NUT HELD
FROM
ROTATING
BY SLOT



SQUARE NUT
71226-001

ROUND
CONFIGURATION

GUIDE PIN
71225-001



ASSEMBLED GUIDE PIN

NOTE:

- ① MATERIAL: 416 STAINLESS STEEL.
2. RECOMMENDED INSTALLATION TOOL: P/N
166769-001 (FOR USE IN 1/4" HEX DRIVE).
3. DRAWING 71225 IS A RECEPTACLE MOUNTED MALE GUIDE PIN

mat'l. code				surface ISO 1302	tolerance ISO 406 ISO 1101	projection INCH/MM	product family HPC
ltr	ecn	no	dr	date	tolerances unless otherwise specified		title
E					angles linear	.XX±.01/.3 .XXX±.005/.13 .XXXX±.0020/.051	NUT, SQUARE #2-56
					0°±2°	scale 1:1	
			dr	G. HULL	8/8/95	FCI	dwg no
			enr	D. HORCHLER	7/25/95		sheet2 of 2 size
			chr	D. HORCHLER	8/9/95		71226 A3
			appd	S. CLARK	8/10/95		type Product Customer Drawing
sheet index	revision sheet						

form: A3

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[FCI / Amphenol:](#)

[71226-001LF](#)