






THIS DRAWING IS A CONTROLLED DOCUMENT.		DIN 26-JAN-05 W. LEUFERT CHK 14-MAR-91 J. F. WARNER APD 14-MAR-91		Tyco Electronics Tyco Electronics Corporation Harrisburg, Pa 17105-3608	
DIMENSIONS: INCHES		TOLERANCES, UNLESS OTHERWISE SPECIFIED:		NAME	
		0. PLC ± . 1. PLC ± . 2. PLC ± . 3. PLC ± .005 [0.13] 4. PLC ± . ANGLE'S FINISH ± .		PRODUCT SPEC APPLICATION SPEC	
MATERIAL		WEIGHT		SIZE CAGE CODE DRAWING NO A1 00779 C-582390	
		CUSTOMER DRAWING		RESTRICTED TO SCALE 4:1 SHEET 1 OF 2 REV P	



1. TAB-HOUSING ASSEMBLY MATES WITH AMP P/N 3-582151 SERIES.
2. BLADE CENTER LINE TO BE MEASURED FROM THE CENTER LINE FORMED BY THE ALIGNMENT PINS & AS LONG AS THE BLADES FALL WITHIN TOLERANCES INDICATED, THE ALLOWABLE WARPAGE IS INDEPENDENT OF THE BLADES & BECOMES A MEASUREMENT OF THE OUTSIDE SURFACE OF THE TAB-HOUSING & DOES NOT EFFECT THE MATING OF THIS TAB-HOUSING WITH 582151.
3. MOUNTING HOLES.
4. POST TO BE SOLDER DIPPED.
CONN. MUST MEET REQUIREMENTS OF AMP SPEC 109-11-1.
5. CONTACT MATL.; GILDING METAL. GOLD OVER NICKEL.
6. TOLERANCE NON CUMULATIVE.
7. TAB-HOUSING MATL.; DIALLYL PHTHALATE, GLASS FILLED PER MIL-M-14, TYPE S.D.G.-F.
COLOR; GREEN.
8. CUT OUT FOR KEYING BOSS, LOCATED WHERE REQD. (OPTIONAL)
9. FROM EDGE OF P.C. BOARD TO FACE OF TAB-HOUSING.
10. FIRST & LAST CONTACT POSITION TO BE MARKED IN AREA SHOWN. SEE TABLE.
11. FOR SUPPLEMENTAL SPECIFICATIONS SEE AMP SPEC 108-9009.
12. MARK AMP, TE PART NO. & DATE CODE IN THIS APPROX. AREA.



THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN: 26-JAN-05 WLEUFERT CHK: 14-MAR-91 J.E. WARNER APVD: 14-MAR-91 J.E. WARNER		 Tyco Electronics Corporation Harrisburg, Pa 17105-3608	
DIMENSIONS: INCHES 		TOLERANCES UNLESS OTHERWISE SPECIFIED: 0. PLC ± — 1. PLC ± — 2. PLC ± .005 [0.13] 3. PLC ± — 4. PLG ± — ANGLES ± —		NAME ASSEMBLY, AMP BLADE TAB HOUSING —	
MATERIAL SEE NOTES		FINISH SEE NOTES		WEIGHT — SIZE A1 00779 C-582390	
CUSTOMER DRAWING		SCALE 4:1		SHEET 2 OF 2 REV P	

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[2-582390-6](#)