




CONNECTOR ASSEMBLY
EXEMPLARY LOADED



CONTACT DIMENSIONS

SCALE 5:1




CONTACT LAYOUT

	z	a	b	c	d	e	f
1		A	A	A	A	A	
2		A	A	A	A	A	
3		A	A	A	A	A	
4		A	A	A	A	A	
5		A	A	A	A	A	
6		A	A	A	A	A	
7		A	A	A	A	A	
8		A	A	A	A	A	
9		A	A	A	A	A	
10		A	A	A	A	A	
11		A	A	A	A	A	
	GUIDING						


RECOMMENDED PCB-HOLE LAYOUT
COMPONENT SIDE SHOWN

PLATED THRU HOLES PARAMETERS

REFERENCE APPLICATION SPECIFICATION



	3-100159-0
	1-100159-9
	100159-9
	100159-4
	100159-1
FINISH	PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN F.BEUN 080CT98 CHK R.LEE 080CT98		 TE Connectivity			
DIMENSIONS: mm 		APVD F.KONIGSBRUGGE -- PRODUCT SPEC 108-19082 APPLICATION SPEC 114-19029				NAME MALE ASSEMBLY, Z-PACK 2mm HM, TYPE C	
MATERIAL 		FINISH SEE TABLE		SIZE A1	CAGE CODE 00779	DRAWING NO C-100159	RESTRICTED TO —
CUSTOMER DRAWING				SCALE 4:1	SHEET 1 OF 2	REV M1	

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[3-100159-0](#)