





REVISIONS					
REV	DATE	DESCRIPTION	BY	CHK	APP
J1	11MAR11	REVISED PER ECO-11-004820		RK	HMR
K	24MAY2017	REVISED PER ECO-17-002214		RS	MM

- 1 HOUSING: LCP, COLOR-BLACK.
POST: BRASS.
- 2 POST: 0.00254-0.00508 [.000100-.00200] BRIGHT TIN-LEAD OVER
0.00127-0.00254 [.000050-.000100] NICKEL.
- 3 DATUMS AND BASIC DIMENSIONS ESTABLISHED BY THE CUSTOMER.
- 4 TWO POLARIZATION SLOTS ON ASSEMBLIES WITH FOUR OR MORE
POSITIONS.
- 5 0.00254-0.00508 [.000100-.000200] BRIGHT TIN OVER
0.00127-0.00254 [.000050-.000100] NICKEL.
- 6 PRELIMINARY PART - NOT RELEASED FOR PRODUCTION.
- 7 0.00254-0.00508 [.000100-.000200] MATTE TIN OVER
0.00127-0.00254 [.000050-.000100] NICKEL.

SEE TABLE ON
SHEET #3

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWG B. HAYMAKER	02DEC99	TE Connectivity	
DIMENSIONS: mm [INCHES]		CHK J. MOSIER	02DEC99		
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD J. MOSIER	02DEC99	NAME	
0 PLC ± -		PRODUCT SPEC		HEADER ASSEMBLY, LATCHING, RIGHT ANGLE SURFACE MOUNT, MTE, AMPMODU	
1 PLC ± -		APPLICATION SPEC		SIZE	
2 PLC ± -		—		CAGE CODE	
3 PLC ± 0.13 [.005]		—		DRAWING NO	
4 PLC ± -		—		RESTRICTED TO	
ANGLES ± -		—		100779	
FINISH		—		147324	
SEE TABLE		—		CUSTOMER DRAWING	
1		—		SCALE 6:1	
				SHEET 1 OF 4	
				REV K	



THIS DRAWING IS A CONTROLLED DOCUMENT.				DWG	B. HAYMAKER		02DEC99
				CHK	J. MOSIER		02DEC99
DIMENSIONS:		TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD	J. MOSIER		NAME
(mm [INCHES])				PRODUCT SPEC		HEADER ASSEMBLY, LATCHING, RIGHT ANGLE SURFACE MOUNT, MTE, AMPMODU	
		0 PLC ± — 1 PLC ± — 2 PLC ± 0.13 [.005] 3 ANGLES ± — FINISH SEE TABLE		APPLICATION SPEC			
MATERIAL				WEIGHT	—		RESTRICTED TO
				CUSTOMER DRAWING	A1 00779 C-147324		—
				SCALE		6:1	SHEET 2 OF 4
				REV		K	

8		7		6		5		4		3		2		1	
THIS DRAWING IS UNPUBLISHED.				RELEASED FOR PUBLICATION								REVISIONS			
© COPYRIGHT — By —				ALL RIGHTS RESERVED.								P LTR DESCRIPTION DATE DWN APVD			
												— — SEE SHEET 1 — — —			

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[6-147324-1](#)