



SEE DETAIL "A"
SECTION A-A



DETAIL "A"
CHAMFER
SCALE=6:1

IMPEDANCE (Z)			
Frequency	25 MHz	100 MHz	300 MHz
Nominal (REF)	207 Ω	377 Ω	508 Ω
Minimum	- Ω	340 Ω	- Ω

Z vs. FREQUENCY
(REF. ONLY)




AGILENT E4991A Impedance/Material Analyzer
HP 16092A-Test Fixture REF # 3453

**UNCONTROLLED
DOCUMENT**

FERRITE CORE DIMENSIONS (SPEC): mm [In]

A	15.00 [.591]	+ 0.30 [.012]
B	5.90 [.232]	+ 0.15 [.006]
C	35.00 [1.378]	+ 0.50 [.020]

WEIGHT/1000 25.75 kgs [56.77 Lbs]



DIMENSIONS ARE IN mm [INCHES].				This print is the property of Laird Tech. and is loaned in confidence subject to return upon request and with the understanding that no copies shall be made without the written consent of Laird Tech. All rights to design or invention are reserved.				
REV	DESCRIPTION	DATE	INT					
F	UPDATE B TOLERANCE	06/28/13	Jcai	PROJECT/PART NUMBER: 28B0591-200		REV	PART TYPE: FERRITE CORE	DRAWN BY: JRK
E	UPDATE Z SPEC	05/03/11	Jcai			SCALE: 2 : 1	MATERIAL: Ferrite	
D	UPDATE COMPANY LOGO AND C TOLS.	12/02/08	JRK	DATE: 03/03/04	CAD # 28B0591-200-F			
C	UPDATE Z SPECS. & COMPANY LOGO	06/04/07	JRK					
B	UPDATE MIN Z SPEC @100 MHZ	09/27/06	JRK					
A	ORIGINAL DRAFT	03/03/04	JRK					
REV	DESCRIPTION	DATE	INT					

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[Laird:](#)

[28B0591-200](#)