

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Part Number: 0762910170
Status: Active
Overview: EdgeLine High-Speed Connectors
Description: EdgeLine CoPlanar Connector, 6 Gbps, 0.75mm Pitch, 1.57mm PCB Thickness, 170 Circuits

Documents:
[3D Model](#)
[Drawing \(PDF\)](#)
[Product Specification PS-76291-001-001 \(PDF\)](#)
[Application Specification AS-76291-001-001 \(PDF\)](#)
[Application Specification AS-76291-002-001 \(PDF\)](#)
[Packaging Specification PK-76291-001 \(PDF\)](#)
[RoHS Certificate of Compliance \(PDF\)](#)

Application tooling part link	
Application Tooling Part Link	62100-7300
Application Tooling Part Link	62202-2802
Application Tooling Part Link	62202-2803
General	
Product Family	Edge Card Connectors
Series	76291
Component Type	Edgecard to PCB
Data Rate	5.0-12.0 Gbps
Edge Card Thickness	1.57mm
High Power Bay (30.0A or more)	No
Orientation	Coplanar
Overview	EdgeLine High-Speed Connectors
Product Name	EdgeLine
Standard Based	General
UPC	883906112752
Physical	
(p)ower-(s)ignal Configuration	170s - 0p
Circuit Size Range	65-200 Circuits
Circuits (Loaded)	170
Circuits (maximum)	170
Color - Resin	Black
Durability (mating cycles max)	200
Entry Angle	N/A
Keying to Mating Part	N/A
Material - Metal	Copper Alloy
Material - Plating Mating	Gold over Nickel
Material - Plating Termination	Tin
Material - Resin	High Temperature Thermoplastic
Net Weight	21.495/g
PCB Locator	No
PCB Thickness - Recommended	2.79mm
Packaging Type	Tray
Pitch - Mating Interface	0.75mm
Pitch - Termination Interface	0.75mm
Plating min - Mating	0.762µm
Plating min - Termination	0.762µm
Polarized to Mating Part	Yes
Temperature Range - Operating	-40° to +85°C
Termination Interface: Style	Through Hole - Compliant Pin
Electrical	
Current - Maximum per Contact	1.5A



Series image - Reference only

EU ELV
Not Relevant

EU RoHS
Compliant

China RoHS
REACH SVHC
Not Contained Per -
ED/71/2019 (16 July
2019)

Halogen-Free
Status
Low-Halogen

For more information, please visit [Contact US](#)

China ROHS Green Image
ELV Not Relevant
RoHS Phthalates Not Contained

Search Parts in this Series
76291 Series

Application Tooling FAQ <i>Tooling specifications and manuals are found by selecting the products below. Crimp Height Specifications are then contained in the Application Tooling Specification document.</i>	
Global	
Description	Product #
Removal Tool for 12.5 Gbps Coplanar	621007300
Press-In Tool for 12.5 Gbps Coplanar	622022802
Press-In Tool for 12.5 Gbps Coplanar	622022803

Voltage - Maximum	50V AC (RMS)/DC
Material Info	
Reference - Drawing Numbers	
Application Specification	AS-76291-001-001, AS-76291-002-001
Packaging Specification	PK-76291-001
Product Specification	PS-76291-001-001
S-Parameter Model	SP-76291-0002
Sales Drawing	SD-76291-001-001

This document was generated on 09/16/2019

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[Molex:](#)

[76291-0170](#)