






KEYING OPTIONS
SCALE 2:1

The image displays two technical drawings of a 24-pin D-sub connector, illustrating different keying options. The drawings are labeled 'KEYING OPTIONS' and 'SCALE 2:1'. The left drawing shows a standard keying configuration with a single key on the left side. The right drawing shows an alternative keying configuration with a single key on the right side. Both drawings include a scale of 2:1 and a keying option label 'X'.


OPTION "H"



OPTION "K"




OPTION "M"



SCALE 1:1

NOTE(S):

1. APPLICABLE TERMINAL PART NUMBERS (SOLD SEPARATELY):
FOR TIN APPLICATIONS: 1393367 AND 1393366.
FOR GOLD APPLICATIONS: 1393365 AND 1393364.
FOR TERMINATION AND REELING OPTIONS
SEE DRAWINGS 1393367, 1393366, 1393365, AND 1393364.
2. COMPATIBLE WIRE SIZES FOR MAT SEAL DESIGN 1.19 TO 2.06 O.D.
(22-18 AWG, 0.35-0.75 mm2)
3. TPA AND CAM LEVER ARE SHIPPED IN THEIR PRE-LOADED POSITION.
ALL ASSEMBLIES ARE TO BE TRAY PACKAGED.
4. CUSTOMER PART NUMBER AND TRACEABILITY CODE (YY = TWO DIGIT YEAR,
JJJ = JULIAN DAY, HH = TWO DIGIT MILITARY HOUR, A=ASSEMBLY PROCESS
USED) ARE PRINTED IN THIS LOCATION.
5. PART ASSEMBLY WEIGHT WITHOUT TERMINALS AND WITH STANDARD PIN-OUT
CONFIGURATION IS 26.09 GRAMS.
6. OPTIONAL WIRESHIELD P/N 8-1419157-8 (SOLD SEPARATELY). PLEASE CONTACT
YOUR TYCO ELECTRONICS SALES REPRESENTATIVE FOR AVAILABILITY AND PRICING.



THIS VIEW SHOWS THE
MODIFIED CAM LEVER
SCALE 2:1

THIS DRAWING IS A CONTROLLED DOCUMENT FOR TYCO ELECTRONICS CORPORATION 101.10 500-001. THIS DRAWING IS THE PROPERTY OF TYCO ELECTRONICS CORPORATION AND IS NOT TO BE REPRODUCED OR TRANSMITTED IN ANY FORM OR BY ANY MEANS WITHOUT THE WRITTEN PERMISSION OF TYCO ELECTRONICS CORPORATION SHOULD BE CONTACTED FOR THE LATEST REVISION.		DWN: 14NOV2006 A. HOLT		 Tyco Electronics Harrisburg, PA 17105-3608	
CHK: 14NOV2006 W. WELLSKY		NAME:		40 WAY SHORTING BAR ARM PLUG ASSEMBLY WITHOUT SHORTING BARS LOADED	
TOLERANCES UNLESS OTHERWISE SPECIFIED: mm		APVD: 14NOV2006 W. WELLSKY		PRODUCT SPEC - APPLICATION SPEC -	
		SIZE: CAGE CODE: DRAWING NO:		RESTRICTED TO:	
MATERIAL: FINISH:		WEIGHT: SEE NOTE 5		00779 C-1924170	
SEE CHART ON SHEET 2		CUSTOMER DRAWING		SCALE: 3:1 SHEET 1 OF 5 REV F	

[illegible]

DIMENSIONS: mm 		TOLERANCES UNLESS OTHERWISE SPECIFIED: 0.1 PL C ± .003 1 PL C ± .003 2 PL C ± .003 3 PL C ± .003 4 PL C ± .003 5 PL C ± .003 6 PL C ± .003 7 PL C ± .003 8 PL C ± .003 9 PL C ± .003 10 PL C ± .003 11 PL C ± .003 12 PL C ± .003 13 PL C ± .003 14 PL C ± .003 15 PL C ± .003 16 PL C ± .003 17 PL C ± .003 18 PL C ± .003 19 PL C ± .003 20 PL C ± .003 21 PL C ± .003 22 PL C ± .003 23 PL C ± .003 24 PL C ± .003 25 PL C ± .003 26 PL C ± .003 27 PL C ± .003 28 PL C ± .003 29 PL C ± .003 30 PL C ± .003 31 PL C ± .003 32 PL C ± .003 33 PL C ± .003 34 PL C ± .003 35 PL C ± .003 36 PL C ± .003 37 PL C ± .003 38 PL C ± .003 39 PL C ± .003 40 PL C ± .003	
MATERIAL: SEE CHART ON SHEET 2		FINISH: -	
WEIGHT: -		CUSTOMER DRAWING: -	

LOC	DIST	REVISIONS						
FX	00	P	LTR	DESCRIPTION	DATE	DWN	APVD	
		-	-	SEE SHEET 1	-	-	-	

PIN OUT CHART																																											
BLANK CAVITIES INDICATE OPEN TERMINAL HOLE POSITIONS																																											
CAVITIES WITH A NUMERIC SYMBOL INDICATE CLOSED TERMINAL HOLE POSITIONS																																											
TERMINAL HOLE POSITION																																								ASSEMBLY PART NUMBER		KEYING OPTION	
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40				
											11	12										21	22												35	36	37	38	39	40	0-1924170-1	G	
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18				21	22						27	28	29	30					35	36	37	38	39	40	0-1924170-2	G
			3	4	5	6	7	8	9	10	11	12	13	14	15	16																			35	36	37	38	39	40	0-1924170-3	G	
							7	8	9	10	11	12	13	14	15	16																			35	36	37	38	39	40	0-1924170-4	G	
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16						21	22						27	28	29	30					35	36	37	38	39	40	0-1924170-5	G
1	2	3	4	5	6	7	8	9	10	11	12	13	14												24									35	36						0-1924170-6	G	
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16										24					29	30				35	36						0-1924170-7	G
							7	8	9	10	11	12																							35	36	37	38	39	40	0-1924170-8	G	
			3	4	5	6	7	8	9	10	11	12																						35	36	37	38	39	40	0-1924170-9	G		
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16													27	28	29	30					35	36	37	38	39	40	1-1924170-0	G
							7	8	9	10	11	12						18																	35	36	37	38	39	40	1-1924170-1	G	
1	2	3	4				7	8	9	10	11	12	13	14	15	16					21	22						27	28	29	30					35	36	37	38	39	40	1-1924170-2	G
1	2						7	8	9	10	11	12									21	22												35	36	37	38	39	40	1-1924170-3	G		
			3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18				21	22											35	36	37	38	39	40	1-1924170-4	G		
1	2	3	4				7	8	9	10	11	12	13	14	15	16	17	18				21	22											35	36	37	38	39	40	1-1924170-5	G		
1	2						7	8	9	10	11	12					17	18				21	22										35	36	37	38	39	40	1-1924170-6	G			
1	2						7	8	9	10	11	12					17	18				21	22										35	36	37	38	39	40	1-1924170-7	G			
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18				21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	1-1924170-8	G	
			3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18																35	36	37	38	39	40	1-1924170-9	G		
							7	8	9	10	11	12																							35	36						2-1924170-0	G
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16					21	22		23	24	25	26	27	28	29	30								39	40			2-1924170-1	G
							7	8	9	10	11	12	13	14	15	16																						39	40			2-1924170-2	G
			3	4	5	6	7	8	9	10	11	12	13	14	15	16																						39	40			2-1924170-3	G
1	2						7	8	9	10	11	12					17	18			21	22	23	24	25	26								35	36	37	38	39	40	2-1924170-4	G		
1	2						7	8	9	10	11	12					17	18			21	22	23	24									35	36	37	38	39	40	2-1924170-5	G			
							7	8	9	10	11	12	13	14	15	16	17	18																	35	36	37	38	39	40	2-1924170-6	G	
							7	8	9	10	11	12	13	14	15	16	17	18								26								35	36	37	38	39	40	2-1924170-7	G		
							7	8	9	10	11	12	13	14	15	16	17	18																			39	40			2-1924170-8	G	
			3	4			7	8	9	10	11	12	13	14	15	16																					37	38	39	40	2-1924170-9	G	
											11	12																								37	38	39	40			3-1924170-0	G
1	2						7	8	9	10	11	12	13	14	15	16	17	18			21	22						27	28	29	30					35	36	37	38	39	40	3-1924170-1	G
1	2						7	8	9	10	11	12	13	14	15	16					21	22						27	28	29	30					35	36	37	38	39	40	3-1924170-2	G
1	2						7	8	9	10	11	12	13	14	15	16	17	18			21	22												35	36	37	38	39	40	3-1924170-3	G		
1	2						7	8	9	10	11	12									21	22						27	28	29	30					35	36	37	38	39	40	3-1924170-4	G
1	2						7	8	9	10	11	12	13	14	15	16					21	22												35	36	37	38	39	40	3-1924170-5	G		
1	2			5	6	7	8	9	10	11	12	13	14	15	16	17	18				21	22						27	28	29	30					35	36	37	38	39	40	3-1924170-6	G
1	2			5	6	7	8	9	10	11	12	13	14	15	16					21	22			24						29	30				35	36	37	38	39	40	3-1924170-7	G	
1	2						7	8	9	10	11	12									21	22		24										35	36	37	38	39	40	3-1924170-8	G		
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18			21	22	23	24				27	28	29	30	31	32	33	34	35	36	37	38	39	40	3-1924170-9	G	
											11	12							19	20				24												37	38	39	40			4-1924170-0	G
					5	6	7	8	9	10	11	12	13	14	15	16			19	20				24				27	28	29	30							37	38	39	40	4-1924170-1	G
1	2				5	6	7	8	9	10	11	12	13	14	15	16					21	22		24				27	28	29	30				35	36	37	38	39	40	4-1924170-2	G	
1	2	3	4	5	6	7	8				11	12	13	14	15	16			19	20	21	22	23	24				27	28	29	30	31	32			35	36	37	38	39	40	4-1924170-3	G
1	2	3	4	5	6						11	12	13	14	1																												

LOC	DIST	REVISIONS						
FX	00	P	LTR	DESCRIPTION	DATE	DWN	APVD	
		-	-	SEE SHEET 1	-	-	-	

PIN OUT CHART																																											
BLANK CAVITIES INDICATE OPEN TERMINAL HOLE POSITIONS																																											
CAVITIES WITH A NUMERIC SYMBOL INDICATE CLOSED TERMINAL HOLE POSITIONS																																											
TERMINAL HOLE POSITION																																							ASSEMBLY PART NUMBER	KEYING OPTION			
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39			40		
				5	6	7	8	9	10	11	12	13	14	15	16									24			27	28	29	30						35	36	37	37	39	40	6-1924170-6	G
			3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18					23	24		26									35	36	37	37	39	40	6-1924170-7	G	
			3	4	5	6	7	8	9	10	11	12	13	14	15	16								24			27	28	29	30						35	36	37	37	39	40	6-1924170-8	G
			3	4	5	6	7	8	9	10	11	12	13	14	15	16								24												35	36	37	37	39	40	6-1924170-9	G
1	2			5	6	7	8	9	10	11	12	13	14	15	16					21	22		24				27	28	29	30							37	38	39	40	7-1924170-0	G	
				5	6	7	8	9	10	11	12	13	14	15	16									24												35	36	37	38	39	40	7-1924170-1	G
1	2					7	8	9	10	11	12	13	14	15	16					21	22		24												35	36	37	38	39	40	7-1924170-2	G	
1	2					7	8	9	10	11	12	13	14	15	16					21	22		24				27	28	29	30					35	36	37	38	39	40	7-1924170-3	G	
											11	12												24																	7-1924170-4	G	
1	2										11	12	13	14	15	16								24																	7-1924170-5	G	
											11	12																				32					37	38	39	40	7-1924170-6	G	
											11	12												24																	7-1924170-7	G	
											11	12																						33	34						7-1924170-8	G	
						7	8	9	10	11	12																														7-1924170-9	G	
						7	8	9	10	11	12																														8-1924170-0	G	
						7	8	9	10	11	12																										37	38	39	40	8-1924170-1	G	
							9	10	11	12							17	18	19	20	21	22		24		26								33	34	35	36	37	38	39	40	8-1924170-2	G
				5	6	7	8	9	10	11	12	13	14	15	16																						37	38			8-1924170-3	G	
			3	4	5	6	7	8	9	10	11	12	13	14	15	16				19	20															37	38	39	40	8-1924170-4	G		
						7	8	9	10	11	12	13	14	15	16				19	20																37	38	39	40	8-1924170-5	G		
1	2					7	8	9	10	11	12		14	15		17	18			21	22			25	26	27	28	29	30	31	32	33	34	35	36	37	38			8-1924170-6	G		
1	2					7	8	9	10			13	14	15	16					21	22		24												35	36	37	38	39	40	8-1924170-7	G	
1	2					7	8	9	10			13	14	15	16					21	22		24				27	28	29	30					35	36	37	38	39	40	8-1924170-8	G	
1	2	3	4			7	8	9	10	11	12		14	15		17	18			21	22		24		25	26	27	28	29	30	31	32	33	34	35	36	37	38			8-1924170-9	G	
1	2	3	4			7	8	9	10	11	12		14	15		17	18			21	22	23	24	25	26	27	28	29	30	31	32			35	36	37	38			9-1924170-0	G		
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16					21	22		24			27	28	29	30					35	36	37	38			9-1924170-1	G		
		3	4	5	6					11	12													24											35	36	37	38	39	40	9-1924170-2	G	
						7	8	9	10	11	12													24												35	36	37	38			9-1924170-3	G
										11	12													24												35	36	37	38	39	40	9-1924170-4	G
		3	4	5	6					11	12									19	20																	39	40	9-1924170-5	G		
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16				19	20	21	22	23	24		26	27	28	29	30					35	36	37	38	39	40	9-1924170-6	G	
						7	8	9	10	11	12	13	14	15	16					19	20			24													37	38	39	40	9-1924170-7	G	
		3	4	5	6	7	8	9	10	11	12	13	14	15	16					19	20			24												37	38	39	40	9-1924170-8	G		
		3	4	5	6	7	8	9	10	11	12	13	14	15	16					19	20			24												37	38	39	40	9-1924170-9	G		
						7	8	9	10	11	12	13	14	15	16					19	20			24												37	38	39	40	0-1924171-1	G		
										11	12									19	20																			0-1924171-2	G		
		3	4	5	6	7	8	9	10	11	12									19	20			24													39	40	0-1924171-3	G			
						7	8	9	10	11	12																													0-1924171-4	G		
										11	12																													0-1924171-5	G		
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16					21	22		24												35	36	37	38	39	40	0-1924171-6	G	
						7	8	9	10	11	12												24													35	36					0-1924171-7	G
										11	12	13	14	15	16								24																		0-1924171-8	G	
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16				19	20	21	22	23	24		26	27	28	29	30					35	36	37	38		40	0-1924171-9	G	
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16				19	20	21			24		26	27	28	29	30					35	36	37	38	39	40	1-1924171-0	G	

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[3-1924170-9](#)