




LOC		DIST		REVISIONS					
FX		00		P	LTR	DESCRIPTION	DATE	OWN	APVD
					S10	REVISED PER ECO-09-009758	23APR2009	DLD	DCM
					S11	REVISED PER ECO-09-028550	29DEC2009	DLD	DCM




KEYING OPTION "A"
1438082-1



SHOWN WITH CAM LEVER AND SPACER
IN LOADED POSITION WITH
OPTIONAL WIRESHIELD




KEYING OPTION "B"
1438082-2




- MATERIAL:
- HARNESS - 35% GLASS FILLED PA66, BLACK
 - ALT MAT'L: HARNESS - 30% GLASS FILLED sPS, BLACK
 - SPACER - 40% GLASS FILLED PPS+PA66, RED
 - ALT MAT'L: 30% GLASS FILLED sPS, RED
 - ALT MAT'L: 35% GLASS FILLED PA66, RED
 - COVER - 35% GLASS FILLED PA66, BLACK
 - ALT MAT'L: COVER - 30% GLASS FILLED LCP, BLACK
 - CAM LEVER - 35% GLASS FILLED NYLON, GRAY
 - GROMMET - SILICONE, BROWN
 - PERIMETER SEAL - SILICONE, GREEN

2. CAM LEVER AND SPACER ARE SHIPPED IN PRE-LATCH POSITION.
- SEE PINOUT CHART ON SHEETS 2, 3 AND 4 FOR CLOSED CIRCUIT CONFIGURATIONS.
- CAVITIES WITH A NUMERIC SYMBOL INDICATES CLOSED TERMINAL LOCATIONS.
BLANK CAVITIES INDICATE OPEN TERMINAL HOLE LOCATIONS.



SCALE 1:1



SECTION B-B

SEE PINOUT CHARTS

PART NUMBER

TYCO ELECTRONICS CORPORATION 1111 BROADVIEW AVENUE HARRISBURG, PA 17105-3608		DWN R. VESTAL 01AUG2003		Tyco Electronics Harrisburg, PA 17105-3608	
CHK D. STRAUSSER 01AUG2003		APVD D. STRAUSSER 01AUG2003		NAME 46 WAY PCM CONNECTOR HARNESS ASSEMBLY	
DIMENSIONS: mm		TOLERANCES UNLESS OTHERWISE SPECIFIED:		PRODUCT SPEC	
9 PLC		±.3		APPLICATION SPEC	
1 PLC		±0.10		WEIGHT	
2 PLC		±.10		CUSTOMER DRAWING	
3 PLC		±.10		SCALE 4:1	
4 PLC		±.10		SHEET 1 OF 5	
ANGLES		±.10		REV S11	
MATERIAL SEE TABLE		FINISH SEE TABLE		SIZE A1 00779 C=1438082	

LOC	DIST	REVISIONS					
FX	00	P	LTR	DESCRIPTION	DATE	DWN	APVD
		-		SEE SHEET 1	-	-	-

44									35		32							22							12		9	7	6				1	6-1438735-7	2LIT-14A464-SD-086																	
44									35		32														12		9	7	6				1	6-1438735-3	2LIT-14A464-SD-085																	
									35																										6-1438735-2	2LIT-14A464-SD-084																
			43	42		40	39		37					29					20		18			15	14		11	10	9	8	7		4	3	1	6-1438735-1	2LIT-14A464-SD-083															
45		43							38		36							25	24					18	17	16		14	12			7	6		2	1	5-1438735-0	2LIT-14A464-SD-082														
45		43							38		36							25	24							16		14	12			7	6		2	1	4-1438735-9	2LIT-14A464-SD-081														
45		43							38		36			32	31			25	24		21	19	18	17	16		14	12			7	6			1	4-1438735-8	2LIT-14A464-SD-080															
45		43							39	38	37	36			31			25	24					18	17	16		14	13	12		9	7	6		2	1	4-1438735-7	2LIT-14A464-SD-079													
				42																	20	18				13	11	10							2	1	3-1438735-8	2LIT-14A464-SD-078														
				42																	20	18				13	11	10								1	3-1438735-7	2LIT-14A464-SD-077														
45		43							39	38	37	36			31			25	24		21	20	19	18	17		14	13	12		9				2	1	3-1438735-6	2LIT-14A464-SD-076														
45		43												31			25	24		21	20	19	18	17		14	12							2	1	3-1438735-5	2LIT-14A464-SD-075															
			43	42				40	39		37					29						20	18			15	14		11	10	9	8	7		4	3	2	1	3-1438735-3	2LIT-14A464-SD-074												
45		43							39	38	37	36			31			25	24			20	19	18	17		14	13	12		9				2	1	3-1438735-2	2LIT-14A464-SD-073														
45		43												31			25	24		21	20	19	18	17	16		14	12			7				2	1	3-1438735-1	2LIT-14A464-SD-072														
45		43							39	38	37	36			31			25	24		21	20	19	18	17	16		14	13	12		9	7			2	1	3-1438735-0	2LIT-14A464-SD-071													
45		43												31			25	24		21	20	19			16		14	12			7				2	1	2-1438735-9	2LIT-14A464-SD-070														
45		43							39	38	37	36			31			25	24		21	20	19			16		14	13	12		9	7			2	1	2-1438735-8	2LIT-14A464-SD-069													
45		43												31			25	24			20	19	18	17		14	12							2	1	2-1438735-6	2LIT-14A464-SD-068															
											33																13							6	5			2-1438735-5	2LIT-14A464-SD-067													
45	44	43	42					40		38	37	36		33	31			24		22	21	20		18	17	16	15				9	8			2	2-1438735-4	2LIT-14A464-SD-066															
			43												31		29							18							8				2	2-1438735-1	2LIT-14A464-SD-065															
45		43								38		36	35		31			25	24		21				16		14	12			7	6			2	1	2-1438735-0	2LIT-14A464-SD-064														
45		43							39	38	37	36	35		31			25	24					18	17	16		14	13	12		9	7	6			2	1	1-1438735-9	2LIT-14A464-SD-063												
45		43								38		36	35		32	31			25	24		21	19	18	17	16		14	12			7	6			1	1-1438735-8	2LIT-14A464-SD-062														
45		43								38		36	35		31			25	24						16		14	12			7	6			2	1	1-1438735-7	2LIT-14A464-SD-061														
45		43								38		36	35		31			25	24		21	19			16		14	12			7	6			2	1	1-1438735-6	2LIT-14A464-SD-060														
45		43								38		36	35		31			25	24					18	17	16		14	12			7	6			2	1	1-1438735-5	2LIT-14A464-SD-059													
45		43							39	38	37	36	35		31			25	24		21	19	18	17	16		14	13	12		9	7	6			2	1	1-1438735-4	2LIT-14A464-SD-058													
45		43								38		36	35		31			25	24		21	19	18	17	16		14	12			7	6			2	1	1-1438735-3	2LIT-14A464-SD-057														
				42										37							20	18			15	14		11	10	9	8	7		4	3	2	1	1-1438735-2	2LIT-14A464-SD-056													
45		43												36	35		31			24		21	19		16		14	12			7	6			1	1-1438735-1	2LIT-14A464-SD-055															
											35							27																	3		1-1438735-0	2LIT-14A464-SD-054														
			43											31		29								18						9	8				2		1438735-9	2LIT-14A464-SD-053														
											35							27												7						1438735-8	2LIT-14A464-SD-052															
46	45	44	43	42	41	40	39	38	37	36	35	34	33	32	31	30	29	28	27	26	25	24	23	22	21	20	19	18	17	16	15	14	13	12	11	10	9	8	7	6	5	4	3	2	1		PART NUMBER	FORD PART NUMBER				
TERMINAL HOLE POSITION																																																				
PIN-OUT CHART KEYING OPTION "A" 																																																				

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION 20		DWN R. VESTAL 01AUG2003		Tyco Electronics Harrisburg, PA 17105-3608	
CHK D. STRAUSSER 01AUG2003		NAME		46 WAY PCM CONNECTOR HARNESS ASSEMBLY	
APVD D. STRAUSSER 01AUG2003		PRODUCT SPEC		SIZE CAGE CODE DRAWING NO RESTRICTED TO	
APPLICATION SPEC		WEIGHT		A 00779 C=1438082	
CUSTOMER DRAWING		SCALE 4:1		SHEET 3 OF 5	

DIMENSIONS:

mm

MATERIAL

-

TOLERANCES UNLESS OTHERWISE SPECIFIED:

9 PLC ±.3

1 PLC ±0.10

5 PLC ±

4 PLC ±

ANGLES ±°

FINISH

-

C

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[6-1438735-3](#)