






LOC	DIST	REVISIONS					
		P	LTR	DESCRIPTION	DATE	DWN	APVD
GP	00		G	REV PER ECO-15-000526	19JAN2015	LAW	CZ



- 1 OPTIONAL CENTER MODULE, WITH Ø.150 THRU HOLE OR HOLD DOWN FEATURE.
- 2 "AMP", PART NUMBER, AND DATE CODE TO BE MARKED IN AREA SHOWN.
- 3 MATERIAL: HOUSING - GLASS FILLED HIGH TEMP THERMO PLASTIC, BLACK, UL94 V-0
SIGNAL CONTACT - HIGH CONDUCTIVITY COPPER ALLOY
POWER CONTACT - HIGH CONDUCTIVITY COPPER ALLOY
- 4 CONTACT PLATING: NOBLE PLATING ON CONTACT FUNCTIONAL AREA OF POWER AND SIGNAL CONTACTS
- 5 MECHANICAL CONNECTOR KEEP OUT ZONE.
- 6 DATUM AND BASIC DIMENSIONS ESTABLISHED BY CUSTOMER.
- 7 PCB- ALL HOLE DIAMETERS ARE FINISHED DIMENSIONS.
- 8 PCB- Ø.0453 +/- .0010 DRILLED HOLES PLATED WITH .0003 MIN Sn OVER .001-.003 CU PLATING TO ACHIEVE A Ø.040±.003 HOLE.



THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN R.GRZYBOWSKI 21FEB05	 TE Connectivity			
		CHK M.PERCHERKE 21FEB05				
DIMENSIONS:		APVD M.PERCHERKE 21FEB05	NAME RIGHT ANGLE RECEPTACLE ASSEMBLY WITH GUIDES MULTI-BEAM XL			
INCHES		PRODUCT SPEC				
	0 PLC	±"	SIZE A1	CAGE CODE 6450160	RESTRICTED TO -	
	1 PLC	±.01				
	2 PLC	±.01				
	3 PLC	±.005				
	4 PLC	±.002	DRAWING NO. 114-13038	REV G1		
	ANGLES	#2°				
MATERIAL		FINISH	Customer Drawing		SCALE 3:1	
3		4	SHEET 1 OF 16			


LOC	DIST	REVISIONS					
GP	00	P	LTR	DESCRIPTION	DATE	DWN	APVD
		-		SEE SHEET 1	-	-	-

.700	-	-	-	.375	.750	-	1.050	-	16S	4-6450160-9
2.700	-	.200	2.600	1.425	2.750	-	3.050	.450	5P + 44S + 1P	4-6450160-8
4.000	-	-	-	.375	4.050	-	4.350	-	148S	4-6450160-6
2.000	.250	.250	1.650	.925	2.050	-	2.350	.450	2P + 24S + 2P	4-6450160-5
2.800	-	-	-	0.375	2.850	-	3.150	-	100S	4-6450160-4
1.100	-	-	1.000	.625	1.150	-	1.450	.450	1P + 12S + 1P	4-6450160-1
2.400	.250	.250	1.550	.875	2.450	-	2.750	.450	2P + 24S + 4P	4-6450160-0
4.700	.250	.250	2.850	2.375	4.750	-	5.050	.450	8P + 16S + 8P	3-6450160-9
5.400	.300	.300	2.875	2.175	5.450	-	5.750	.475	6P + 24S + 9P	3-6450160-8
2.900	.250	.250	2.050	1.375	2.950	-	3.250	.450	4P + 24S + 4P	3-6450160-7
3.900	.250	.250	2.550	1.875	3.950	-	4.250	.450	6P + 24S + 6P	3-6450160-6
3.800	.250	.250	3.450	.875	3.850	-	4.150	.450	2P + 100S + 2P	3-6450160-4
3.700	.300	.200	2.700	2.025	3.750	-	4.050	.450	8P+24S+4ACP	3-6450160-3
2.800	.300	.250	2.075	1.375	2.850	-	3.150	.450	4P + 24S + 3ACP	3-6450160-2
1.700	.250	.250	1.350	.875	1.750	-	2.050	.450	2P + 16S + 2P	3-6450160-1
4.375	.300	.250	3.375	2.375	3.450	2.950	4.725	.450	8P+24S+1M+4ACP	3-6450160-0
4.100	.250	.300	2.250	1.575	4.150	-	4.450	.475	4ACP + 24S + 8P	2-6450160-9
2.000	.250	.300	1.650	1.325	2.050	-	2.350	.475	3ACP + 8S + 2P	2-6450160-7
2.600	.200	.200	1.900	1.225	2.650	-	2.950	.450	4HDP + 24S + 4HDP	2-6450160-6
2.000	.250	.250	1.650	.925	2.050	-	2.350	.450	2P + 24S + 2P	2-6450160-5
4.000	.250	.250	2.650	1.675	4.050	2.225	4.350	.450	5P + 24S + 1M + 6P	2-6450160-0
3.300	.250	.250	2.450	1.875	3.350	-	3.650	.450	6P + 20S + 4P	1-6450160-9
4.675	.300	.250	3.950	3.375	4.725	-	5.025	.450	12P + 20S + 3ACP	1-6450160-8
3.250	.250	.250	2.900	1.125	3.300	-	3.600	.450	3P + 68S + 2P	1-6450160-3
.900	-	-	-	.375	.950	-	1.250	-	0P + 24S + 0P	1-6450160-2
1.900	-	-	.975	.625	1.950	-	2.250	.450	1P + 12S + 5P	1-6450160-1
1.900	.250	.250	1.550	.875	1.950	-	2.250	.450	2P + 24S + 2P	1-6450160-0
3.300	.250	.250	2.450	1.875	3.350	-	3.650	.450	6P + 20S + 4P	6450160-9
2.400	.250	.250	1.800	1.125	2.450	-	2.750	.450	3P + 24S + 3P	6450160-8
3.050	.250	.300	1.950	1.275	3.100	-	3.400	.475	3ACP + 24S + 5P	6450160-7
7.400	.250	.250	5.050	2.875	7.450	-	7.750	.450	10P + 84S + 10P	6450160-6
4.000	.250	.250	2.650	1.675	4.050	2.225	4.350	.450	5P + 24S + 1M + 6P	6450160-5
4.000	.250	.250	2.650	1.675	4.050	2.225	4.350	.450	5P + 24S + 1M + 6P	6450160-4
1.575	-	-	1.425	.700	1.625	-	1.925	.475	1P + 24S + 1P	6450160-3
1.575	-	-	1.425	.700	1.625	-	1.925	.475	1P + 24S + 1P	6450160-2
5.100	.250	.250	3.250	2.375	5.150	-	5.450	.450	8P + 32S + 8P	6450160-1
U	T	S	R	W	D	M	L	K	DESCRIPTION	PART NUMBER

(E6) PART IS IN SHEET 15

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:
INCHES



MATERIAL

TOLERANCES UNLESS OTHERWISE SPECIFIED:

0 PLC ±.01
1 PLC ±.01
2 PLC ±.01
3 PLC ±.005
4 PLC ±.002
ANGLES ±.2°
FINISH

DWN R. GRZYBOWSKI 21FEB05
CHK M. PERCHERKE 21FEB05
APVD M. PERCHERKE 21FEB05

PRODUCT SPEC 108-1973
APPLICATION SPEC 114-13038
WEIGHT -

Customer Drawing

NAME RIGHT ANGLE RECEPTACLE ASSEMBLY WITH GUIDES MULTI-BEAM XL


SIZE 100779
CAGE CODE 6450160
DRAWING NO 6450160

RESTRICTED TO -

SCALE 3:1
SHEET 2 OF 16
REV G1


LOC	DIST	REVISIONS					
		P	LTR	DESCRIPTION	DATE	DWN	APVD
GP	00	-	-	SEE SHEET 1	-	-	-

PART NUMBER	ROWS		POWER								SIGNAL								POWER														
			P16	P15	P14	P13	P12	P11	P10	P9	8	7	6	5	4	3	2	1	P8	P7	P6	P5	P4	P3	P2	P1							
6450160-1	D C B A		RA	RA	RA	RA	RA	RA	RA	H	G	H	G	H	G	H	G	H	G	H	G	H	G	H	G	RA	RA	RA	RA	RA	RA	RA	RA
9P + 36S + 8P																															HD		




PART NUMBER	ROWS		POWER						MI	SIGNAL								POWER						
			P11	P10	P9	P8	P7	P6		6	5	4	3	2	1	P5	P4	P3	P2	P1				
6450160-4	D C B A		RB	RB	RB	RB	RB	HD	L	K	J	I	H	G	F	E	H	G	F	E	H	G	F	E
5P + 24S + 1M + 6P			HD																			HD		

PART NUMBER	ROWS		POWER						MI	SIGNAL								POWER										
			P11	P10	P9	P8	P7	P6		6	5	4	3	2	1	P5	P4	P3	P2	P1								
6450160-5	D C B A		RA	RA	RA	RA	RA	HD	H	G	G	H	G	H	G	F	F	F	F	F	F	G	RA	RA	RA	RA	RA	HD
5P + 24S + 1M + 6P																												



PART NUMBER	ROWS			POWER		SIGNAL								POWER			
		P2		6	5	4	3	2	1	P1							
6450160-2	D C B A			RB	L	L	L	L	L	L	L	L	L	L	RB		
					K	K	K	K	K	K	K	K	K	K			
					J	J	J	J	J	J	J	J	J	J			
					I	I	I	I	I	I	I	I	I	I			
IP + 24S + IP																HD	

PART NUMBER	ROWS		POWER		SIGNAL								POWER																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
			P2		6	5	4	3	2	1	P1																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
6450160-3	D C B A			RA	H	H	H	H	G	G	G	G	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F



RN	TAIL LENGTH	DESCRIPTION
RM	.135	STD
RA	.135	MFBL
RB	.090	MFBL
CODE	TAIL LENGTH	DESCRIPTION
POWER CONTACT		

L	.090	D
K	.090	C
J	.090	B
I	.090	A
H	.135	D
G	.135	C
F	.135	B
E	.135	A
CODE	TAIL LENGTH	ROW
SIGNAL CONTACT		

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:
INCHES

MATERIAL

TOLERANCES UNLESS OTHERWISE SPECIFIED:
0 PLC ±.01
1 PLC ±.01
2 PLC ±.01
3 PLC ±.005
4 PLC ±.002
ANGLES ±2°
FINISH

PRODUCT SPEC
108-1973
APPLICATION SPEC
114-13038
WEIGHT
Customer Drawing

DWN R.GRZYBOWSKI 21FEB05
CHK M.PERCHEKKE 21FEB05
APVD M.PERCHEKKE 21FEB05

NAME
RIGHT ANGLE RECEPTACLE ASSEMBLY WITH GUIDES MULTI-BEAM XL

SIZE
A100779

CAGE CODE
C=6450160

DRAWING NO
3

REV
G1

STE


TE Connectivity

SCALE 4:1


SHEET 3 OF 16


REV G1

PART NUMBER	ROWS		POWER					SIGNAL							POWER			
			P8	P7	P6	P5	P4	G6	5	4	3	2	1	P3	P2	P1		
6450160-7	D C B A		RA	RA	RA	RA	RA	H	H	H	H	H	RA	RA	RA			
								G	G	G	G	G					G	G
								F	F	F	F	F						
								E	E	E	E	E						
3ACP + 24S + 5P																		




PART NUMBER	ROWS		POWER				SIGNAL				POWER									
			P10	P9	P8	P7	5	4	3	2	1	P6	P5	P4	P3	P2		P1		
6450160-9	D C B A		RA	RA	RA	RA	G	H	H	H	H	G	RA	RA	RA	RA	RA	RA		
6P + 20S + 4P																				


4805 (3/11)




PART NUMBER	ROWS		POWER				SIGNAL					POWER					
			P10	P9	P8	P7	5	4	3	2	I	P6	P5	P4	P3	P2	
1-6450160-9	D C B A		RA	RA	RA	H	H	G	G	H	H	RA	RA	RA	RA	RA	
			F	F	F	F	F	F	F	F	F	F					
6P + 20S + 4P																	



4805 (3/11)

PART NUMBER	ROWS				POWER							SIGNAL		POWER		
					P4	P3	6	5	4	3	2	1	P2	P1		
2-6450160-5	D C B A		RN	RN	L	L	L	L	L	L	L	RN	RN			
					K	K	K	K	K	K	K					
					J	J	J	J	J	J	J					
		HD			I	I	I	I	I	I				HD		
2P + 24S + 2P																


[illegible]

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWA R. GRZYBOWSKI		21FE0B05		 TE Connectivity	
		CMP M. PERCHERKE		21FE0B05			
DIMENSIONS: INCHES		TOLERANCES, UNLESS OTHERWISE SPECIFIED:		NAME		RIGHT ANGLE RECEPTACLE ASSEMBLY	
		0 PLC ±.1		PRODUCT SPEC		MULTI GUIDES	
		2 PLC ±.01		108-1973		MULTI-BEAM XL	
		2 PLC ±.005		APPLICATION SPEC			
		4 PLC ±.002		114-13038			
ANGLES FINISH				SIZE		CASE CODE	
				DRAWING NO		RESTRICTED TO	
				A1		-	
				100779		-	
				C=6450160			
				Customer Drawing		SCALE 4:1	
						SHEET 6 OF 16	
						REV G	


PART NUMBER	ROWS		POWER		SIGNAL				POWER		
			P4	P3	4	3	2	1	P2	P1	
3-6450160-1	D C B A										
2P + 16S + 2P											

[illegible]4805 (3/11)

PART NUMBER	ROWS		POWER		SIGNAL																				POWER									
			P4	P3	25	24	23	22	21	20	19	18	17	16	15	14	13	12	11	10	9	8	7	6	5	4		3	2	1	P2	P1		
3-6450160-4	D C B A		RM	RM	H	H	H	H	H	H	H	H	H	H	H	H	H	H	H	H	H	H	H	H	H	H	H	H	H	RM	RM			
					G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G				G	
					F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F				F	F
					E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E				E	E
2P + 100S + 2P																																		


4805 (3/11)

PART NUMBER	ROWS		POWER				SIGNAL					POWER					
			P8	P7	P6	P5	6	5	4	3	2	1	P4	P3	P2		P1
3-6450160-7	D C B A	 HD				H	H	H	H	H	H						
						G	G	G	G	G	G						
						F	F	F	F	F	F						
						E	E	E	E	E	E						
4P + 24S + 4P			 HD														

4805 (3/11)

LOC	DIST	REVISIONS					
GP	00	P	LTR	DESCRIPTION	DATE	DWN	APVD
			-	SEE SHEET 1	-	-	-

PART NUMBER	ROWS		AC POWER			SIGNAL					POWER														
			P15	P14	P13	5	4	3	2	1	P12	P11	P10	P9	P8	P7	P6	P5	P4	P3	P2	P1			
1-6450160-8	D C B A				H	H	H	H	H																
					G	G	G	G	G																
					F	F	F	F	F																
					E	E	E	E	E																
12P + 20S + 3ACP																									



THIS DRAWING IS A CONTROLLED DOCUMENT.

DWN

R.GRZYBOWSKI

21FEB05

CHK

M.PERCHERKE

21FEB05

APVD

M.PERCHERKE

21FEB05

DIMENSIONS:

INCHES

TOLERANCES UNLESS OTHERWISE SPECIFIED:

0 PLC ±.01

1 PLC ±.01

2 PLC ±.01

3 PLC ±.005

4 PLC ±.002

ANGLES #2°

FINISH

MATERIAL

NAME

RIGHT ANGLE RECEPTACLE ASSEMBLY WITH GUIDES MULTI-BEAM XL

SIZE

A1

CAGE CODE

100779

DRAWING NO

C=6450160

RESTRICTED TO

-

Customer Drawing

SCALE 3:1


SHEET 10 OF 16

REV G1

TE Connectivity

4805 (3/11)



D5


4805 (3/11)


LOC		DIST		REVISONS				
GP		00		P	LTR	DESCRIPTION		DATE
						SEE SHEET 1		

PART NUMBER	ROWS		POWER				SIGNAL						POWER		
			P6	P5	P4	P3	6	5	4	3	2	1	P2	P1	
4-6450160-0	D		RM	RM	RM	RM	H	H	H	H	H	H	RM	RM	
	C						G	G	G	G	G	G			
	B						F	F	F	F	F	F			
	A	HD					E	E	E	E	E	E			
2P + 24S + 4P															

PART NUMBER	ROWS		POWER		SIGNAL			POWER		
			P2	3	2	1	P1			
4-6450160-1	D			H	H	H				
	G			G	G					
	F			F	F					
	A									
1P + 12S + 1P										






[illegible]

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN R. GRZYBOWSKI 21FE805		 TE Connectivity	
DIMENSIONS:		CHG M. PERCHERRE 21FE805			
INCHES		APVD M. PERCHERRE 21FE805		NAME	
		PRODUCT SPEC		RIGHT ANGLE RECEPTACLE ASSEMBLY WITH GUIDES MULTI-BEAM XL	
		108-1973			
		APPLICATION SPEC			
		114-13038			
TOLERANCES UNLESS OTHERWISE SPECIFIED:				SIZE	
0 PLC ±. 1 PLC ±. 2 PLC ±.01 3 PLC ±.005 4 PLC ±.002 ALL ANGLES ±°		WEIGHT		DRAWING NO	
FINISH		-		A100779G6450160	
MATERIAL		Customer Drawing		RESTRICTED TO	
				-	
				SCALE 3:1 SHEET 14 OF 16 REV G1	


LOC	DIST	REVISIONS					
GP	00	P	LTR	DESCRIPTION	DATE	DWN	APVD
		-	-	SEE SHEET 1	-	-	-

PART NUMBER	ROWS		POWER		SIGNAL		POWER			
			P5	P4	2	1	P3	P2	P1	
2-6450160-7	D		RM	RM	H	H	RM	RM	RM	
	C				G	G				
	B				F	F				
	A				E	E				
3ACP + 8S + 2P		HD								HD

PART NUMBER	ROWS		SIGNAL																																				
			37	36	35	34	33	32	31	30	29	28	27	26	25	24	23	22	21	20	19	18	17	16	15	14	13	12	11	10	9	8	7	6	5	4	3	2	
4-6450160-6	D		H	H	H	H	H	H	H	H	H	H	H	H	H	H	H	H	H	H	H	H	H	H	H	H	H	H	H	H	H	H	H	H	H	H	H	H	H
	C		G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G
	B		F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F
	A		HD	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E
148S																																							HD



PART NUMBER	ROWS		SIGNAL				
			4	3	2	1	
4-6450160-9	D		H	H	H	H	
	C		G	G	G	G	
	B		F	F	F	F	
	A		E	E	E	E	
16S		HD					HD

4805 (3/11)

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[6450160-6](#)