

10	9	8	7	6	5	4	3	2	1																																																																																																																																																																																																																																																																																																																																																																																																																			
<table><tr><td>NO. OF CIRCUITS "XX"</td><td colspan="2">DIM. "A"</td><td colspan="2">DIM. "B"</td><td colspan="2">DIM. "C"</td><td>MATERIAL NO. (STD)</td><td>MATERIAL NO. (-45 OPT)</td><td>MATERIAL NO. (-49 OPT)</td><td>MATERIAL NO. (-50 OPT)</td><td>MATERIAL NO. (-10A IMP OPT)</td><td>MATERIAL NO. (-49 -50 OPT)</td></tr><tr><td></td><td>MM</td><td>IN</td><td>MM</td><td>IN</td><td>MM</td><td>IN</td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>02</td><td>41.3</td><td>[1.62]</td><td>11.11</td><td>[.438]</td><td>32.83</td><td>[1.293]</td><td>387800102</td><td></td><td>387800202</td><td>387800302</td><td>387800502</td><td>387890401</td></tr><tr><td>03</td><td>52.4</td><td>[2.06]</td><td>22.23</td><td>[.875]</td><td>43.94</td><td>[1.730]</td><td>387800103</td><td>387890206</td><td>387800203</td><td>387800303</td><td>387800503</td><td></td></tr><tr><td>04</td><td>63.5</td><td>[2.50]</td><td>33.34</td><td>[1.313]</td><td>55.05</td><td>[2.168]</td><td>387800104</td><td>387890207</td><td>387800204</td><td>387800304</td><td>387800504</td><td>387890402</td></tr><tr><td>05</td><td>74.6</td><td>[2.94]</td><td>44.45</td><td>[1.750]</td><td>66.17</td><td>[2.605]</td><td>387800105</td><td></td><td>387800205</td><td>387800305</td><td>387800505</td><td></td></tr><tr><td>06</td><td>85.7</td><td>[3.37]</td><td>55.56</td><td>[2.188]</td><td>77.28</td><td>[3.043]</td><td>387800106</td><td>387890209</td><td>387800206</td><td>387800306</td><td>387800506</td><td></td></tr><tr><td>07</td><td>96.8</td><td>[3.81]</td><td>66.68</td><td>[2.625]</td><td>88.39</td><td>[3.480]</td><td>387800107</td><td></td><td>387800207</td><td>387800307</td><td>387800507</td><td></td></tr><tr><td>08</td><td>107.9</td><td>[4.25]</td><td>77.79</td><td>[3.063]</td><td>99.50</td><td>[3.918]</td><td>387800108</td><td>387890211</td><td>387800208</td><td>387800308</td><td>387800508</td><td>387890403</td></tr><tr><td>09</td><td>119.0</td><td>[4.69]</td><td>88.90</td><td>[3.500]</td><td>110.62</td><td>[4.355]</td><td>387800109</td><td></td><td>387800209</td><td>387800309</td><td>387800509</td><td></td></tr><tr><td>10</td><td>130.2</td><td>[5.12]</td><td>100.01</td><td>[3.938]</td><td>121.73</td><td>[4.793]</td><td>387800110</td><td></td><td>387800210</td><td>387800310</td><td>387800510</td><td></td></tr><tr><td>11</td><td>141.3</td><td>[5.56]</td><td>111.13</td><td>[4.375]</td><td>132.84</td><td>[5.230]</td><td>387800111</td><td></td><td>387800211</td><td>387800311</td><td>387800511</td><td></td></tr><tr><td>12</td><td>152.4</td><td>[6.00]</td><td>122.24</td><td>[4.813]</td><td>143.95</td><td>[5.668]</td><td>387800112</td><td></td><td>387800212</td><td>387800312</td><td>387800512</td><td>387890404</td></tr><tr><td>13</td><td>163.5</td><td>[6.44]</td><td>133.35</td><td>[5.250]</td><td>155.07</td><td>[6.105]</td><td>387800113</td><td></td><td>387800213</td><td>387800313</td><td>387800513</td><td></td></tr><tr><td>14</td><td>174.6</td><td>[6.87]</td><td>144.46</td><td>[5.688]</td><td>166.18</td><td>[6.543]</td><td>387800114</td><td></td><td>387800214</td><td>387800314</td><td>387800514</td><td></td></tr><tr><td>15</td><td>185.7</td><td>[7.31]</td><td>155.58</td><td>[6.125]</td><td>177.29</td><td>[6.980]</td><td>387800115</td><td></td><td>387800215</td><td>387800315</td><td>387800515</td><td></td></tr><tr><td>16</td><td>196.8</td><td>[7.75]</td><td>166.69</td><td>[6.563]</td><td>188.40</td><td>[7.418]</td><td>387800116</td><td>387890212</td><td>387800216</td><td>387800316</td><td>387800516</td><td></td></tr><tr><td>17</td><td>207.9</td><td>[8.19]</td><td>177.80</td><td>[7.000]</td><td>199.52</td><td>[7.855]</td><td>387800117</td><td></td><td>387800217</td><td>387800317</td><td>387800517</td><td></td></tr><tr><td>18</td><td>219.1</td><td>[8.62]</td><td>188.91</td><td>[7.438]</td><td>210.63</td><td>[8.293]</td><td>387800118</td><td></td><td>387800218</td><td>387800318</td><td>387800518</td><td></td></tr><tr><td>19</td><td>230.2</td><td>[9.06]</td><td>200.03</td><td>[7.875]</td><td>221.74</td><td>[8.730]</td><td>387800119</td><td></td><td>387800219</td><td>387800319</td><td>387800519</td><td></td></tr><tr><td>20</td><td>241.3</td><td>[9.50]</td><td>211.14</td><td>[8.313]</td><td>232.85</td><td>[9.168]</td><td>387800120</td><td></td><td>387800220</td><td>387800320</td><td>387800520</td><td>387890405</td></tr><tr><td>21</td><td>252.4</td><td>[9.94]</td><td>222.25</td><td>[8.750]</td><td>243.97</td><td>[9.605]</td><td>387800121</td><td></td><td>387800221</td><td>387800321</td><td>387800521</td><td></td></tr><tr><td>22</td><td>263.5</td><td>[10.37]</td><td>233.36</td><td>[9.188]</td><td>255.08</td><td>[10.043]</td><td>387800122</td><td></td><td>387800222</td><td>387800322</td><td>387800522</td><td></td></tr><tr><td>23</td><td>274.6</td><td>[10.81]</td><td>244.48</td><td>[9.625]</td><td>266.19</td><td>[10.480]</td><td>387800123</td><td></td><td>387800223</td><td>387800323</td><td>387800523</td><td></td></tr><tr><td>24</td><td>285.7</td><td>[11.25]</td><td>255.59</td><td>[10.063]</td><td>277.30</td><td>[10.918]</td><td>387800124</td><td></td><td>387800224</td><td>387800324</td><td>387800524</td><td></td></tr><tr><td>25</td><td>296.8</td><td>[11.69]</td><td>266.70</td><td>[10.500]</td><td>288.42</td><td>[11.355]</td><td>387800125</td><td></td><td>387800225</td><td>387800325</td><td>387800525</td><td></td></tr><tr><td>26</td><td>308.0</td><td>[12.12]</td><td>277.81</td><td>[10.938]</td><td>299.53</td><td>[11.793]</td><td>387800126</td><td></td><td>387800226</td><td>387800326</td><td>387800526</td><td></td></tr><tr><td>27</td><td>319.1</td><td>[12.56]</td><td>288.93</td><td>[11.375]</td><td>310.64</td><td>[12.230]</td><td>387800127</td><td></td><td>387800227</td><td>387800327</td><td>387800527</td><td></td></tr><tr><td>28</td><td>330.2</td><td>[13.00]</td><td>300.04</td><td>[11.813]</td><td>321.75</td><td>[12.668]</td><td>387800128</td><td></td><td>387800228</td><td>387800328</td><td>387800528</td><td></td></tr><tr><td>29</td><td>341.3</td><td>[13.44]</td><td>311.15</td><td>[12.250]</td><td>332.87</td><td>[13.105]</td><td>387800129</td><td></td><td>387800229</td><td>387800329</td><td>387800529</td><td></td></tr><tr><td>30</td><td>352.4</td><td>[13.87]</td><td>322.26</td><td>[12.688]</td><td>343.98</td><td>[13.543]</td><td>387800130</td><td></td><td>387800230</td><td>387800330</td><td>387800530</td><td></td></tr></table>										NO. OF CIRCUITS "XX"	DIM. "A"		DIM. "B"		DIM. "C"		MATERIAL NO. (STD)	MATERIAL NO. (-45 OPT)	MATERIAL NO. (-49 OPT)	MATERIAL NO. (-50 OPT)	MATERIAL NO. (-10A IMP OPT)	MATERIAL NO. (-49 -50 OPT)		MM	IN	MM	IN	MM	IN							02	41.3	[1.62]	11.11	[.438]	32.83	[1.293]	387800102		387800202	387800302	387800502	387890401	03	52.4	[2.06]	22.23	[.875]	43.94	[1.730]	387800103	387890206	387800203	387800303	387800503		04	63.5	[2.50]	33.34	[1.313]	55.05	[2.168]	387800104	387890207	387800204	387800304	387800504	387890402	05	74.6	[2.94]	44.45	[1.750]	66.17	[2.605]	387800105		387800205	387800305	387800505		06	85.7	[3.37]	55.56	[2.188]	77.28	[3.043]	387800106	387890209	387800206	387800306	387800506		07	96.8	[3.81]	66.68	[2.625]	88.39	[3.480]	387800107		387800207	387800307	387800507		08	107.9	[4.25]	77.79	[3.063]	99.50	[3.918]	387800108	387890211	387800208	387800308	387800508	387890403	09	119.0	[4.69]	88.90	[3.500]	110.62	[4.355]	387800109		387800209	387800309	387800509		10	130.2	[5.12]	100.01	[3.938]	121.73	[4.793]	387800110		387800210	387800310	387800510		11	141.3	[5.56]	111.13	[4.375]	132.84	[5.230]	387800111		387800211	387800311	387800511		12	152.4	[6.00]	122.24	[4.813]	143.95	[5.668]	387800112		387800212	387800312	387800512	387890404	13	163.5	[6.44]	133.35	[5.250]	155.07	[6.105]	387800113		387800213	387800313	387800513		14	174.6	[6.87]	144.46	[5.688]	166.18	[6.543]	387800114		387800214	387800314	387800514		15	185.7	[7.31]	155.58	[6.125]	177.29	[6.980]	387800115		387800215	387800315	387800515		16	196.8	[7.75]	166.69	[6.563]	188.40	[7.418]	387800116	387890212	387800216	387800316	387800516		17	207.9	[8.19]	177.80	[7.000]	199.52	[7.855]	387800117		387800217	387800317	387800517		18	219.1	[8.62]	188.91	[7.438]	210.63	[8.293]	387800118		387800218	387800318	387800518		19	230.2	[9.06]	200.03	[7.875]	221.74	[8.730]	387800119		387800219	387800319	387800519		20	241.3	[9.50]	211.14	[8.313]	232.85	[9.168]	387800120		387800220	387800320	387800520	387890405	21	252.4	[9.94]	222.25	[8.750]	243.97	[9.605]	387800121		387800221	387800321	387800521		22	263.5	[10.37]	233.36	[9.188]	255.08	[10.043]	387800122		387800222	387800322	387800522		23	274.6	[10.81]	244.48	[9.625]	266.19	[10.480]	387800123		387800223	387800323	387800523		24	285.7	[11.25]	255.59	[10.063]	277.30	[10.918]	387800124		387800224	387800324	387800524		25	296.8	[11.69]	266.70	[10.500]	288.42	[11.355]	387800125		387800225	387800325	387800525		26	308.0	[12.12]	277.81	[10.938]	299.53	[11.793]	387800126		387800226	387800326	387800526		27	319.1	[12.56]	288.93	[11.375]	310.64	[12.230]	387800127		387800227	387800327	387800527		28	330.2	[13.00]	300.04	[11.813]	321.75	[12.668]	387800128		387800228	387800328	387800528		29	341.3	[13.44]	311.15	[12.250]	332.87	[13.105]	387800129		387800229	387800329	387800529		30	352.4	[13.87]	322.26	[12.688]	343.98	[13.543]	387800130		387800230	387800330	387800530	
NO. OF CIRCUITS "XX"	DIM. "A"		DIM. "B"		DIM. "C"		MATERIAL NO. (STD)	MATERIAL NO. (-45 OPT)	MATERIAL NO. (-49 OPT)	MATERIAL NO. (-50 OPT)	MATERIAL NO. (-10A IMP OPT)	MATERIAL NO. (-49 -50 OPT)																																																																																																																																																																																																																																																																																																																																																																																																																
	MM	IN	MM	IN	MM	IN																																																																																																																																																																																																																																																																																																																																																																																																																						
02	41.3	[1.62]	11.11	[.438]	32.83	[1.293]	387800102		387800202	387800302	387800502	387890401																																																																																																																																																																																																																																																																																																																																																																																																																
03	52.4	[2.06]	22.23	[.875]	43.94	[1.730]	387800103	387890206	387800203	387800303	387800503																																																																																																																																																																																																																																																																																																																																																																																																																	
04	63.5	[2.50]	33.34	[1.313]	55.05	[2.168]	387800104	387890207	387800204	387800304	387800504	387890402																																																																																																																																																																																																																																																																																																																																																																																																																
05	74.6	[2.94]	44.45	[1.750]	66.17	[2.605]	387800105		387800205	387800305	387800505																																																																																																																																																																																																																																																																																																																																																																																																																	
06	85.7	[3.37]	55.56	[2.188]	77.28	[3.043]	387800106	387890209	387800206	387800306	387800506																																																																																																																																																																																																																																																																																																																																																																																																																	
07	96.8	[3.81]	66.68	[2.625]	88.39	[3.480]	387800107		387800207	387800307	387800507																																																																																																																																																																																																																																																																																																																																																																																																																	
08	107.9	[4.25]	77.79	[3.063]	99.50	[3.918]	387800108	387890211	387800208	387800308	387800508	387890403																																																																																																																																																																																																																																																																																																																																																																																																																
09	119.0	[4.69]	88.90	[3.500]	110.62	[4.355]	387800109		387800209	387800309	387800509																																																																																																																																																																																																																																																																																																																																																																																																																	
10	130.2	[5.12]	100.01	[3.938]	121.73	[4.793]	387800110		387800210	387800310	387800510																																																																																																																																																																																																																																																																																																																																																																																																																	
11	141.3	[5.56]	111.13	[4.375]	132.84	[5.230]	387800111		387800211	387800311	387800511																																																																																																																																																																																																																																																																																																																																																																																																																	
12	152.4	[6.00]	122.24	[4.813]	143.95	[5.668]	387800112		387800212	387800312	387800512	387890404																																																																																																																																																																																																																																																																																																																																																																																																																
13	163.5	[6.44]	133.35	[5.250]	155.07	[6.105]	387800113		387800213	387800313	387800513																																																																																																																																																																																																																																																																																																																																																																																																																	
14	174.6	[6.87]	144.46	[5.688]	166.18	[6.543]	387800114		387800214	387800314	387800514																																																																																																																																																																																																																																																																																																																																																																																																																	
15	185.7	[7.31]	155.58	[6.125]	177.29	[6.980]	387800115		387800215	387800315	387800515																																																																																																																																																																																																																																																																																																																																																																																																																	
16	196.8	[7.75]	166.69	[6.563]	188.40	[7.418]	387800116	387890212	387800216	387800316	387800516																																																																																																																																																																																																																																																																																																																																																																																																																	
17	207.9	[8.19]	177.80	[7.000]	199.52	[7.855]	387800117		387800217	387800317	387800517																																																																																																																																																																																																																																																																																																																																																																																																																	
18	219.1	[8.62]	188.91	[7.438]	210.63	[8.293]	387800118		387800218	387800318	387800518																																																																																																																																																																																																																																																																																																																																																																																																																	
19	230.2	[9.06]	200.03	[7.875]	221.74	[8.730]	387800119		387800219	387800319	387800519																																																																																																																																																																																																																																																																																																																																																																																																																	
20	241.3	[9.50]	211.14	[8.313]	232.85	[9.168]	387800120		387800220	387800320	387800520	387890405																																																																																																																																																																																																																																																																																																																																																																																																																
21	252.4	[9.94]	222.25	[8.750]	243.97	[9.605]	387800121		387800221	387800321	387800521																																																																																																																																																																																																																																																																																																																																																																																																																	
22	263.5	[10.37]	233.36	[9.188]	255.08	[10.043]	387800122		387800222	387800322	387800522																																																																																																																																																																																																																																																																																																																																																																																																																	
23	274.6	[10.81]	244.48	[9.625]	266.19	[10.480]	387800123		387800223	387800323	387800523																																																																																																																																																																																																																																																																																																																																																																																																																	
24	285.7	[11.25]	255.59	[10.063]	277.30	[10.918]	387800124		387800224	387800324	387800524																																																																																																																																																																																																																																																																																																																																																																																																																	
25	296.8	[11.69]	266.70	[10.500]	288.42	[11.355]	387800125		387800225	387800325	387800525																																																																																																																																																																																																																																																																																																																																																																																																																	
26	308.0	[12.12]	277.81	[10.938]	299.53	[11.793]	387800126		387800226	387800326	387800526																																																																																																																																																																																																																																																																																																																																																																																																																	
27	319.1	[12.56]	288.93	[11.375]	310.64	[12.230]	387800127		387800227	387800327	387800527																																																																																																																																																																																																																																																																																																																																																																																																																	
28	330.2	[13.00]	300.04	[11.813]	321.75	[12.668]	387800128		387800228	387800328	387800528																																																																																																																																																																																																																																																																																																																																																																																																																	
29	341.3	[13.44]	311.15	[12.250]	332.87	[13.105]	387800129		387800229	387800329	387800529																																																																																																																																																																																																																																																																																																																																																																																																																	
30	352.4	[13.87]	322.26	[12.688]	343.98	[13.543]	387800130		387800230	387800330	387800530																																																																																																																																																																																																																																																																																																																																																																																																																	
<table><tr><td colspan="4">TOLERANCES</td></tr><tr><td>MM</td><td>TOL</td><td>INCH</td><td>TOL</td></tr><tr><td>0-6</td><td>±0.25</td><td>0-.24</td><td>±.010</td></tr><tr><td>>6-30</td><td>±0.40</td><td>.24-1.18</td><td>±.016</td></tr><tr><td>>30-120</td><td>±0.50</td><td>1.18-4.76</td><td>±.020</td></tr><tr><td>>120</td><td>±0.80</td><td>>4.76</td><td>±.031</td></tr></table>										TOLERANCES				MM	TOL	INCH	TOL	0-6	±0.25	0-.24	±.010	>6-30	±0.40	.24-1.18	±.016	>30-120	±0.50	1.18-4.76	±.020	>120	±0.80	>4.76	±.031																																																																																																																																																																																																																																																																																																																																																																																											
TOLERANCES																																																																																																																																																																																																																																																																																																																																																																																																																												
MM	TOL	INCH	TOL																																																																																																																																																																																																																																																																																																																																																																																																																									
0-6	±0.25	0-.24	±.010																																																																																																																																																																																																																																																																																																																																																																																																																									
>6-30	±0.40	.24-1.18	±.016																																																																																																																																																																																																																																																																																																																																																																																																																									
>30-120	±0.50	1.18-4.76	±.020																																																																																																																																																																																																																																																																																																																																																																																																																									
>120	±0.80	>4.76	±.031																																																																																																																																																																																																																																																																																																																																																																																																																									
<table><tr><td>SYMBOLS</td><td colspan="12">THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION</td></tr><tr><td colspan="2">DIMENSION UNITS</td><td colspan="2">SCALE</td><td colspan="10">CURRENT REV DESC: ADDED P/N 387890405</td></tr><tr><td colspan="2">MM[INCH]</td><td colspan="2">1:1</td><td colspan="10" rowspan="5"> molex 11.11MM [.438] DR BTS, CB ASY PRODUCT CUSTOMER DRAWING DOCUMENT NUMBER SD-38780-001 DOC TYPE PSD DOC PART 001 REVISION F1 MATERIAL NUMBER SEE CHART CUSTOMER GENERAL MARKET SHEET NUMBER 2 OF 2 </td></tr><tr><td colspan="2">GENERAL TOLERANCES (UNLESS SPECIFIED)</td><td colspan="2"></td></tr><tr><td colspan="2"></td><td colspan="2"></td></tr><tr><td colspan="2"></td><td colspan="2"></td></tr><tr><td colspan="2"></td><td colspan="2"></td></tr><tr><td colspan="2">4 PLACES ± --- ± ---</td><td colspan="2">3 PLACES ± --- ± ---</td></tr><tr><td colspan="2">2 PLACES ± --- ± ---</td><td colspan="2">1 PLACE ± --- ± ---</td></tr><tr><td colspan="2">0 PLACES ± --- ± ---</td><td colspan="2">ANGULAR TOL ± ---</td></tr><tr><td colspan="2">DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS</td><td colspan="2">THIRD ANGLE PROJECTION</td><td colspan="2">DRAWING</td><td colspan="2">SERIES</td><td colspan="2">MATERIAL NUMBER</td><td colspan="2">CUSTOMER</td><td colspan="2">SHEET NUMBER</td></tr><tr><td colspan="2"></td><td colspan="2"></td><td colspan="2">B-SIZE</td><td colspan="2">38780</td><td colspan="2">SEE CHART</td><td colspan="2">GENERAL MARKET</td><td colspan="2">2 OF 2</td></tr></table>										SYMBOLS	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION												DIMENSION UNITS		SCALE		CURRENT REV DESC: ADDED P/N 387890405										MM[INCH]		1:1		molex 11.11MM [.438] DR BTS, CB ASY PRODUCT CUSTOMER DRAWING DOCUMENT NUMBER SD-38780-001 DOC TYPE PSD DOC PART 001 REVISION F1 MATERIAL NUMBER SEE CHART CUSTOMER GENERAL MARKET SHEET NUMBER 2 OF 2										GENERAL TOLERANCES (UNLESS SPECIFIED)																4 PLACES ± --- ± ---		3 PLACES ± --- ± ---		2 PLACES ± --- ± ---		1 PLACE ± --- ± ---		0 PLACES ± --- ± ---		ANGULAR TOL ± ---		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		THIRD ANGLE PROJECTION		DRAWING		SERIES		MATERIAL NUMBER		CUSTOMER		SHEET NUMBER						B-SIZE		38780		SEE CHART		GENERAL MARKET		2 OF 2																																																																																																																																																																																																																																																																																																																			
SYMBOLS	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION																																																																																																																																																																																																																																																																																																																																																																																																																											
DIMENSION UNITS		SCALE		CURRENT REV DESC: ADDED P/N 387890405																																																																																																																																																																																																																																																																																																																																																																																																																								
MM[INCH]		1:1		molex 11.11MM [.438] DR BTS, CB ASY PRODUCT CUSTOMER DRAWING DOCUMENT NUMBER SD-38780-001 DOC TYPE PSD DOC PART 001 REVISION F1 MATERIAL NUMBER SEE CHART CUSTOMER GENERAL MARKET SHEET NUMBER 2 OF 2																																																																																																																																																																																																																																																																																																																																																																																																																								
GENERAL TOLERANCES (UNLESS SPECIFIED)																																																																																																																																																																																																																																																																																																																																																																																																																												
4 PLACES ± --- ± ---		3 PLACES ± --- ± ---																																																																																																																																																																																																																																																																																																																																																																																																																										
2 PLACES ± --- ± ---		1 PLACE ± --- ± ---																																																																																																																																																																																																																																																																																																																																																																																																																										
0 PLACES ± --- ± ---		ANGULAR TOL ± ---																																																																																																																																																																																																																																																																																																																																																																																																																										
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		THIRD ANGLE PROJECTION		DRAWING		SERIES		MATERIAL NUMBER		CUSTOMER		SHEET NUMBER																																																																																																																																																																																																																																																																																																																																																																																																																
				B-SIZE		38780		SEE CHART		GENERAL MARKET		2 OF 2																																																																																																																																																																																																																																																																																																																																																																																																																
DOCUMENT STATUS	P1	RELEASE DATE	2018/12/03	18:51:15	9	8	7	6	5	4	3	2	1																																																																																																																																																																																																																																																																																																																																																																																																															
FORMAT: Eng-lega-master-ib-prod-B REVISION: 0 DATE: 2018/01/18																																																																																																																																																																																																																																																																																																																																																																																																																												

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[Molex:](#)

[38780-0121](#)