

DO NOT SCALE
DIMENSIONS IN

METRIC

3rd ANGLE PROJECTION

NOTES:

NOTES:

1 MATERIAL: HOUSING: TERMOPLASTICO S/ FIBRA DE VIDRO V-0 COR: PRETO
CONTACT: BRONZE FOSFOROSO

MATERIAL: HOUSING: THERMOPLASTIC WITHOUT GLASS FIBER V-0 COLOR: BLACK
CONTACT: PHOSPHOROUS BRONZE

2 MATERIAL: HOUSING: TERMOPLASTICO C/ FIBRA DE VIDRO HB COR: NATURAL
CONTACT: BRONZE FOSFOROSO

MATERIAL: HOUSING: THERMOPLASTIC WITH GLASS FIBER HB COLOR: NATURAL
CONTACT: PHOSPHOROUS BRONZE

3 0,38 µm. MIN. OURO NA AREA DE CONTATO, SOBRE BANHO 0,76 µm NIQUEL
0,38 µm. MIN. GOLD ON CONTACT AREA, 0,76 µm NIQUEL UNDERPLATING

4 0,76 µm. MIN. OURO NA AREA DE CONTATO, SOBRE BANHO 0,76 µm NIQUEL
0,76 µm. MIN. GOLD ON CONTACT AREA, 0,76 µm NIQUEL UNDERPLATING

5 1,27 µm. MIN. OURO NA AREA DE CONTATO, SOBRE BANHO 0,76 µm NIQUEL
1,27 µm. MIN. GOLD ON CONTACT AREA, 0,76 µm NIQUEL UNDERPLATING

6 ESTANHO SOBRE NIQUEL
TIN UNDER NICKEL


7 PONTO DE CONTATO E/ MEDIÇÃO DA CAMADA DE OURO
CONTACT POINT FOR GOLD PLATING MEASUREMENT

8 ACETA PINO QUADRADO 0,64 x 0,64 OU REDONDO Ø 0,64
ALLOW SQUARE PIN 0,64 x 0,64 OR ROUND Ø 0,64

9 MATERIAL: HOUSING: TERMOPLASTICO C/ FIBRA DE VIDRO COR VERMELHO, V-2
CONTACT: BRONZE FOSFOROSO

MATERIAL: HOUSING: THERMOPLASTIC WITH GLASS FIBER COLOR RED; V-2
CONTACT: PHOSPHOROUS BRONZE

		3		10	L	2 - 880584	- 1
11 OBSOLETE		6		9			- 9
11 OBSOLETE		6					- 8
		5					- 7
11 OBSOLETE		4					- 6
		3		2			- 5
		6					- 4
11 OBSOLETE		5					- 3
		4					- 2
		3		1	K7	880584	- 1

OTHER TREATMENT					FINISH					MATERIAL					PART REV.		PART NUMBER				
CUSTOMER DWG for REFERENCE ONLY										TOLERANCES UNLESS OTHERWISE STATED DEC. $\pm 0,3$ ANGLES $\pm 1^{\circ}$					INS. DIA. RANGE //		WIRE RANGE //		SCALE //		
															 TE Connectivity						
										DR. Carlos 01/01/84					DESCRIPTION AMP SHUNT CONNECTOR ASS'Y						
										CHK. H 10 JUN 84 1A/84											
L4		REV. ECO 11-023509			HC		WLS		02DEC11		DE.		A3 DWG NO C 880584							SHEET 1072	
L3		REVISED PER ECO-11-005139			RK		HMR		28MAR11												
153		REVISION RECORD			DR		CHK		DATE		APP. JWH										


C 880584

C

B

A

- 10 MATERIAL: HOUSING: TERMOPLASTICO C/ FIBRA DE VIDRO V-2 COR: VERDE
CONTATO: BRONZE FOSFOROSO
MATERIAL: HOUSING: THERMOPLASTIC WITH GLASS FIBER V-2 COLOR: GREEN
CONTACT: PHOSPHOROUS BRONZE
- 11 OBSOLETE PARTS: OBSOLETE CIS STREAMLINING PER D.RENAUD/D.SINISI



11 OBSOLETE	6			1	8
	5			1	7
	4			1	6
	3		2	1	5
	6			1	4
	5			1	3
11 OBSOLETE	4			1	2
	3		1	K1	1 - 880584 - 1

OTHER TREATMENT	FINISH	MATERIAL	PART REV.	PART NUMBER
CUSTOMER DWG for REFERENCE ONLY				
TOLERANCES UNLESS OTHERWISE STATED DEC. ± 0,5 ANGLES ± 1°		INS. DIA. RANGE	WIRE RANGE	SCALE
DR. <i>Isidor</i> CHK. <i>N. W. S.</i> DATE 09-MAR-87		TE Connectivity		
		DESCRIPTION AMP SHUNT CONNECTOR ASS'Y		
L4		DWG NO A3	C 880584	SHEET 2 of 2
REVISION	RECORD	DR	CHK	DATE

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[880584-2](#)