









LEAD FREE, RoHS COMPATIBLE
SEE NOTE 4.






- 1 - MATERIAL: PLASTIC - PBT 30% GLASSFILLED COLOR BLACK
PIN - PHOSPHOR BRONZE
- 2 - PLATING : 3um-6um SnPb over 1.27umNi MIN
- 3 - PIN PUSH OUT FORCE 30N MIN IN EITHER DIRECTION
- 4 - PLATING 2.0µm-7.5µm MATTE TIN over 1.27µm Ni MIN

THIS PRODUCT MEETS EUROPEAN UNION DIRECTIVES AND OTHERS REGULATIONS.

mat'l. code				surface ISO 1312 ✓		tolerance ISO 416 ISO 1101		projection 		product family HEADER			
ltr	ecn no	dr	date	tolerances unless otherwise specified						title			
A	F7D468	JMC	97.07.05	angles	linear				HEADER BODY				
B	F05-0419	LMU	06.01.03						2.5mm PITCH				
C	F06-0196	LMU	06.06.20										
				dr	J COMPAGNON	97.01.16			dwg no		sheet 1 of 2	size	
				engr	JMC	97.07.05			95275		A3		
				chr									
				apprd	JMC	97.07.05							
sheet index		revision sheet		C	C								
				6	4			7	5	8 6			

PRODUCT NUMBER
95275-002LF

LEAD FREE, RoHS COMPATIBLE
SEE NOTE 4, SHEET 1



mat'l. code SEE NOTE				surface ISO 1302 ✓		tolerance ISO 406 ISO 1101		projection 		product family HEADERS			
Ltr	ecn no	dr	date	tolerances unless otherwise specified						title HEADER STR, SR, CABLE GUIDE			
A	F70468	JMC	97.07.05	angles	Linear			scale 1:1		dwg no 95275			
B	F05-0419	LMU	06.01.03										
C	F06-0196	LMU	06.06.20							sheet 2 of – A.			
				dr	J COMPAGNON	97.01.16							
				enrg	JMC	97.07.05							
				chr									
				appd	JMC	97.07.05			type CUSTOMER				
sheet index	revision sheet												Drawing

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[FCI / Amphenol:](#)

[95275-002LF](#) [95275-001LF](#)