



202K232

a) Part as supplied.



b) Part after unrestricted recovery.



DIMENSIONS in millimetres
(in inches, for reference)

| Part No. | H | | J | | P | R | S | T | U | J0 | HW | JW | X | Y |
|----------|--------------|----------------|---------------|---------------|--------------|--------------|---------------|---------------|--------------|--------------|---------------|---------------|--------------|--------------|
| | Min a | Max b | Min a | Max b | ±10% b | ±10% b | ±10% b | ±10% b | ±10% b | ±10% b | ±20% b | ±20% b | ±20% b | ±20% b |
| 202K232 | 25 (0.98) | 13.8 (0.54) | 8.0 (0.31) | 3.3 (0.13) | 55 (2.17) | 28 (1.10) | 3.0 (0.12) | 1.0 (0.04) | 15 (0.59) | 16 (0.63) | 1.8 (0.07) | 0.5 (0.02) | 24 (0.94) | 23 (0.90) |

Copyright (!)

The copyright in this drawing is the property of Tyco Electronics UK Ltd. The drawing is issued on the condition that it is not copied, reproduced or disclosed to a third party, either in whole or in part without the prior written consent of Tyco Electronics UK Ltd.

Drawn J.RIBBONS Checked

Issue 5

Date March 2010


Conforms to ISO Recommendations

Approval
Design

MKTG.


Q.A.

3rd Angle Projection
Not to Scale



| Iss. | Date | E.C.R. No. | Details of Change |
|------|--------------|---------------|-----------------------------------|
| 2 | May 1990 | 5629 | Ja min was 7.0 |
| 3 | June 2001 | CR01-HM-0011 | -12 added to available materials |
| 4 | October 2006 | CR06-DM-104 | Material description name changed |
| 5 | March 2010 | ECR-10-004980 | Y dim was 18. |

Ordering Information



COMPATIBILITY CHART

| Material Dash Number | Material Description | SPEC Number | Coating Slash Number |
|----------------------|---------------------------------|------------------|----------------------|
| -3 | POLYOLEFIN, SEMI-RIGID | RT-301, RK-6703 | /42, /86, /180 |
| -4 | POLYOLEFIN, FLEXIBLE | RT-1304 RT-1050 | /42, /86, /180 |
| -6 | SILICON | RT-602, RK-6706 | N/A |
| -12 | FLUOROELASTOMER, FLEXIBLE | RT-1312, RW-2071 | /225 |
| -25 | ELASTOMER, FLUID RESISTANT | RT-1325, RK-6713 | /42, /86, /225 |
| -130 | POLYOLEFIN, COMMERCIAL FLEXIBLE | RW-2008 | /42 |

NOTES

- ① As supplied dimensions are for uncoated parts, when coating is added entry diameters will reduce by 1.5mm Max.
- ② Potting Ports are optional, when specified by suffix "-00" they will be located as shown.

| | |
|--|---|
| Tyco Electronics UK Ltd. Faraday Road, Swindon, Wiltshire, SN3 5HH England Telephone: (01793) 528171 Fax: 572516 | Tyco Electronics Corporation 300, Constitution Drive, Menlo Park, CA 94025 USA Telephone (650) 361-3860 Fax: (650) 361-5579 |
| Cage Code K1010 | Cage Code 06090 |

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[202K232-25-00-0](#)